LAND CORNER RECORDATION CERTIFICATE

	Filing Requirement of	ACT /4, MICh. PA 19/0	en du
For Corners In: OGEMAW (County)	Located In Corner	Code #	30 Factor
Public Land Survey Property Controlling	T R R S 5 T 22N R 3E 2		emaw cnty 0815*12PM02:03
in Section 3. Miscellaneous Property in Section	S 5 T 22N R 3E 2 S 5 T 22N R 3E 9 S T R R	Register of Deeds Stamp & File Number	ය _
4. Lot No:	Recorded Plat:	ABCDEFGHIJKLM	
5. Private Claims:		2 6 5 6 4 3 2 1	
I, <u>Carl T. Kiiskila</u> , in a field survey on <u>March 15, 2012</u> do hereby state that under requirements of PA 74, Michigan PA of 1970, the corner points mentioned in lines 1 and 2 above were in conformance with regulations and rules therefore as required in the current manual of survey instructions of the United States Department of the Interior, Bureau of Land Management or by a decree of a Court of Law and/or that the corner points mentioned in lines 3, 4 and 5 above were in conformance with the rules of the Michigan Board of Land Surveyors or by a Decree of a Court of Law; established, re-established, monumented, recovered, found as expressed below:		hat under	
NOTE: Not more than a be recorded on this cer	2 corners, all in the same town and rangertificate.	10 30 29 28 27 26 25 11 12 31 32 33 34 35 36 13	
A. Description of original	monument and accessories and/or subseq	uent restoration:	
2 - East 1/16 comer N	orth line section 5, T22N,R03E	9-CE 1/16 corner section 5, T22N,R03E	
This corner was not e Government Survey	established during the Original	This corner was not established during the Original Government Survey	
	Doc # 3107417 08/15/2012 02:07:31 SURC Fee:\$ 14.00 Denise Simmons, Oge	emaw Co Register	
B. Description of corner e	evidence found and/or method applies in res	storing or re-establishing corner:	
	North line section 5, T22N,R03E	9-CE 1/16 corner section 5, T22N,R03E	
Set stamped 2" dia. a standard BLM proce the location for the o	luminum cap on 5/8" x 34" rebar per edure. Found no other evidence to dispute corner.	Set stamped 2" dia. aluminum cap on 5/8" x 34" rebar per standard BLM procedure. Found no other evidence to the location for the corner.	dispute
<u>2</u> – East 1/16 corne	ent for corner and accessories established r North line section 5, T22N,R03E cap on 5/8" x 34" rebar	to perpetuate locating the position of the corner: 9-CE 1/16 corner section 5, T22N,R03E 2" dia. aluminum cap on 5/8" x 34" rebar	
S50°E 52.77' to s S4°E 34.51' to s	set N&T on S side 10" Balsam set N&T on S side 17" Spruce set N&T on E side 9" Balsam set N&T on E side 6" Tamarack el Road 1' North	Wit: N25°E 35.51' to set N&T on SE side 7" Balsam S38°E 8.00' to set N&T NE side 8" Poplar S18°W 11.12' to set N&T SE side 8" Poplar N55°W 1.09' to set N&T SW side 8" Poplar North 37' to East – West wire fence N72°E 203' to Fence Corner wire N&W	
Set Blue Carsonite	Post w/ location tag 33' South	Set Blue Carsonite Post w/ location tag 1' North	
Signed by:	arl T Kirkil	CARL KIISKILA 8-15-12	
Surveyor's Michigan L	icense No.: 33981	SURVEYOR	

FORM APPROVED BY MICHAND SHIP BOARD OF PROFESSIONAL SURVEYORS JAN. 28, 1971
Revised May 14, 1975
Revised Jan. 1983
Revised Oct. 1995