



**FOREST TREATMENT PROPOSAL**  
**Compartment**

Proposal #  
**C54-1225**

Drafted/Reviewed  
**01/22/2025**

|                        |       |                               |                                  |   |                  |
|------------------------|-------|-------------------------------|----------------------------------|---|------------------|
| Forest Management Unit |       | County                        | Timber Sale Number: 54-001-2-23  | YOE: 2023                               | Compartment: 124 |
| Atlanta                |       | Presque Isle                  | Sale Admin Staff: Coy            | Stands: 22 (13.8), 47 (38.5), 56 (37.9) |                  |
| Township               | Range | Section(s) and Subdivision(s) | Harvest Completed By: 10/16/2024 | <b>ACRES: 90.2</b>                      |                  |
| 33N                    | 02E   | Sec 25-SE1/4, Sec 30-E1/2SE4  | Contract TCR Date: 11/01/2024    | Covertypes Obj: Planted RP              |                  |

| Proofing Comments                     | Activity Tracking | Prescription   |
|---------------------------------------|-------------------|--|
| REC: ORV Trail Adj to Stand 22        |                   | Cover Type Obj: - PLANTED RP<br>Acceptable Regen: fully stocked red pine<br>Rx Specs: trench, spray, plant<br>Other Comments:<br><br>Approved Methods: Chop, Trench, Spray and Plant to RP at standard spacing per TMS specifications.<br>Additional Treatments may include herbicide spraying, and pre-commercial thinning. |
| WATER: None w/in 500 ft               |                   |  |
| HAL: No known occurrences 12/10/2024  |                   |  |
| MNFI: No known occurrences 12/10/2024 |                   |  |
| Drafted & Reviewed:01/22/2025 DKC     |                   |  |

| Implementation Notes  |
|---|
| Comments: FTP Name: Spring Lk and Elk Rd Red Pine. No pipelines or other utilities exist along county roads. The RP planting units within the sale were harvested in fall 2024. Stands were not chipped and are ready for trenching. Oak conversion in stand 56 is heavy to slash. Stumps are very low with slash spread out well. Stand 47 has rolling terrain, rest are flat. Landings were located adjacent to access roads. |
| MIFI Start Date: 10/01/2024   |

