

Compartment Review Presentation

Escanaba Forest Management Unit

Compartment 33084 Entry Year: 2026 Acreage: 1,748 County: Delta

Management Area: Menominee-Marguette

Stand Examiner: Dan Racine

Legal Description:

T41N R24W sections 5, 7, 8, 17, 18, 19, 30

Identified Planning Goals:

This compartment contains a mix of upland and lowland forest stands. The majority of the upland stands are aspen and aspen spruce/fir types that have been harvested in previous treatment periods. The treatments this treatment period are mature aspen stand designed to regenerate the aspen before it is in decline. The planting scheduled was from previous harvests within the European larch stands and scheduled for trenching and planting to spruce. The previous treatment period had treatments within the lowland cover types.

Soil and topography:

Soils are poorly drained nonacid mucks and peats, in nearly equal proportion, interspersed among well drained loam soils. Other soils include well drained loams over limestone bedrock. Major soil series include Miami Loams, Cathro, Trenary loams, Onaway, Carbondale, and Ronsseau Sand. Topography is gently rolling with level lowlands.

Ownership Patterns, Development, and Land Use in and Around the Compartment:

This compartment is within a mixed ownership pattern. Mostly state land to the east of the compartment but industrial forest land mixed with non-industrial forest land surrounding the rest of the compartment.

Unique Natural Features:

No Unique Natural Features known.

Archeological, Historical, and Cultural Features:

No Archeological, Historical, or Cultural Features known.

Special Management Designations or Considerations:

The Mile Twenty One road is closed by directors order. This compartment contains a portion of the Deer Range Improvement Purchase (DRIP) in Delta and Menominee counties.

Watershed and Fisheries Considerations:

This compartment contains the Main Branch Ford River and an unnamed stream that serves as s tributary to the Main Branch Ford River. The Main Branch Ford River is a designated Type 4 trout stream greater than 50 feet wide and has a predicted mean July temperature of 70.5 °F (cool stream). A minimum 100-foot, plus 5-feet per 1% increase in slope, buffer is recommended for the Main Branch Ford River to protect riparian areas in accordance with Best Management Practices. The unnamed tributary is a non-designated stream less than 50 feet wide and has a predicted mean July temperature of 63.7°F (cool stream). A minimum 100-foot, plus 5-feet per 1% increase in slope, buffer is recommended for the unnamed tributary to protect riparian areas in accordance with Best Management Practices.

Wildlife Habitat Considerations:

This 1,748 acre compartment contains a diverse array of lowland and upland community types, with the largest cover types being cedar, at 36%, aspen, at 27%, and tamarack, at 11%. 119 acres of forest treatments have been prescribed this YOE, representing 6.8% of the compartment. Of these treatments, 98 acres of clearcuts are planned in aspen, lowland deciduous, mixed upland deciduous, and lowland coniferous stands, and 21 acres of shelterwood treatments are planned in northern hardwoods. Featured species for this compartment include American Woodcock, Wood Thrush, White-tailed Deer, Wild Turkey, and Black Bear. Clearcuts and shelterwood treatments which create young forest conditions, will benefit all of these species with the exception of Wood Thrush. No potential habitat for Wood Thrush is to be impacted this YOE.

Mineral Resource and Development Concerns and/or Restrictions

No known potential exists for commercial oil & gas production in this part of the state. The closest known active sand & gravel operation is more than three miles north. Bedrock limestone is at or near the surface within the compartment and across the area, so potential for sand & gravel may be limited. In addition, much of the compartment consists of low wetlands, which would inhibit surface mining for development of sand & gravel or limestone for aggregate. Some remote geophysical surveys covering this area have been conducted and have revealed potential metallic mineral targets (in the

form of magnetic anomalies) including beneath the compartment. One such feature, one mile southwest of the compartment, was the focus of considerable exploration test drilling for iron ore in the late 1960s. Logs from those boreholes indicate beds of iron formation beginning around 200-300 feet below the surface and perhaps extending to 500 feet or more. However, the depth, thickness, and grade of the ore beds may be such that the deposit does not have significant economic value. State-owned metallic mineral rights in the compartment were briefly leased in the late 1980s, but there has been no leasing activity involving State-owned mineral rights since. The State does not own all the mineral rights within the compartment. Because the mineral estate is the dominant estate, the surface owner must provide the owner of the mineral rights reasonable access to the surface for mineral exploration and development.

Vehicle Access:

The northern block of this compartment has good access. The center block is very difficult to access. The south part of the comartment has access through private lands.

Survey Needs:

N/A

Recreational Facilities and Opportunities:

There are not any recreational facilities within this compartment, however there is very good opportunities for hunting and fishing in this area.

Fire Protection:

Most of this compartment is timber types that are less prone to fire. Should a fire occur portions of this compartment will be extremely difficult to access. There is abundant water within a few miles of this compartment.


Additional Compartment Information:


The following reports from the Inventory are attached:


Total Acres by Cover Type and Age Class
Cover Type by Harvest Method
Proposed Treatments – No Limiting Factors
Proposed Treatments – With Limiting Factors
Stand Details (Forested and Nonforested)
Dedicated and Proposed Special Conservation Areas
Site Condition Details


The following information is displayed, where pertinent, on the attached compartment maps:


Base feature information, stand boundaries, cover types, and numbers Proposed treatments
Site condition boundaries
Details on the road access system

















Report 1 – Total Acres by Cover Type and Age Class

Escanaba Mgt. Unit

Dan Racine: Examiner

Compartment 84 Year of Entry 2026



Age Class

			,			,		,				,		,	,		,	,	
	¥or	Kor /	3 / 2			3/\$		8/8	8/8				" " " " " " " " " " " " " " " " " " "					\$ \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	No. No.
Aspen	0	35	129	46	201	55	6	0	0	0	0	0	0	0	0	0	0	0	472
Cedar	0	0	0	0	0	0	0	0	0	8	18	15	586	0	0	10	0	0	637
Herbaceous Openland	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	11
Low-Density Trees	33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	33
Lowland Conifers	0	0	0	0	7	0	0	0	0	16	72	0	0	0	0	0	0	0	94
Lowland Deciduous	0	0	0	0	0	0	0	0	0	0	9	0	0	0	0	0	0	0	9
Lowland Mixed Forest	0	0	0	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7
Lowland Shrub	88	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	88
Lowland Spruce/Fir	0	0	52	0	0	0	0	0	0	0	0	14	0	0	0	0	0	0	66
Mixed Upland Deciduous	0	0	0	0	29	0	0	0	0	0	13	0	15	0	0	0	0	0	57
Northern Hardwood	0	0	0	0	0	0	0	0	0	14	23	0	0	0	0	0	0	0	37
Tamarack	0	0	0	0	0	121	0	48	25	0	0	0	0	0	0	0	0	0	194
Upland Conifers	0	0	0	0	5	0	0	0	0	0	0	5	0	0	0	0	0	0	10
Upland Mixed Forest	0	0	0	0	0	0	23	0	0	0	0	0	4	0	0	0	0	0	27
Urban	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8
Total	140	35	181	53	242	176	29	48	25	38	135	34	605	0	0	10	0	0	1750



Report 2 - Treatment Summary


Escanaba Mgt. Unit Year of Entry: 2026

Acres of Harvest


Compartment 84
Total Compartment Acres: 1,748

Commercial Harvest - 152 Harvests with Site Condition - 0 Next Step Harvest - 0 Habitat Cut - 0

Cover Type by Harvest Method



Proposed and Next Step Treatments by Method



Acres

Treatment

Type

Treatment

Method

BA

Range

Size

Density

Stand

Age

Cover Type

Objective

n

d

Age

Structure



Cut

Treatment

Name

10 33084010-NF 1.3 3102 - Grass Nonstocked Unspec NonForestMgt Other - Specify 310 -No ified Herbaceous Openland

Prescription Prescribed fire, farming (dozing, disking, raking, herbiciding, seeding (native or naturalized species only)), fertilizing and liming, Specs: brushhog/saw removal of competing trees and establishment of native hard and soft mast producers such as red oak, crabapple or others.

Next Step Treatments:

Acceptable Regen:

Other See stand comments for the work that has been done in this stand

Stand

CoverType

Comment:

Site Condition:

Proposed Start Date: 8 /30/2024

33084015-Cut 33.6 4130 - Aspen Clearcut with 4319 - Mixed Sawtimber 47 Unspec Harvest Even-Aged Nο ified Retention Upland Forest

Prescription Clearcut with retention: Cut all trees 3 inches and greater except do not cut any cedar. Leave retention of the stand of 3 to 10% of the stand Specs: acreage.

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Acceptable Aspen, mixed deciduous and conifer species.

Regen:

Access through private property to the north. Some brushing would be required through private for access. Recommend to access in a dry **Other** summer or frozen ground conditions but not required. Comment:

This harvest will aid in distributing aspen age classes within the management area and the compartment. Expect decent regeneration of this stand to aspen and mixed upland cover types by the following treatment period.

Site Condition:

Proposed Start Date: 10/1 /2025

33084018-NF 1.3 3102 - Grass Nonstocked Unspec NonForestMgt Other - Specify 310 -No Herbaceous ified Openland

Prescription Prescribed fire, farming (dozing, disking, raking, herbiciding, seeding (native or naturalized species only)), fertilizing and liming. Specs: brushhog/saw removal of competing trees and establishment of native hard and soft mast producers such as red oak, crabapple or others.

Next Step **Treatments:**

Acceptable Regen:

Other See stand comments for treatments that have been done in this stand

Comment:

Site Condition:

Proposed Start Date: 8 /30/2024

Escanaba Mgt. Unit Report 3 -- Treatments Compartment: 84 Year of Entry: 2026 S t а **Treatment** Size Stand BA **Treatment Treatment Cover Type** Acres Stand Age Habitat n **Objective** Density Method Structure Name CoverType Age Range Type Cut d 20 33084020-NF 1.0 3102 - Grass Nonstocked Unspec NonForestMgt Other - Specify 310 -Herbaceous ified Openland Prescription Prescribed fire, farming (dozing, disking, raking, herbiciding, seeding (native or naturalized species only)), fertilizing and liming, brushhog/saw removal of competing trees and establishment of native hard and soft mast producers such as red oak, crabapple or others. Specs: Next Step Treatments: Acceptable Regen: Other See stand comments for treatments that have been done here Comment: Site Condition: Proposed Start Date: 8 /30/2024 Poletimber 33084035-Cut 20.0 4134 - Aspen, Clearcut with 48 Unspec Harvest 413 - Aspen Even-Aged No Spruce/Fir Well ified Retention Prescription Cut all trees 3 inches and greater except do not cut the cedar. Retention left of 3 to 10% of the stand area. Specs: Next Step Monitoring, Natural Regen (Re-Inventory) **Treatments:** Acceptable Aspen, mixed upland forest species. Regen: Estimated area of retention with the final decision at the time of sale preparation where to leave the retention. Expect this harvest to Other provide adequate regeneration of aspen and mixed forest species by the time of monitoring the next inventory cycle. This harvest will Comment: provide a diversity of age classes of aspen within the compartment and within the management area. Site Condition:

Proposed Start Date: 10/1 /2025

3102 - Grass 310 -33084059-NF 6.0 Nonstocked Unspec NonForestMgt Other - Specify No Herbaceous ified Openland

Prescription Prescribed fire, farming (dozing, disking, raking, herbiciding, seeding (native or naturalized species only)), fertilizing and liming, Specs: brushhog/saw removal of competing trees and establishment of native hard and soft mast producers such as red oak, crabapple or others.

Next Step Treatments:

<u>Acceptable</u>

Regen:

No work has been done here in the last decade

Comment:

Other

Site Condition:

BA

Range

ınaba Mgt. Unit	Report 3 Treatments	Compartment: 84
		Year of Entry: 2026

Treatment

Type

Treatment

Method

Cover Type

Objective

Age

Structure

Habitat

Cut

1.0 310 - Herbaceous 75 33084075-NF Nonstocked Unspec NonForestMgt Other - Specify 310 -Openland Herbaceous ified Openland

Prescription Prescribed fire, farming (dozing, disking, raking, herbiciding, seeding (native or naturalized species only)), fertilizing and liming,

Size

Density

Stand

CoverType

Stand

Age

brushhog/saw removal of competing trees and establishment of native hard and soft mast producers such as red oak, crabapple or others. Specs:

Next Step Treatments:

Treatment

Name

S t а

n

d

Acceptable Regen: Other Comment:

Site Condition:

Proposed Start Date: 8 /30/2024

6122 - Black 33084076-Cut 13.6 6122 - Black Spruce Poletimber 102 Unspec Clearcut with Harvest Even-Aged No Retention Spruce

Prescription Cut all trees except the cedar. Leave retention along the western edge of the treatment boundary with spruce.

Encourage the slash to be in small piles particularly in areas with low conifer cover. Specs:

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Acceptable Black spruce and mixed lowland forest species.

Regen:

Harvest during the winter months only. Other Access required through private property. Comment:

The harvest attempts to regenerate the black spruce and mixed lowland forest species. The cedar residual will provide islands of cover within the stand. The regeneration of black spruce has been successful in other treatments within the compartment. Monitor the seeding in of spruce and other species the next treatment period and require winter seeding if unsuccessful. The success of regeneration may be

beyond the next treatment period.

Site Condition:

Proposed Start Date: 10/1 /2025

33084081-Cut 1-50 22.6 4191 - Mixed Poletimber 34 Harvest Clearcut with 4319 - Mixed Even-Aged Nο Upland Deciduous Medium Retention **Upland Forest**

with Conifer

Prescription Cut all trees 3 inches and greater except leave the cedar.

Specs:

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Acceptable Aspen, balm and mixed conifer and deciduous species.

Regen:

Access through private property will be required. Harvest during the winter months only. <u>Other</u>

Comment:

The harvest is designed to increase the amount of regeneration and canopy closure within the stand. The majority of the cedar is along the

stand boundary.

Monitor the success of the regeneration and expect this stand to regenerate to aspen and balm by the next treatment period and continue to fill in with mixed conifer species within open areas.

Site Condition:

s t		Escanab	a Mgt. Unit		Repo	rt 3 '	Treatments		Compartmen Year of Entry		DNR DNR
a n d	Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
83	33084083-Cı		4119 - Mixed Northern Hardwoods	Sawtimbe Well	er 92	51-80	Harvest	Shelterwood with Retention	4319 - Mixed Upland Forest	Even-Aged	No
			retention: Leave re le protect the existi			ine to the	east. Leave all	hemlock and cedar	. Leave some w	nite pine, yello	ow birch
	xt Step Moni	oring, Natui	ral Regen (Re-Inven	itory)							
	ceptable Mixed gen:	d upland ded	ciduous and conifer	species.							
	her The a	access is red	quired through priva	te property	. Harve	st during	the winter mont	hs only.			
<u>C0</u>		narvest is de	esigned to regenerat	te the exist	ing stan	ıd with a ı	mix of upland de	eciduous and conifer	species with low	Sawlog poter	ntial.
	Moni	or the reger	neration the treatme	nt period, e	expectin	ng some r	maple stump spi	routing, pine and ad	ditional mixed up	land conifer s	pecies.
Site	e Condition:										
Pro	oposed Start Da	<u>te:</u> 10/1 /20)25								
84	33084084-Cı	ut 8.0	6117 - Lowland Deciduous, Mixed Coniferous	Poletimbe Medium	-	51-80	Harvest	Clearcut with Retention	611 - Lowland Deciduous Forest	Even-Aged	No
	escription Clear ecs:	cut with rete	ention: Cut all trees	except do	not cut	any ceda	r. A minimum o	f 100 foot buffer left	along the Ford R	iver.	
	xt Step Moni	oring, Natui	ral Regen (Re-Inven	itory)							
Ac	ceptable Lowla	and deciduo	us and conifer spec	ies.							

Regen:

Other The access to this stand is through private property. Harvest during the winter months only.

The harvest is designed to salvage the ash trees due to Emerald Ash Borer.

Monitor the regeneration during the next inventory cycle. The ash and mix of species expected to regenerate in this stand. If the regeneration is unsuccessful look at options to plant alternate species.

Proposed Start Date: 10/1 /2025

Approved Treatments:

Site Condition:

Comment:

33084003-Cut 17.6 6120 - Lowland Poletimber 116 Harvest Clearcut with 6128 - Lowland Even-Aged No Coniferous, Well Cedar Retention Mixed Deciduous

Prescription Clearcut with reserves- Leave retention patches of the areas with the heaviest cedar volumes and all cut all other trees. Specs:

; Monitoring, Natural Regen (Re-Inventory) Next Step Treatments:

Acceptable Lowland conifers, aspen, and birch. Regen:

The cedar cover type is approximately 35% of the canopy with cedar in heavy patches. Plant Red Osier Dogwood in the lowest areas and <u>Other</u> long the edge. Old next step comments: Wildlife Division will create an FTP for planting Red Osier Dogwood and other soft mast species. Comment:

Monitor the regeneration at appropriate intervals.

Site Condition:

Compartment: 84

Spruce

Year of Entry: 2026

S

t a n d	Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
23	33084023-	17.9	330 - Low-Density	Nonstocke	ed 0		SitePrep	Trenching	42310 - Planted	Even-Aged	No

Trees <u>Prescription</u> The stand is scheduled for trenching followed by a planting to spruce.

Planting, Initial Plant; Monitoring, Artificial Regen(1yr); Planting, Replant; Monitoring, Artificial Regen(3yr) Next Step

Treatments:

Acceptable Acceptable regeneration of planted species.

Regen:

The site is a DRIP purchase and spruce planting is the prescription. Decided per TMS to trench first then plant the site. The trenching will Other

be for the 2024 FY. Comment:

Prep-trench

Percent to Treat = 100%

Site Condition:

Proposed Start Date: 10/1 /2023

33084026-42310 - Planted Even-Aged 26 7.9 330 - Low-Density Nonstocked SitePrep Trenching Nο Prep Trees Spruce

Prescription The site is a DRIP purchase and spruce planting is the prescription. Decided per TMS to trench first then plant the site. The trenching will

be for the 2024 FY. Specs:

Next Step Monitoring, Artificial Regen(1yr); Planting, Initial Plant; Planting, Replant; Monitoring, Artificial Regen(3yr)

Treatments:

Acceptable Regeneration of planted species.

Regen:

This stand was unit 8 of the Lost and Found sale. Trench then plant site to spruce. Other

Comment: Percent to Treat = 50%

Site Condition:

Proposed Start Date: 10/1 /2023

33084028-Cut 6129 - Mixed Poletimber Harvest Seed Tree with 6121 - Tamarack Two-Aged No 14.9 Coniferous Lowland Well Retention

Prescription Seed Tree- Leave a retention strip along the west line and clumps of approximately 10 trees of a mix of species spaced throughout the

Specs:

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Acceptable Tamarack. Alternate acceptable regeneration of lowland deciduous species.

Regen:

Other --Dan Racine: 07/04/2014 comments: Per pre review comments from wildlife division; encourage the slash to be in small piles particularly Comment:

in areas with low conifer cover. The cedar cover type is approximately 25% of the canopy. Old next step comments: Monitor the

regeneration at appropriate intervals.

Site Condition:

Escanaba Mgt. Unit Report 3 -- Treatments Compartment: 84 S Year of Entry: 2026 t а **Treatment** Acres Stand Size Stand BA **Treatment Treatment Cover Type** Age Habitat n Method Objective Structure Name CoverType Density Age Range Type Cut d 39 33084039-6.8 6120 - Lowland Poletimber 1-50 Monitoring Natural Regen 613 - Lowland Even-Aged Poor (Re-Inventory) Mixed Forest Monitor Cedar Prescription This stand had the cedar left and types out as a C4. Creating an error having upland cover type objective. Monitor the regeneration success during the re-inventory. This stand was unit 10 of the Lost and Found sale completed in 2021. Specs: Next Step Treatments: Acceptable Aspen, mixed conifer species. Alternate acceptable regeneration of maple and birch. Regen: **Other** Percent to Treat = 100% Comment: Site Condition: Proposed Start Date: 10/1 /2033 Natural Regen 51 33084051-15.1 6229 - Mixed Nonstocked 0 Immatu Monitoring 6122 - Black Two-Aged Nο Monitor lowland shrub (Re-Inventory) Spruce Prescription Check the regeneration success of the acceptable regeneration species during the re-inventory cycle. This stand was unit 11 of the Lost and Specs: Found sale completed in 2021. Next Step

Treatments:

Acceptable Black spruce. Alternate acceptable regeneration of white pine.

Regen:

Percent to Treat = 100% Other

Comment:

Site Condition:

Proposed Start Date: 10/1 /2033

Total Treatment 209.8 Acreage Proposed:

Escanaba Mgt. Unit

Dan Racine: Examiner



Availa	ability for	Managemer	nt							
Total	Acres	Acres Avail	Acres	!	Domina	nt Site	e Con	dition	s	
Acres	Available	With Condition	Not Available		2B	5C	MC	2H	3L	5E
472	464	6	2	Aspen		6			0	2
637	68	0	569	Cedar		0		0	565	4
11	11	0	0	Herbaceous Openland						
33	33	0	0	Low-Density Trees					0	0
95	22	0	73	Lowland Conifers			0		71	2
9	8	0	1	Lowland Deciduous						1
7	7	0	0	Lowland Mixed Forest						
88	86	0	2	Lowland Shrub					1	1
67	66	0	1	Lowland Spruce/Fir						1
57	29	0	28	Mixed Upland Deciduous				28		
37	35	0	2	Northern Hardwood						2
193	121	66	7	Tamarack		66		7		
10	5	0	5	Upland Conifers				5		
26	23	4	0	Upland Mixed Forest	4				0	
8	8	0	0	Urban						
1,748	984	<i>7</i> 5	689	Total Forested Acres	4	72	0	39	637	13
-	56%	4%	39%	Relative Percent		-	-			-

^{*}Due to limitations in the current Site Conditions Analysis tool, all nonforested acres are considered available. Future development will enable analysis of nonforested types.

	nd Availability	Dominant Site Condition	Acres	Other Site Condition	Other Site Condition	Other Site Condition	Other Site Condition	
ı (Unavailable	3L: Other wildlife concerns	558	Unspecified	Unspecified	Unspecified	Unspecified	
Com	ments:							
2	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	5	Unspecified	Unspecified	Unspecified	Unspecified	
Comments: May be able to harvest a portion of this stand with stand 46.								

Escanaba Mgt. Unit

Dan Racine: Examiner



4	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
5	Unavailable	5E: Long-Term Retention	2	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
6	Unavailable	2H: Blocked by physical obstacle (e.g. upland stand in a lowland area)	15	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
7	Unavailable	2H: Blocked by physical obstacle (e.g. upland stand in a lowland area)	13	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
8	Unavailable	2H: Blocked by physical obstacle (e.g. upland stand in a lowland area)	5	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
9	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	20	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: Cut this with stand	46.					

Escanaba Mgt. Unit

Dan Racine: Examiner



10	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	41	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
11	Unavailable	2H: Blocked by physical obstacle (e.g. upland stand in a lowland area)	7	2B: Unknown if access through adjacent landowner(s) is possible	Unspecified	Unspecified	Unspecified
	Comments: Access through ce	dar swamp through state and un	knowr	n private access.			
12	Unavailable	5E: Long-Term Retention	3	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
13	Available	2B: Unknown if access through adjacent landowner(s) is possible	4	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
14	Unavailable	3L: Other wildlife concerns	8	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
15	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	6	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: Cut with stand 46.						

Escanaba Mgt. Unit

Dan Racine: Examiner



16	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
С	omments:						
47	l la cue il chile	FF. Lower Town Botontion	4	l la an a a'fi a d	l la an a airi a d	l loon on it only	l loon onition
17	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
C	omments:						
18	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
С	omments:						
19	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
С	omments:						
20	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
С	omments:						
21	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
С	omments:						
22	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
С	omments:						
23	Unavailable	3L: Other wildlife concerns	70	Unspecified	Unspecified	Unspecified	Unspecified
	omments: edar component	to this stand within an area of DF	RIP purc	hase.		_	
0/07/00	24 0:20:57 AM - Pag						HEINTZEI MAN

Escanaba Mgt. Unit

Dan Racine: Examiner



24	Unavailable	5E: Long-Term Retention	0	Unspecified	Unspecified	Unspecified	Unspecified
(Comments:						
25	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						
36	Unavailable	5E: Long-Term Retention	0	Unspecified	Unspecified	Unspecified	Unspecified
(Comments:						

Escanaba Mgt. Unit

Compartment: 084 Year of Entry: 2026



Report 5 - PROPOSED SPECIAL CONSERVATION AREA* (SCA) DETAILS

* This is a partial list of SCAs for this compartment. Not included are those areas identified under other Department initiatives (Natural Rivers, Deer Wintering Areas, etc.). Those will be identified in separate, future map and report products.

SCA Name	SCA Category	Detail Type	Recommendation	Acres
Ford River Riparian Corridor	Spring Wetlands Riparian Area	Spring Seep	SCA	10
Comments				
Scattered L0 areas and so	cattered ash areas.			

Mgt. Unit Compartment:
Year of Entry

Report 6 - EXISTING SPECIAL CONSERVATION AREA DETAILS



* This is a list of SCA's for this compartment along with a 1/4 mile buffer surrounding the compartment. Refer to the Special Conservation Area Map for locations of the below listed Conservation Areas.

Conservation Type Description
Area

ERA = Ecological Reference Area

HCVA = High Conservation Value Area

SCA = Special Conservation Area



and Level 4 Co		over Type		Size Density		y Acres Stand Age BA I			Managed S	Site	General Comments
1	6120 - Lov	wland Ceda	r Po	oletimb	er Well	14.8	108 Ur	nspecified	N/A		Scattered larger tamarack. Stand along edge of county road. Other
C	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	species include aspen and tamarack.
\	White Spruce	2	Pole	6		Ва	sam Fir	Low	Variable	Pole	
North	nern White Cedar	80	Pole	7	108	Та	marack	Low	5 - 10 feet	Sapling	
	Tamarack	10	Sapling/Pole	4		Ta	g Alder	Medium	5 - 10 feet	Tall Shrub	
В	Balsam Poplar	2	Pole	7		Northern	White Cedar	Medium	10 - 20 feet	Pole	
	Balsam Fir	3	Pole	5							
	Paper Birch	3	Pole	7							
2	4134 - Aspe	pen, Spruce/Fir		Poletimber Well		17.6	39 Ur	Unspecified N/A			The south end was merged into this stand. Some balsam fir is falling
(Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	apart, mix with mostly smaller diameter aspen.
Q	uaking Aspen	50	Pole/Sapling	7	39	Ta	g Alder	Low	5 - 10 feet	Tall Shrub	
В	Balsam Poplar	10	Pole/Sapling	5		Ва	sam Fir	Medium	< 5 feet	Sapling	
North	nern White Cedar	10	Pole	9		Whit	e Spruce	Medium	< 5 feet	Sapling	
	Balsam Fir	20	Pole	5							
\	White Spruce	5	Pole	5							
	Tamarack	5	Pole	5							
3	6120 - Lov	wland Ceda	r Po	oletimb	er Well	22.5	116		N/A		This stand is unit 1of the Twenty One Winch sale currently under contract. Overmature timber and places with more L0.
(Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	contract. Overmature timber and places with more co.
Q	uaking Aspen	10	Pole	9		Ta	g Alder	Low	5 - 10 feet	Tall Shrub	
	Tamarack	10	Pole	9							
North	nern White Cedar	55	Pole	8	116						
140111	31I- O	25	Pole	8	73						
	Black Spruce	23									
	6130 - Fir, i		ole :	Sapling	Well	6.7	25	1-50	N/A		This stand was cut under the 426 patchwork sale.
4	·	Aspen, Map	ole Size Class		Well Age		25 nopy Species	1-50 Density	N/A Avg. Height	Size	This stand was cut under the 426 patchwork sale.
4	6130 - Fir, <i>i</i>	Aspen, Map				Sub-Ca				Size Tall Shrub	This stand was cut under the 426 patchwork sale.
4	6130 - Fir, A	Aspen, Map	Size Class	DBH		Sub-Ca	nopy Species	Density	Avg. Height		This stand was cut under the 426 patchwork sale.
4	6130 - Fir, A	Aspen, Map % Cover 20	Size Class Sapling	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height		This stand was cut under the 426 patchwork sale.
4	6130 - Fir, A Canopy Species White Spruce Balsam Poplar	Aspen, Map % Cover 20 20	Size Class Sapling Sapling	DBH 3	Age 25	Sub-Ca	nopy Species	Density	Avg. Height		This stand was cut under the 426 patchwork sale.

Escanaba Mgt. Unit



Stanc	tand Level 4 Cover Type			Size Density	Acres	Stand Age	BA Range	Managed S	Site	General Comments
6	6120 - Lo	wland Ceda	ar	Poletimber Well	11.9	110 l	Jnspecified	N/A		
	Canopy Species	% Cover	Size Class	DBH Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	
	Paper Birch	10	Pole	6	T	ag Alder	Medium	5 - 10 feet	Tall Shrub	
No	rthern White Cedar	75	Pole	8 110						
	White Spruce	5	Pole	5						
	Balsam Fir	10	Pole	8						
7	6120 - Lo	wland Ceda	ar	Poletimber Well	10.4	140		N/A		Heavy to cedar with more ash closer to 426.
	Canopy Species	% Cover	Size Class	B DBH Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	
	Paper Birch	5	Pole	7	Ва	alsam Fir	Low	< 5 feet	Sapling	
	Black Ash	20	Pole	5	T	ag Alder	Medium	< 5 feet	Tall Shrub	
No	rthern White Cedar	60	Pole	8 140	Wh	ite Spruce	Low	< 5 feet	Sapling	
	Balsam Poplar	10	Pole	7						
	Balsam Fir	5	Pole	5						
8	4191 - Mixed Upla Co	and Decidu onifer	ous with	Poletimber Well	6.3	36	51-80	N/A		Island of mixed timber stand.
	Canopy Species	% Cover	Size Class	B DBH Age						
	Quaking Aspen	35	Pole	6 36						
	White Spruce	10	Pole	6						
	Balsam Fir	10	Pole	6						
	Balsam Poplar	45	Pole	6 36						
9	4134 - Aspe	en, Spruce/	/Fir	Poletimber Well	75.6	33		N/A		Mostly cut under the white collar aspen sale. Places heavy to aspen and
	Canopy Species	% Cover	Size Class	DBH Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	places heavy to balsam fir and spruce.
	Balsam Fir	25	Pole	7		ag Alder	Medium	< 5 feet	Tall Shrub	
	Balsam Poplar	20	Pole	7						
	White Spruce	10	Pole	8						
	Tamarack	5	Sapling/Po	le 4						
	Quaking Aspen	40	Pole	7 33						
10	3102	- Grass	_	Nonstocked	1.3	l	Jnspecified	No		2015: Seeded with clover 2016: top dressed with 200# of 5-14-42 and selectively sprayed. 2017: top dressed with 200# of 5-14-42 and selectively sprayed. 2018: top dressed with 200# of 5-14-42 and selectively sprayed. 2019: top dressed with 200# of 5-14-42 and selectively sprayed. 2020: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: Seeded with clover 2023: top dressed with 200# of 5-14-42 and selectively sprayed. 2024:
11	6229 - Mixed	d lowland sl	hrub	Nonstocked	8.5			No		



Stand	Level 4 Cover Type			Size Den	sity	Acres	Stand Age B	A Range	Managed Site		General Comments
12	6120 - Lo	wland Ceda	r	Poletimbe	r Well	5.1	114		N/A		Stand separated from stand 16 following the updating of the Lost and
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Car	nopy Species	Density	Avg. Height	Size	Found sale.
	Black Spruce	10	Pole	8		Bal	sam Fir	Medium	Variable	Sapling	
	White Pine	5	Log	14						1	
Noi	rthern White Cedar	70	Pole	7	114						
	Tamarack	10	Pole	6							
	Quaking Aspen	5	Log	12							
14	4110 - Sugar N	/laple Assoc	ciation S	Sawtimber I	Medium	1.4	80	51-80	N/A		This stand was thinned under the Lost and Found timber sale (33-008-1
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Car	nopy Species	Density	Avg. Height	Size	unit 7 completed in 2021. Island of hardwood left out from planting.
	Sugar Maple	80	Log/Pole	10	80	Bal	sam Fir	Low	Variable	Sapling	
	Red Maple	10	Log/Pole	10		Suga	ar Maple	Low	5 - 10 feet	Sapling	
	Basswood	10	Log/Pole	10				1			-
15	4130	- Aspen		Sawtimbe	r Well	33.6	47 U	nspecified	N/A		Balsam fir hit with spruce budworm.
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Car	nopy Species	Density	Avg. Height	Size	
	Red Maple	5	Log/Pole	10		Bal	sam Fir	High	Variable	Sapling	
	Balsam Fir	10	Pole	7		Iro	nwood	Low	5 - 10 feet	Sapling	
	Paper Birch	5	Log/Pole	10							
Noi	rthern White Cedar	3	Pole	9							
	Quaking Aspen	75	Log/Pole	10	47						
	White Spruce	2	Pole	6							
16	6120 - Lo	wland Ceda	r	Poletimbe	r Well	2.7	114		N/A		
	Canopy Species	% Cover	Size Class	DBH	Age						
Noi	rthern White Cedar	90	Pole	7	114						
	Tamarack	10	Pole	6							
17	6129 - Mixed Conif	erous Lowla	and Forest	Poletimbe	r Well	71.9	90		N/A		This stand was unit 9 and not completed during the Lost and Found sale
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Car	nopy Species	Density	Avg. Height	Size	Other species include paper birch, black spruce and red maple.
	Black Ash	5	Pole	7		Tag	g Alder	Medium	10 - 20 feet	Tall Shrub	Smaller cedar under the tamarack. 50/50 mix of tamarack and cedar wi
	Tamarack	45	Pole	9	90	Black	k Spruce	Low	10 - 20 feet	Sapling	some areas heavier to tamarack and variable diameters of 5-9".
	Balsam Fir	5	Pole	8		Northern	White Cedar	Low	10 - 20 feet	Sapling	

Northern White Cedar

45

Pole

7 116



Stand	Level 4 C	over Type		Size Density	Acres	Stand Age	BA Range	Managed S	Site	General Comments	
18	18 3102 - Grass		3102 - Grass No 3303 - Mixed Low Density Trees No		1.3		Unspecified	No		FTP 33-743 2015: Seeded with clover 2016: top dressed with 200# of 5-14-42 and selectively sprayed. 2017: top dressed with 200# of 5-14-42 and selectively sprayed. 2018: top dressed with 200# of 5-14-42 and selectively sprayed. 2019: top dressed with 200# of 5-14-42 and selectively sprayed. 2020: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: Seeded with clover 2023: top dressed with 200# of 5-14-42 and selectively sprayed. 2024:	
19	3303 - Mixed L	ow Density	Trees	Nonstocked	2.7			No		Low density trees and lowland shrub.	
20	3102 - Grass			Nonstocked	1.0		Unspecified	No		FTP w33-743 2015: Seeded with clover 2016: top dressed with 200# of 5-14-42 and selectively sprayed. 2017: top dressed with 200# of 5-14-42 and selectively sprayed. 2018: top dressed with 200# of 5-14-42 and selectively sprayed. 2019: top dressed with 200# of 5-14-42 and selectively sprayed. 2020: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: Seeded with clover 2023: top dressed with 200# of 5-14-42 and selectively sprayed. 2024:	
21	6128 - Lowland Dec	Coniferous ciduous	, Mixed	Poletimber Well	6.5	34	Immature	N/A			
	Canopy Species	% Cover	Size Class	DBH Age	Sub-Ca	nopy Specie	es Density	Avg. Height	Size		
	Quaking Aspen	10	Pole	8	Ва	ılsam Fir	Medium	< 5 feet	Sapling		
	Balsam Poplar	30	Pole	8 34	Ta	ag Alder	High	10 - 20 feet	Tall Shrub		
	Balsam Fir	15	Pole	7	Whi	te Spruce	Medium	< 5 feet	Sapling		
	Tamarack	15	Pole	8			'		'		
	White Spruce	30	Pole	7							
22	6120 - Lo	wland Ceda	ar F	Poletimber Medium	7.5	82		N/A		Lots of dead cedar flooded out area.	
	Canopy Species	% Cover	Size Class	DBH Age	Sub-Ca	nopy Specie	es Density	Avg. Height	Size		
	Balsam Fir	10	Pole	6	Ва	ılsam Fir	Low	< 5 feet	Sapling		
	Tamarack	10	Pole	6	Ta	ag Alder	High	5 - 10 feet	Tall Shrub		
No	orthern White Cedar	80	Pole	9 82							
23	330 - Low-I	330 - Low-Density Trees		ees	Nonstocked	17.9	0		42310 - Plante	d Spruce	This stand was unit 6 of the Lost and Found sale. The stand was a European larch plantation and prescribed for planting to spruce. The first step per TMS is to trench the site, then plant.
										Picked up from Plum Creek through DRIP purchase.	



Stand	and Level 4 Cover Type		1 Cover Type Size Density		Acres	Stand Age	BA Range	Managed S	Site	General Comments	
24	6229 - Mixed	d lowland sh	nrub	Nonsto	ocked	13.6			No		Scattered trees of Tamarack,paper birch,balsam fir,white spruce,and cedar.
25	4130	- Aspen	;	Sapling I	Medium	14.3	13		N/A		
	Canopy Species	% Cover	Size Class	DBH	Age						
	Balsam Fir	5	Sapling	1							
	Quaking Aspen	75	Sapling	1	13						
	Balsam Poplar	20	Sapling	1							
26	330 - Low-I	Density Tre	es	Nonsto	ocked	4.3	0		42310 - Plante	d Spruce	This stand was unit 8 of the Lost and Found sale. The site is a DRIP purchase and spruce planting is the prescription. Decided per TMS to trench first then plant the site. The trenching will be for the 2024 FY.
28	6129 - Mixed Conife			Poletimb		16.4	82		N/A		Tamarack overtopping small cedar about 1-2 sticks. This stand is unit 2 of the Twenty One Winch sale currently under contract.
h 1	Canopy Species		Size Class		Age						•
No	orthern White Cedar	40	Pole	6	82						Other species include maple.
	Tamarack Balsam Fir	45 5	Pole Pole	7	82						
	Balsam Poplar	10	Pole	7							
29	42380 - Non Pine U Dec Canopy Species	iduous	Size Class	Poletimb	Age	4.8 Sub-Ca	108 nopy Specie	51-80 S Density	N/A Avg. Height	Size	Islands not connected with cedar between.
	Red Maple	5	Pole	8		Ва	llsam Fir	Low	< 5 feet	Sapling	
	Paper Birch	35	Pole/Log	10							
No	orthern White Cedar	40	Pole	9	108						
	Balsam Fir	20	Pole	8							
31	6120 - Lo	wland Ceda	ar	Poletimb		106.2	116		N/A		As you go west the quality of the stand declines with patchy Tamarack and Cedar. More Tamarack and Spruce as you go west but smaller
	Canopy Species		Size Class		Age		nopy Specie		Avg. Height	Size	diameter. Heavy to cedar in some places.
	Tamarack	15	Pole/Sapling	_	90		ck Spruce	Low	10 - 20 feet	Sapling	
	Black Spruce	25	Pole/Sapling				ag Alder	High	5 - 10 feet	Tall Shrub	
No	orthern White Cedar	60	Pole/Sapling	g 5	116	Norther	n White Ceda	r Low	10 - 20 feet	Sapling	
32	4110 - Sugar M	•		Poletimb		12.9	87	81-110	N/A	C:	Decent stand of northern hardwood.
	Canopy Species	% Cover	Size Class Pole/Log	10	87		nopy Specie	S Density	Avg. Height 10 - 20 feet	Size	
	Sugar Maple White Ash	20	Pole/Log Pole/Log	10	01		llsam Fir	Medium	5 - 10 feet	Sapling Sapling	
	Balsam Fir	10	Pole/Log	8			gar Maple	Low	5 - 10 feet	Sapling	
	White Pine	10	Log	14		Ju	jai iviapie	LUW	J - 10 166t	Capinig	
	AALIIG I IIIG	10	Log	14							



Stand	Level 4 Co	ver Type		Size Density	Acres Stand Age BA R		A Range	Range Managed Site		General Comments
33	6120 - Lov	vland Ceda	ar	Poletimber Well	45.6	110		N/A		
	Canopy Species	% Cover	Size Class	DBH Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	
	Paper Birch	10	Pole	6	Ta	ag Alder	Medium	5 - 10 feet	Tall Shrub	
	White Spruce	5	Pole	5						
No	rthern White Cedar	75	Pole	8 110						
	Balsam Fir	10	Pole	8						
34	4136 - Aspen	, Mixed Co	onifer	Sapling Well	23.2	27 I	mmature	N/A		This stand was cut in fall of 1997 under the Dog Fir aspen sale with all
	Canopy Species	% Cover	Size Class	DBH Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	cedar,pine and hemlock left.
	Balsam Fir	15	Sapling	4	Ba	ılsam Fir	Low	< 5 feet	Sapling	
No	rthern White Cedar	10	Pole	9						
	Balsam Poplar	15	Sapling	3						
	Quaking Aspen	60	Sapling	3 27						
35	4134 - Aspe	en, Spruce/	/Fir	Poletimber Well	21.4	48 U	nspecified	N/A		Other species include paper birch, white ash, and red maple in the overstory and sugar maple and ironwood in the understory.
	Canopy Species	% Cover	Size Class	DBH Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	oversiony and sugar maple and nonwood in the understory.
	Quaking Aspen	70	Pole	7 48	Ba	ılsam Fir	Low	10 - 20 feet	Sapling	
	Balsam Fir	20	Pole	9						
No	rthern White Cedar	10	Pole	9						
36	3303 - Mixed Lo	ow Density	Trees	Nonstocked	4.7			No		Filling in with spruce/balm/tamarack/white pine/balsam fir. Fern and raspberries in understory.
37	4130	- Aspen		Sapling Well	40.1	13		N/A		This stand was cut under the 426 Western sale. Few scattered hemlock.
	Canopy Species	% Cover	Size Class	DBH Age						
	Red Maple	5	Sapling/Pole	e 2						
	Quaking Aspen	85	Sapling	2 13						
No	rthern White Cedar	10	Pole	9						
38	4319 - Mixed	Upland Fo	orest Po	oletimber Mediur	n 22.6	54	51-80	N/A		This stand was cut in the 70's and prior to DRIP purchase. Some pole sized red maple, balsam fir, and aspen with hemlock and cedar mixed
	Canopy Species	% Cover	Size Class	DBH Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	into the canopy. 50/50 mix of canopy and sub-canopy. The understory
	Hemlock	20	Log	12	Ва	alsam Fir	Low	Variable	Sapling	and some into the canopy layer of the sapling red
	Red Maple	25	Pole	7 54	Wh	te Spruce	Low	5 - 10 feet	Sapling	maple/aspen/balm/balsam fir. The Cedar and hemlock were left from the harvest
No	rthern White Cedar	20	Log	12	Qual	king Aspen	Medium	10 - 20 feet	Sapling	Balsam fir has declined from spruce budworm.
	Quaking Aspen	15	Pole/Sapling	3		ed Maple	High	10 - 20 feet	Sapling	,
	Balsam Poplar	5	Pole	7	Pa	per Birch	Low	Variable	Sapling	
	White Pine	5	Log	16						
	Balsam Fir	10	Pole	8						



Stand	d Level 4 C	over Type		Size De	nsity	Acres	Stand Age I	BA Range	Managed 9	Site	General Comments
39	6120 - Lo	wland Ceda	ar I	Poletimb	er Poor	8.3	98	1-50	N/A		This stand was unit 10 of the Lost and Found sale. Completed in 2021.
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	Red maple mostly browsed.
No	orthern White Cedar	100	Pole	9	98	Ва	ılsam Fir	Low	5 - 10 feet	Sapling	
						Ta	ag Alder	Medium	5 - 10 feet	Tall Shrub	
						Ta	amarack	Low	5 - 10 feet	Sapling	
						Blad	ck Spruce	Low	Variable	Sapling	
						Re	ed Maple	Low	< 5 feet	Sapling	
40	6120 - Lo	wland Ceda	ar	Poletimb	er Well	10.3	94		N/A		
	Canopy Species	% Cover	Size Class	DBH	Age						
No	orthern White Cedar	85	Pole	9	94						
	Paper Birch	5	Pole	9							
	Black Spruce	10	Pole	9							
41	6120 - Lo	wland Ceda	ar	Poletimb	er Well	12.1	116		N/A		South end is poor quality Cedar, Tamarack, ash, and balm. North end is nice quality Cedar, aspen, paper birch.
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	
	Paper Birch	5	Pole	8		Ta	ag Alder	High	5 - 10 feet	Tall Shrub	
	Quaking Aspen	5	Pole	10							
	Balsam Poplar	5	Pole	7							
	Tamarack	10	Pole/Log	10							
	Black Ash	10	Pole	5							
No	orthern White Cedar	65	Pole	7	116						
42	4134 - Asp	en, Spruce/	Fir	Sapling	y Well	23.7	15	Immature	N/A		This stand was cut under the twenty one mile sale completed in 2009.
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	Small piece of hardwood along the east line that extends to compartment 85 to the east.
	Balsam Fir	20	Sapling/Pole	9 3		Ва	ılsam Fir	Low	< 5 feet	Seeding	
	Quaking Aspen	65	Sapling	3	15						•
	Balsam Poplar	10	Sapling	3							
	Sugar Maple	5	Pole	9							
43	6229 - Mixed	d lowland sh	nrub	Nonsto	ocked	3.5			No		Primarily Lo with some tamarack and cedar.
45	4134 - Asp	, I		Sapling		22.7		Immature	N/A		This stand was cut under the Dog Fir aspen sale completed in 1999. The west piece is a balm stand from OI combined.
	Canopy Species		Size Class		Age		nopy Species		Avg. Height	Size	'
	Balsam Fir	15	Sapling/Pole				ag Alder	Medium	5 - 10 feet	Tall Shrub	
	Balsam Poplar	15	Sapling/Pole				te Spruce	Medium	< 5 feet	Sapling	
	Quaking Aspen	65	Sapling/Pole		25	Ba	alsam Fir	Medium	< 5 feet	Sapling	
	White Spruce	5	Sapling/Pole	9 4							

Report 7 - Stands



Stand	Level 4 Co	over Type		Size Density	Acres	Stand Age E	BA Range	Managed 9	Site	General Comments	
46	4136 - Aspen	, Mixed Co	nifer	Poletimber Well	79.6	39		N/A		Fully stocked stand of aspen. Just coming in pole size now.	
	Canopy Species	% Cover	Size Class	DBH Age	Sub-Ca	nopy Species	Density	Avg. Height	Size		
	Balsam Fir	10	Pole	7	Ta	marack	Low	5 - 10 feet	Sapling		
	Quaking Aspen	60	Pole	6 39	Ва	lsam Fir	Medium	5 - 10 feet	Sapling		
	White Pine	2	Pole	5	Whi	te Spruce	Medium	5 - 10 feet	Sapling		
	Tamarack	3	Pole	5							
	Balsam Poplar	20	Pole	6							
	White Spruce	5	Pole	5							
47	6121 - ⁻	Tamarack		Poletimber Poor	5.4	75		N/A		Cattails in the understory.	
	Canopy Species	% Cover	Size Class	DBH Age	Sub-Ca	nopy Species	Density	Avg. Height	Size		
	Paper Birch	5	Pole	6	Ta	ag Alder	Full	5 - 10 feet	Tall Shrub		
Nor	rthern White Cedar	20	Pole	7 107							
	Tamarack	70	Pole	7 75							
	Black Ash	5	Pole	6							
48	6122 - Bl	ack Spruce		Sapling Well	52.1	14	Immature	N/A		This stand was cut under the 426 western sale. Strip along the western	
	Canopy Species	% Cover	Size Class	DBH Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	border. The stand was cut in 2010. Small ridge of red pine is included with this stand. Seed trees on the ground.	
	Black Spruce	80	Sapling	1 14	Blad	ck Spruce	Low	< 5 feet	Seeding	The time stands could be seen and grounds	
	Red Pine	5	Sapling	1							
	White Pine	15	Sapling	1							
49	42370 - Uplan	nd Cedar, A	spen	Poletimber Poor	21.9	116		N/A		This stand was cut under the Twenty One Mile Sale. The cedar was left	
	Canopy Species	% Cover	Size Class	DBH Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	after the harvest.	
	Quaking Aspen	30	Sapling	1 13	Whi	te Spruce	Low	< 5 feet	Seeding		
	Balsam Poplar	10	Sapling	1 13							
Nor	rthern White Cedar	60	Pole	7 116							
51	6229 - Mixed	l lowland sh	nrub	Nonstocked	17.1	0	Immature	6122 - Black	Spruce	This stand was unit 11 of the Lost and Found sale completed in 2021. Check regeneration success during the re-inventory cycle.	
52	6120 - Lov	wland Ceda	ır	Poletimber Well	219.6	116		N/A		Combined a few stands with tamarack mixed into the cedar in areas. The	
	Canopy Species	% Cover	Size Class	DBH Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	south east poriton has some larger trees.	
	Balsam Poplar	5	Pole	7	Whi	te Spruce	Low	5 - 10 feet	Sapling		
	Balsam Fir	10	Pole	7	Ta	ag Alder	Medium	5 - 10 feet	Tall Shrub		
	White Spruce	5	Pole	5							
	Tamarack	15	Pole	7							
	Tamarack Paper Birch	15 5	Pole Pole	6							

6.0

Nonstocked



Compartment: 84

											Year of Entry: 2026
Stand	Level 4 C	over Type	s	ize De	nsity	Acres	Stand Age B	A Range	Managed 9	Site	General Comments
54	6120 - Lo	wland Ceda	ır Pole	etimber	Mediur	n 7.8			N/A		
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	
	Black Ash	5	Pole	5		Ta	ag Alder	Medium	< 5 feet	Tall Shrub	
	Paper Birch	5	Pole	5							
No	rthern White Cedar	90	Pole	7	116						
55	4130	- Aspen	5	Sapling	ı Well	33.2	13		N/A		This stand was cut under the 426 western sale. Scattered cedar,black
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	ash left in overstory.
	Balsam Poplar	5	Sapling	2		Ва	lsam Fir	Low	< 5 feet	Seeding	
	Balsam Fir	3	Sapling/Pole	4		Whi	te Spruce	Low	< 5 feet	Seeding	
	White Spruce	2	Sapling/Pole	4		WI	nite Pine	Low	< 5 feet	Seeding	
No	rthern White Cedar	5	Pole	8							•
	DII- A-I-	10	Pole	9							
	Black Ash	10	1 016	5							
	Quaking Aspen	75	Sapling	2	13						
56	Quaking Aspen		Sapling	2	13 er Well	6.8	69		N/A		Small diameter tamarack 2-4 sticks. Small diameter cedar.
	Quaking Aspen	75 Tamarack	Sapling	2 oletimb			69	Density	N/A Avg. Height	Size	Small diameter tamarack 2-4 sticks. Small diameter cedar.
56	Quaking Aspen 6121 -	75 Tamarack	Sapling	2 oletimb	er Well	Sub-Ca		Density High		Size Tall Shrub	
56	Quaking Aspen 6121 - Canopy Species	75 Tamarack % Cover	Sapling Po	2 Dletimb	er Well	Sub-Ca	nopy Species		Avg. Height		
56	Quaking Aspen 6121 - Canopy Species rthern White Cedar Tamarack	75 Tamarack % Cover 35	Sapling Pole Size Class Pole/Sapling Pole	DIEtimb DBH 4 5	er Well	Sub-Ca	nopy Species		Avg. Height		This stand was harvested in 1992 under the woodlawn islands aspen
56	Quaking Aspen 6121 - Canopy Species rthern White Cedar Tamarack	75 Tamarack **Cover 35 65 - Aspen	Sapling Pole Size Class Pole/Sapling Pole	DBH 4 5	er Well Age	Sub-Ca Ta	nopy Species ag Alder		Avg. Height 5 - 10 feet		
56 No 57	Quaking Aspen 6121 - Canopy Species rthern White Cedar Tamarack 4130	75 Tamarack **Cover 35 65 - Aspen	Sapling Po Size Class Pole/Sapling Pole Pole	DBH 4 5	er Well Age 69 er Well	Sub-Ca Ta 7.5 Sub-Ca	nopy Species ag Alder	High	Avg. Height 5 - 10 feet N/A	Tall Shrub	This stand was harvested in 1992 under the woodlawn islands aspen
56 No 57	Quaking Aspen 6121 - Canopy Species rthern White Cedar Tamarack 4130 Canopy Species	75 Tamarack % Cover 35 65 - Aspen % Cover	Sapling Pole Size Class Pole/Sapling Pole Pole Size Class	DBH 4 5 Dletimb	er Well 69 er Well Age	7.5 Sub-Ca Ba	nopy Species ag Alder 32 nopy Species	High	Avg. Height 5 - 10 feet N/A Avg. Height	Tall Shrub	This stand was harvested in 1992 under the woodlawn islands aspen
56 No 57	Quaking Aspen 6121 - Canopy Species rthern White Cedar Tamarack 4130 Canopy Species Quaking Aspen Balsam Fir	75 Tamarack ** Cover 35 65 - Aspen ** Cover 95	Sapling Pole Size Class Pole/Sapling Pole Pole Size Class Pole Pole	DBH 4 5 Dletimb DBH 6 6	er Well 69 er Well Age	7.5 Sub-Ca Ba	ag Alder 32 nopy Species Isam Fir te Spruce	High Density Low	Avg. Height 5 - 10 feet N/A Avg. Height 5 - 10 feet	Size Sapling	This stand was harvested in 1992 under the woodlawn islands aspen
56 No 57	Quaking Aspen 6121 - Canopy Species rthern White Cedar Tamarack 4130 Canopy Species Quaking Aspen Balsam Fir	75 Tamarack % Cover	Sapling Pole Size Class Pole/Sapling Pole Pole Size Class Pole Pole	DBH 4 5 Deletimb	er Well Age 69 er Well Age 32	7.5 Sub-Ca Ba Whi	ag Alder 32 nopy Species Isam Fir te Spruce	High Density Low Low	Avg. Height 5 - 10 feet N/A Avg. Height 5 - 10 feet 5 - 10 feet	Size Sapling	This stand was harvested in 1992 under the woodlawn islands aspen sale. Trace of black cherry in overstory and tamarack in the understory.
56 No 57	Quaking Aspen 6121 - Canopy Species rthern White Cedar Tamarack 4130 Canopy Species Quaking Aspen Balsam Fir 6121 -	75 Tamarack % Cover	Sapling Pole Size Class Pole/Sapling Pole Pole Size Class Pole Pole Pole Pole	DBH 4 5 Deletimb	er Well 69 er Well Age 32 er Well	7.5 Sub-Ca Ba Whi 40.7 Sub-Ca	nopy Species ag Alder 32 nopy Species Isam Fir te Spruce 68 Ui	Density Low Low	Avg. Height 5 - 10 feet N/A Avg. Height 5 - 10 feet 5 - 10 feet N/A	Size Sapling Sapling	This stand was harvested in 1992 under the woodlawn islands aspen sale. Trace of black cherry in overstory and tamarack in the understory. Some larger tamarack. Mix of 5-9 inch tamarack.
56 No 57	Quaking Aspen 6121 - Canopy Species rthern White Cedar Tamarack 4130 Canopy Species Quaking Aspen Balsam Fir 6121 - Canopy Species	75 Tamarack % Cover 35 65 - Aspen % Cover 95 5 Tamarack % Cover	Sapling Pole Size Class Pole/Sapling Pole Pole Size Class Pole Pole Size Class	Detimbout 15 Detimbout 16 G G Detimbout 15 D	er Well 69 er Well Age 32 er Well	7.5 Sub-Ca Ba Whi 40.7 Sub-Ca	nopy Species ag Alder 32 nopy Species Isam Fir te Spruce 68 Ui nopy Species	Density Low Low nspecified Density	Avg. Height 5 - 10 feet N/A Avg. Height 5 - 10 feet 5 - 10 feet N/A Avg. Height	Size Sapling Sapling	This stand was harvested in 1992 under the woodlawn islands aspen sale. Trace of black cherry in overstory and tamarack in the understory. Some larger tamarack. Mix of 5-9 inch tamarack.
56 No 57	Quaking Aspen 6121 - Canopy Species rthern White Cedar Tamarack 4130 Canopy Species Quaking Aspen Balsam Fir 6121 - Canopy Species Black Spruce	75 Tamarack % Cover	Sapling Pole Size Class Pole/Sapling Pole Pole Size Class Pole Pole Pole Size Class Pole	Detimb DBH 4 5 Detimb DBH 6 6 Detimb DBH 7	er Well 69 er Well Age 32 er Well	7.5 Sub-Ca Ba Whi 40.7 Sub-Ca	nopy Species ag Alder 32 nopy Species Isam Fir te Spruce 68 Ui nopy Species	Density Low Low nspecified Density	Avg. Height 5 - 10 feet N/A Avg. Height 5 - 10 feet 5 - 10 feet N/A Avg. Height	Size Sapling Sapling	This stand was harvested in 1992 under the woodlawn islands aspen sale. Trace of black cherry in overstory and tamarack in the understory. Some larger tamarack. Mix of 5-9 inch tamarack.

Unspecified

No

59

3102 - Grass

Previous FTP completed W33-743.

WLD: no work has been done here in the last decade

Report 7 - Stands



	Stand Level 4 Cover Type		S	Size Density		Acres Stand Age BA Range Manag		Managed S	ite	General Comments	
60	4134 - Aspe	en, Spruce/	Fir S	Sapling	y Well	8.9	30		N/A		Cedar was left after harvest. Heavy to aspen/balm with spots of
	Canopy Species	% Cover	Size Class	DBH	Age						balsam/spruce.
No	orthern White Cedar	10	Pole	5							
	White Spruce	10	Sapling	3							
	Balsam Fir	20	Sapling	3							
	Quaking Aspen	40	Pole/Sapling	5	30						
	Balsam Poplar	20	Pole/Sapling	5							
61	4319 - Mixed	Upland Fo	rest Po	letimb	er Well	3.8	116	51-80	N/A		Aspen is dying. Harvest with stand pre-inventory 55.
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	
	Paper Birch	10	Pole	10		Whi	te Spruce	Low	< 5 feet	Sapling	
	Balsam Fir	15	Pole	8		Ва	lsam Fir	Low	< 5 feet	Sapling	
	Red Maple	3	Pole	8		Re	d Maple	Low	< 5 feet	Sapling	
	White Spruce	2	Pole	8							•
No	orthern White Cedar	40	Pole	8	116						
	Quaking Aspen	30	Pole	10	74						
62	6229 - Mixed	lowland sh	nrub	Nonsto	cked	15.6			No		Creek runs through. Picked up from plum creek through DRIP purchase.
63	C400 L										
30	6120 - LOV	vland Ceda	ır Po	letimb	er Well	7.2	116		N/A		Pockets of mature tamarack, spruce, and mix of aspen and balsam fir.
	Canopy Species	vland Ceda % Cover			er Well		116	Density	N/A Avg. Height	Size	Pockets of mature tamarack,spruce, and mix of aspen and balsam fir.
						Sub-Ca		Density Low		Size Sapling	Pockets of mature tamarack,spruce, and mix of aspen and balsam fir.
	Canopy Species	% Cover	Size Class	DBH		Sub-Ca	nopy Species		Avg. Height		
	Canopy Species Black Spruce	% Cover	Size Class Pole	DB H		Sub-Ca	nopy Species Isam Fir	Low	Avg. Height 5 - 10 feet	Sapling	
	Canopy Species Black Spruce Paper Birch	% Cover 10 2	Size Class Pole Pole	DBH 6	Age	Sub-Ca	nopy Species Isam Fir	Low	Avg. Height 5 - 10 feet	Sapling	
	Canopy Species Black Spruce Paper Birch orthern White Cedar	% Cover 10 2 75	Size Class Pole Pole Pole	DBH 6 6 6	Age	Sub-Ca	nopy Species Isam Fir	Low	Avg. Height 5 - 10 feet	Sapling	
	Canopy Species Black Spruce Paper Birch orthern White Cedar Tamarack Balsam Fir	% Cover 10 2 75 10	Pole Pole Pole Pole Pole Pole	DBH 6 6 6 6	Age	Sub-Ca	nopy Species Isam Fir	Low	Avg. Height 5 - 10 feet	Sapling	Tamarack with scattered Cedar. Some pockets of mature
No	Canopy Species Black Spruce Paper Birch orthern White Cedar Tamarack Balsam Fir	% Cover 10 2 75 10 3	Size Class Pole Pole Pole Pole Pole Pole Pole	DBH 6 6 6 6 6 00 00 00 00 00 00 00 00 00 00	116	Sub-Ca Ba Ta	nopy Species Isam Fir ag Alder	Low Medium	Avg. Height 5 - 10 feet 5 - 10 feet	Sapling	Tamarack with scattered Cedar. Some pockets of mature spruce/fir/aspen. Lots of submerchantable tamarack and L0 types.
No	Canopy Species Black Spruce Paper Birch orthern White Cedar Tamarack Balsam Fir	% Cover	Size Class Pole Pole Pole Pole Pole Pole Pole	DBH 6 6 6 6 6 00 00 00 00 00 00 00 00 00 00	116 er Well	Sub-Ca Ba Ta 19.8 Sub-Ca	nopy Species Isam Fir ag Alder	Low Medium	Avg. Height 5 - 10 feet 5 - 10 feet N/A	Sapling Tall Shrub	Tamarack with scattered Cedar. Some pockets of mature spruce/fir/aspen. Lots of submerchantable tamarack and L0 types. Merchantable Tamarack is scattered.
No 64	Canopy Species Black Spruce Paper Birch orthern White Cedar Tamarack Balsam Fir 6121 - T	% Cover 10 2 75 10 3 Famarack % Cover	Pole Pole Pole Pole Pole Size Class	DBH 6 6 6 6 6 0 DBH	116 er Well	Sub-Ca Ba Ta 19.8 Sub-Ca Mich	nopy Species Isam Fir ag Alder 75 nopy Species	Low Medium 51-80 Density	Avg. Height 5 - 10 feet 5 - 10 feet N/A Avg. Height	Sapling Tall Shrub	Tamarack with scattered Cedar. Some pockets of mature spruce/fir/aspen. Lots of submerchantable tamarack and L0 types. Merchantable Tamarack is scattered.
No 64	Canopy Species Black Spruce Paper Birch orthern White Cedar Tamarack Balsam Fir 6121 - T Canopy Species Paper Birch	% Cover	Size Class Pole Pole Pole Pole Pole Size Class Pole	DBH 7	116 er Well	Sub-Ca Ba Ta 19.8 Sub-Ca Mich	nopy Species Isam Fir ag Alder 75 nopy Species igan Holly	Low Medium 51-80 Density Medium	N/A Avg. Height 5 - 10 feet N/A Avg. Height 5 - 10 feet	Sapling Tall Shrub Size Tall Shrub	Tamarack with scattered Cedar. Some pockets of mature spruce/fir/aspen. Lots of submerchantable tamarack and L0 types. Merchantable Tamarack is scattered.



Stand	Level 4 C	Cover Type		Size Density		Acres Stand Age BA		A Range	Managed Site		General Comments
66	4190 - Mixed Upl C	and Decidu edar	ous with	Sawtimb	er Well	12.8	92	81-110	N/A		The attempt was made to get back to this stand during the Lost and Found sale. Too much work to be worthwhile to get to these.
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Car	nopy Species	Density	Avg. Height	Size	Upland mix of everything with hardwood areas over mature.
	Red Maple	30	Log	14	92		ing Aspen	Low	Variable	Sapling	Opiana mix or everything with hardwood areas over mature.
	Balsam Fir	5	Pole	8		Ba	Isam Fir	Medium	Variable	Sapling	
	White Pine	5	XLog/Log	18		Whit	e Spruce	Medium	Variable	Sapling	
No	rthern White Cedar	25	Log	10		Re	d Maple	Low	Variable	Sapling	
	Quaking Aspen	5	Log/Pole	10							
	White Spruce	5	Pole	8							
67	4190 - Mixed Upl	and Decidu edar	ous with F	Poletimb	er Well	14.9	116	81-110	N/A		The attempt was made to access these stands during the Lost and Four timber sale. Too much work to get back to these units. Last survey date
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Car	nopy Species	Density	Avg. Height	Size	was during the 2016 inventory cycle.
	Red Maple	10	Pole/Log	9		Sug	ar Maple	Low	10 - 20 feet	Sapling	North end has sugar maple, red maple and aspen. Lots of sugar maple i
	Quaking Aspen	20	Log	10	78	Ва	lsam Fir	Low	5 - 10 feet	Sapling	understory over topped by larger aspen and sugar maple. South end ha
	Balsam Fir	5	Pole	8		Quak	ing Aspen	Low	10 - 20 feet	Sapling	upland Cedar,red maple,paper birch, and spruce over mature.
No	rthern White Cedar	30	Pole	9	116	Whit	e Spruce	Low	5 - 10 feet	Sapling	
	White Spruce	5	Pole	8				,			-
	Sugar Maple	10	Pole	9							
68	4130	- Aspen	F	Poletimb	er Well	5.7	56		N/A		Small island of upland. Cut with the surrounding Tamarack stand.
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Car	nopy Species	Density	Avg. Height	Size	
	Balsam Fir	5	Pole	7		Hazeln	ut (Beaked)	Low	5 - 10 feet	Tall Shrub	
	White Spruce	5	Pole	7		Blackbe	rry/Raspberry	Low	< 5 feet	Tall Shrub	
	Quaking Aspen	90	Pole	7	56	Ва	lsam Fir	Medium	10 - 20 feet	Sapling	
				·		Whit	e Spruce	Medium	10 - 20 feet	Sapling	
69	6121 -	Tamarack		Sapling	g Well	120.6	40		N/A		Tamarack filling in with L0 areas. Small island of
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Car	nopy Species	Density	Avg. Height	Size	Spruce, Tamarack, paper birch and aspen that is bigger timber. Some bigger tamarack to the south with 58 years old about 3" dbh. Mostly T3
	Tamarack	90	Sapling	2	40	Blac	k Spruce	High	< 5 feet	Sapling	with L0.
	Black Spruce	10	Sapling	2		Та	g Alder	Full	5 - 10 feet	Tall Shruk	
		·		·		Та	marack	High	< 5 feet	Sapling	
70	42380 - Non Pine U	Jpland Coni	ifer, Mixed	Sapling	g Well	4.9	31 I	mmature	N/A		Mixed upland/lowland site. Scattered cedar,tamarack trees left.
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	
	White Spruce	15	Sapling/Pole	4		Whit	e Spruce	Low	< 5 feet	Sapling	
No	rthern White Cedar	5	Pole	8		Ta	marack	Low	< 5 feet	Sapling	
	Quaking Aspen	10	Sapling/Pole	3		Wh	nite Pine	Low	< 5 feet	Sapling	
	Balsam Poplar	20	Sapling	2		Balsa	am Poplar	Low	5 - 10 feet	Sapling	
	Tamarack	50	Pole/Sapling	9 4	31						_

Report 7 - Stands



Canopy Species % Cover Size Class DBH Age White Spruce 5 Pole 6 Pole 5 Pole			over Type	;	Size De	ensity	Acres	Stand Age	BA Range	Managed S	Site	General Comments
Mythic Spruce 5	72	6120 - Lov	wland Ceda	ar F	oletimb	er Well	64.6	116		N/A		Same as stand 50.
Balsam Poplar 2 Pole 5 Balsam Poplar 3 Pole 5 Balsam Poplar 2 Pole 5 Balsam Poplar 2 Pole 5 Balsam Poplar 3 Pole 5 Balsam Poplar 5 Pole 6 Balsam Poplar 5 Pole 5 Balsam Poplar 5 Pole 6 Balsam Poplar 6 Pole 5 Pole 6 Balsam Poplar 6 Pole 5 Balsam Poplar 6 Pole 5 Pole 6 Balsam Poplar 7 Pole 5 Pole 6 Balsam Poplar 6 Pole 5 Pole 6 Balsam Poplar 6 Pole 6 Balsam Poplar 7 Pole 5 Pole 7 10 Pole 7 Pole 5 Pole 8 Pole 7 10 Pole 7 Pole 5 Pole 8 Pole 8 Pole 8 Pole 7 10 Pole 7 Pole 5 Pole 8 Pole 8 Pole 7 10 Pole 7		Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Specie	es Density	Avg. Height	Size	
Balsam Poplar 2 Pole 5 Pager Birch 3 Pole 5 Balsam Fir 5 Pole 7 116 73 6229 - Mixed lowland shrub Nonstocked 4.6 No This stand is mostly tag alider with willow brush and scattered tamaranck, white spruce, and balim trees. Less than 25% cover type. 74 4134 - Aspen, Spruce/Fir Sapling Medium Canopy Species 7 Cover Size Class DBH Age Balsam Fir 20 Sapling Pole 3 Black Ash 10 Pole/Sapling 5 Pole 6 White Spruce 10 Sapling Pole 3 Black Ash 10 Pole/Sapling 2 15 75 310 - Herbaceous Openland Nonstocked 1.0 Unspecified No 2015; Seeded with clover 2016; top dressed with 2000rd 15-14-42 and selectively sprayed. 2016; top dressed with 2000rd 15-14-42 and selectively sprayed. 2021; top dressed with 2000rd 15-14-42 and selectively sprayed. 2021; top dressed with 2000rd 15-14-42 and selectively sprayed. 2022; Seeded with clover 2023; top dressed with 2000rd 15-14-42 and selectively sprayed. 2021; top dressed with 2000rd 15-14-42 and selectively sprayed. 2021; top dressed with 2000rd 15-14-42 and selectively sprayed. 2022; Seeded with clover 2022; Seeded with clover 2022; Seeded with clover 2023; top dressed with 2000rd 15-14-42 and selectively sprayed. 2024; Seeded with clover 2023; top dressed with 2000rd 15-14-42 and selectively sprayed. 2024; Seeded with clover 2023; Seeded with clover 2024; Seeded with clover 2023; Seeded with clover 2024; Seeded with clover 2024; Seeded with clover 2024; Seeded with clover 2024; Seeded w		White Spruce	5	Pole	5		Ta	ag Alder	Medium	5 - 10 feet	Tall Shrub	
Paper Birch		Tamarack	5	Pole	5		Whi	ite Spruce	Low	< 5 feet	Sapling	
Balsam Fir 5		Balsam Poplar	2	Pole	5							
Northern White Cedar 80 Pole 7 116		Paper Birch	3	Pole	5							
73 6229 - Mixed lowland shrub Nonstocked 4.6 No This stand is mostly tag alder with willow brush and scattered tamarack, white spruce, and balm trees. Less than 25% cover type. 74 4134 - Aspen, Spruce/Fir Sapling Medium Canopy Species % Cover Stze Class DBH Age Balsam Fir 20 Sapling/Pole 3 Nonstocked 10 Sapling/Pole 3 Nonstocked Nonstock		Balsam Fir	5	Pole	5							
### Aspen. Spruce/Fir Sapling Medium Canopy Species	No	orthern White Cedar	80	Pole	7	116						
Canopy Species Window Color Size Class DBH Age	73	6229 - Mixed	l lowland sh	nrub	Nonsto	ocked	4.6			No		
Balsam Fir 20 Sapling/Pole 3 Sapling Pole 1 Sapling Pole 3 Sapling Pole Pol	74	4134 - Aspe	en, Spruce/	Fir S	apling I	Medium	17.6	15	Unspecified	N/A		
Northern White Cedar 5		Canopy Species	% Cover	Size Class	DBH	l Age						regeneration than the north end.
White Spruce		Balsam Fir	20	Sapling/Pole	3							
Black Ash	No	rthern White Cedar	5	Pole	6							
Quaking Aspen 55 Sapling 2 15 75 310 - Herbaceous Openland Nonstocked 1.0 0 Unspecified No 2015: Seeded with clover 2016: top dressed with 200# of 5-14-42 and selectively sprayed. 2017: top dressed with 200# of 5-14-42 and selectively sprayed. 2018: top dressed with 200# of 5-14-42 and selectively sprayed. 2018: top dressed with 200# of 5-14-42 and selectively sprayed. 2019: top dressed with 200# of 5-14-42 and selectively sprayed. 2020: top dressed with 200# of 5-14-42 and selectively sprayed. 2020: top dressed with 200# of 5-14-42 and selectively sprayed. 2020: top dressed with 200# of 5-14-42 and selectively sprayed. 2020: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: Seeded with 200# of 5-14-42 and selectively sprayed. 2022: Seeded with 200# of 5-14-42 and selectively sprayed. 2022: Seeded with 200# of 5-14-42 and selectively sprayed. 2028: Seeded with 200# of 5-14-42 and selectively sprayed. 2028: Seeded with 200# of 5-14-42 and selectively sprayed. 2028: Seeded with 200# of 5-14-42		White Spruce	10	Sapling/Pole	3							
75 310 - Herbaceous Openland Nonstocked 1.0 0 Unspecified No 2015: Seeded with clover 2016: top dressed with 200# of 5-14-42 and selectively sprayed. 2017: top dressed with 200# of 5-14-42 and selectively sprayed. 2018: top dressed with 200# of 5-14-42 and selectively sprayed. 2018: top dressed with 200# of 5-14-42 and selectively sprayed. 2019: top dressed with 200# of 5-14-42 and selectively sprayed. 2020: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: Seeded with clover 2023: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: Seeded with clover 2023: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: Seeded with clover 2023: top dressed with 200# of 5-14-42 and selectively sprayed. 2024: Seeded with clover 2023: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: Seeded with clover 2023: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: Seeded with clover 2023: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: Seeded with clover 2023: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: Seeded with clover 2023: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: Seeded with clover 2023: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: Seeded with clover 2023: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: top dressed with 200# of 5-14-42 and sel			10									
75 310 - Herbaceous Openland Nonstocked 1.0 0 Unspecified No 2015: Seeded with clover 2016: top dressed with 200# of 5-14-42 and selectively sprayed. 2017: top dressed with 200# of 5-14-42 and selectively sprayed. 2018: top dressed with 200# of 5-14-42 and selectively sprayed. 2018: top dressed with 200# of 5-14-42 and selectively sprayed. 2019: top dressed with 200# of 5-14-42 and selectively sprayed. 2020: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: Seeded with clover 2023: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: Seeded with clover 2023: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: Seeded with clover 2023: top dressed with 200# of 5-14-42 and selectively sprayed. 2024: Seeded with clover 2023: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: Seeded with clover 2023: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: Seeded with clover 2023: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: Seeded with clover 2023: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: Seeded with clover 2023: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: Seeded with clover 2023: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: Seeded with clover 2023: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: top dressed with 200# of 5-14-42 and sel		Quaking Aspen	55	Sapling	2	15						
Canopy Species % Cover Size Class DBH Age Tamarack 20 Pole 7 Black Spruce 65 Pole 8 102 Balsam Fir 5 Pole 8 Michigan Holly High 5 - 10 feet Tall Shrub Northern White Cedar 10 Pole 8 Canopy Species Class DBH Age Northern White Cedar 55 Pole 7 110 Northern White Cedar 55 Pole 7 110 White Spruce Density Avg. Height Size Sub-Canopy Species Density Avg. Height Size Northern White Cedar 55 Pole 7 110 White Spruce Low < 5 feet Sapling White Spruce to the south. Stand 76 was broken out from this stand South. South. South. South. South.	76	6122 - Bl	ack Spruce	s F	oletimb	er Well	14.4	102	Unspecified	N/A		2017: top dressed with 200# of 5-14-42 and selectively sprayed. 2018: top dressed with 200# of 5-14-42 and selectively sprayed. 2019: top dressed with 200# of 5-14-42 and selectively sprayed. 2020: top dressed with 200# of 5-14-42 and selectively sprayed. 2021: top dressed with 200# of 5-14-42 and selectively sprayed. 2022: Seeded with clover 2023: top dressed with 200# of 5-14-42 and selectively sprayed. 2024:
Tamarack 20 Pole 7 Black Spruce Low < 5 feet Sapling Black Spruce 65 Pole 8 102 Balsam Fir 5 Pole 8 Michigan Holly High 5 - 10 feet Tall Shrub Northern White Cedar 10 Pole 8 Tamarack 20 Pole 8 Michigan Holly High 5 - 10 feet Tall Shrub Northern White Cedar 55 Pole 7 110 White Spruce Low < 5 feet Sapling White Spruce 5 feet Sapling Smaller spruce to the south. Stand 76 was broken out from this stand Smaller spruce to the south. Stand 76 was broken out from this stand Size Northern White Cedar 55 Pole 7 110 White Spruce Low < 5 feet Sapling Tamarack 20 Pole 7 Deciduous Shrubs High 5 - 10 feet Tall Shrub	70		•		DRH	L Δαe	Sub-Ca		-	Ava Height	Size	
Black Spruce 65 Pole 8 102 Balsam Fir 5 Pole 8 Michigan Holly High 5 - 10 feet Tall Shrub Northern White Cedar 10 Pole 8 77 6120 - Lowland Cedar Poletimber Well 47.5 110 N/A Smaller spruce to the south. Stand 76 was broken out from this stand Canopy Species % Cover Size Class DBH Age Northern White Cedar 55 Pole 7 110 White Spruce Low < 5 feet Sapling Tamarack 20 Pole 7 Deciduous Shrubs High 5 - 10 feet Tall Shrub						7.90						
Balsam Fir 5 Pole 8 Michigan Holly High 5 - 10 feet Tall Shrub Northern White Cedar 10 Pole 8 77 6120 - Lowland Cedar Poletimber Well 47.5 110 N/A Smaller spruce to the south. Stand 76 was broken out from this stand Canopy Species % Cover Size Class DBH Age Northern White Cedar 55 Pole 7 110 White Spruce Low < 5 feet Sapling Tamarack 20 Pole 7 Deciduous Shrubs High 5 - 10 feet Tall Shrub						102						
Northern White Cedar 10 Pole 8 77 6120 - Lowland Cedar Poletimber Well 47.5 110 N/A Smaller spruce to the south. Stand 76 was broken out from this stand Canopy Species % Cover Size Class DBH Age Northern White Cedar 55 Pole 7 110 White Spruce Low < 5 feet Sapling Tamarack 20 Pole 7 Deciduous Shrubs High 5 - 10 feet Tall Shrub		<u>'</u>										
Canopy Species% CoverSize ClassDBH AgeSub-Canopy SpeciesDensityAvg. HeightSizeNorthern White Cedar55Pole7110White SpruceLow< 5 feet	No						01	J 1011,	9]
Northern White Cedar55Pole7110White SpruceLow< 5 feetSaplingTamarack20Pole7Deciduous ShrubsHigh5 - 10 feetTall Shrub	77	6120 - Lov	wland Ceda	ar F	oletimb	er Well	47.5	110		N/A		Smaller spruce to the south. Stand 76 was broken out from this stand.
Northern White Cedar55Pole7110White SpruceLow< 5 feetSaplingTamarack20Pole7Deciduous ShrubsHigh5 - 10 feetTall Shrub		Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Specie	es Density	Avg. Height	Size	
Tamarack 20 Pole 7 Deciduous Shrubs High 5 - 10 feet Tall Shrub	No											
		Tamarack						<u> </u>				
			-				. ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		3 .			

Escanaba Mgt. Unit



Stand	Level 4 Cover Type 4134 - Aspen, Spruce/Fir			Size Density Sapling Medium		Acres Stand Age B		A Range	Managed S	Site	General Comments Edges are spruce/fir/balm 5-20' tall and middle is aspen. Large white pine in SW corner of the stand.
79						12.2	31		N/A		
	Canopy Species		Size Class		Age						pine in evi content of the chand.
	Quaking Aspen	60	Pole/Sapling		31						
	Balsam Fir	15	Pole	6							
	White Spruce	15	Pole/Sapling	_							
	White Pine	10	Sapling/Pol	e 3							
80	6229 - Mixed	l lowland sh	nrub	Nonsto	cked	15.2			No		
81	4191 - Mixed Upland Deciduous with Conifer		ous with P	Poletimber Medium		22.6	34 1-50		N/A		Cedar along the edge. Mix of sapling balm and merchantable aspen, pole balm and scattered timber. Cut under mead. Purchased through
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Car	nopy Species	Density	Avg. Height	Size	DRIP funds. Combined the residual strips. Spruce and balsam hit with spruce budworm.
	Red Maple	5	Pole	9		Whit	e Spruce	Low	< 5 feet	Sapling	spruce buawom.
	Balsam Poplar	60	Pole	6	34	Quak	ing Aspen	Low	10 - 20 feet	Sapling	
	Balsam Fir	10	Pole	9		Та	g Alder	Medium	5 - 10 feet	Tall Shrub	
	Quaking Aspen	15	Pole	6		Balsa	am Poplar	Low	5 - 10 feet	Sapling	
	Tamarack	5	Pole	7							•
82	629 - Mixed nor	n-forested w	vetland	Nonsto	ocked	9.8			No		Part and along the Ford River
83	4119 - Mixed Northern Hardwoods		dwoods	Sawtimber Well		22.8 92		51-80	N/A		Last thinned in 1990. Trace of White Pine. Open areas within stand 50
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Car	nopy Species	Density	Avg. Height	Size	to 75 and 75 to 100.
	Red Maple									00	
		30	Log/Pole	11		Wh	ite Pine	Medium	5 - 10 feet	Sapling	
	Hemlock	30 15	Log/Pole Log/Pole	11			nite Pine am Poplar	Medium Medium	5 - 10 feet >20 feet	_	
	Hemlock White Spruce					Balsa				Sapling	
		15	Log/Pole	10	92	Balsa Bal	am Poplar	Medium	>20 feet	Sapling Sapling	
	White Spruce	15 5	Log/Pole Pole	10	92	Balsa Bal	am Poplar sam Fir	Medium Medium	>20 feet 10 - 20 feet	Sapling Sapling Sapling	
84	White Spruce Sugar Maple Balsam Fir 6117 - Lowland	15 5 30 20	Log/Pole Pole Log/Pole Pole	10 9 11		Balsa Bal Whit	am Poplar sam Fir	Medium Medium	>20 feet 10 - 20 feet	Sapling Sapling Sapling	Scattered L0 areas and scattered ash areas. Balsam fir and spruce hit with sbw. Ash hit with EAB.
84	White Spruce Sugar Maple Balsam Fir 6117 - Lowland	15 5 30 20 Deciduous,	Log/Pole Pole Log/Pole Pole	10 9 11 9 oletimber		Balsa Bal Whit	am Poplar sam Fir e Spruce	Medium Medium Low	>20 feet 10 - 20 feet < 5 feet	Sapling Sapling Sapling	
84	White Spruce Sugar Maple Balsam Fir 6117 - Lowland Con	15 5 30 20 Deciduous,	Log/Pole Pole Log/Pole Pole Mixed Pole	10 9 11 9 oletimber	· Medium	Balsa Bal Whit 9.2 Sub-Car	am Poplar Isam Fir e Spruce	Medium Medium Low 51-80	>20 feet 10 - 20 feet < 5 feet N/A	Sapling Sapling Sapling Sapling	with sbw. Ash hit with EAB.
84	White Spruce Sugar Maple Balsam Fir 6117 - Lowland Con Canopy Species	15 5 30 20 Deciduous, iferous	Log/Pole Pole Log/Pole Pole Mixed Pole Size Class	10 9 11 9 oletimber	· Medium	Balsa Bal Whit 9.2 Sub-Car	em Poplar Isam Fir e Spruce 92 nopy Species	Medium Medium Low 51-80 Density	>20 feet 10 - 20 feet < 5 feet N/A Avg. Height	Sapling Sapling Sapling Sapling Sapling	with sbw. Ash hit with EAB.
84	White Spruce Sugar Maple Balsam Fir 6117 - Lowland Con Canopy Species Black Ash	15 5 30 20 Deciduous, iferous % Cover 25	Log/Pole Pole Log/Pole Pole Mixed Pole Size Class Pole	10 9 11 9 oletimber	Medium Age	Balsa Bal Whit 9.2 Sub-Car	em Poplar Isam Fir e Spruce 92 nopy Species g Alder	Medium Medium Low 51-80 Density High	>20 feet 10 - 20 feet < 5 feet N/A Avg. Height 10 - 20 feet	Sapling Sapling Sapling Sapling Sapling	with sbw. Ash hit with EAB.
84	White Spruce Sugar Maple Balsam Fir 6117 - Lowland Con Canopy Species Black Ash Green Ash	15 5 30 20 Deciduous, iferous % Cover 25 30	Log/Pole Pole Log/Pole Pole Mixed Pole Size Class Pole Log/Pole	10 9 11 9 oletimber DBH 8 12	Medium Age	Balsa Bal Whit 9.2 Sub-Car	em Poplar Isam Fir e Spruce 92 nopy Species g Alder	Medium Medium Low 51-80 Density High	>20 feet 10 - 20 feet < 5 feet N/A Avg. Height 10 - 20 feet	Sapling Sapling Sapling Sapling Sapling	with sbw. Ash hit with EAB.
	White Spruce Sugar Maple Balsam Fir 6117 - Lowland Con Canopy Species Black Ash Green Ash Balsam Fir	15 5 30 20 Deciduous, iferous % Cover 25 30 5	Log/Pole Pole Log/Pole Pole Mixed Pole Size Class Pole Log/Pole Log/Pole	10 9 11 9 oletimber DBH 8 12 10	Medium Age	Balsa Bal Whit 9.2 Sub-Car	em Poplar Isam Fir e Spruce 92 nopy Species g Alder	Medium Medium Low 51-80 Density High	>20 feet 10 - 20 feet < 5 feet N/A Avg. Height 10 - 20 feet	Sapling Sapling Sapling Sapling Sapling	with sbw. Ash hit with EAB.
	White Spruce Sugar Maple Balsam Fir 6117 - Lowland Con Canopy Species Black Ash Green Ash Balsam Fir Yellow Birch	15 5 30 20 Deciduous, iferous % Cover 25 30 5	Log/Pole Pole Log/Pole Pole Mixed Pole Size Class Pole Log/Pole Log/Pole Log	10 9 11 9 oletimber DBH 8 12 10	Medium Age	Balsa Bal Whit 9.2 Sub-Car	em Poplar Isam Fir e Spruce 92 nopy Species g Alder	Medium Medium Low 51-80 Density High	>20 feet 10 - 20 feet < 5 feet N/A Avg. Height 10 - 20 feet	Sapling Sapling Sapling Sapling Sapling	with sbw. Ash hit with EAB.



Stand	Level 4 Cover Type			Size Density		Acres	Stand Age B	A Range	Managed Site		General Comments	
86	4130 - Aspen			Sapling Well		2.4	3	mmature	N/A		This stand was unit 5 of the Lost and Found sale completed in 2021.	
	Canopy Species	% Cover	Size Class	DBH Ag	ge	Sub-Car	nopy Species	Density	Avg. Height	Size	Originally a part of 33084016-cut treatment.	
	Quaking Aspen	95	Sapling	1 3	3	Bal	lsam Fir	Low	Variable	Sapling	DRIP purchase through plum creek.	
	Balsam Fir	5	Sapling	1		Whit	e Spruce	Low	Variable	Sapling		
88	330 - Low-I	Density Tre	es	Nonstocke	ed	3.5	0		42310 - Planted Spruce		The site is a DRIP purchase and spruce planting is the prescription. Decided per TMS to trench first then plant the site. The trenching will be for the 2024 FY.	
90	6120 - Lo	wland Ceda	ar	Poletimber V	Vell	11.1	116		N/A		small patch of tamarack 3-5 inches.	
	Canopy Species	% Cover	Size Class	DBH Ag	ge	Sub-Car	nopy Species	Density	Avg. Height	Size		
	Tamarack	5	Pole	5		Whit	e Spruce	Low	5 - 10 feet	Sapling		
	Paper Birch	3	Pole	5		Ta	g Alder	Medium	5 - 10 feet	Tall Shrub		
	Balsam Poplar	2	Pole	5								
	White Spruce	5	Pole	5								
	Balsam Fir	5	Pole	5								
No	rthern White Cedar	80	Pole	7 11	16							
92	4130 - Aspen			Sapling We	Sapling Well		9.1 3 Immature		N/A		Unit 1 of the Lost and Found sale completed in 2021. Originally a part of	
	Canopy Species	% Cover	Size Class	DBH Ag	ge	Sub-Car	nopy Species	Density	Avg. Height	Size	33084016-cut treatment.	
	Quaking Aspen	100	Sapling	1 3	3	Bal	lsam Fir	Low	< 5 feet	Sapling	Picked up from Plum Creek through DRIP purchase.	
94	4130 - Aspen			Sapling Well		19.4	9.4 3 Immature		N/A		Unit 3 of the Lost and Found sale completed in 2021. Small piece in the	
	Canopy Species	% Cover	Size Class	DBH Ag	ge	Sub-Car	nopy Species	Density	Avg. Height	Size	center of low density timber that was merged into this stand and previous stand 95 making this one continuous stand.	
	Quaking Aspen	100	Sapling	1 3	3	Bal	lsam Fir	Low	< 5 feet	Sapling		
											Picked up from Plum Creek through DRIP purchase.	
96	4130 - Aspen			Sapling Well		3.8 3 Ir		mmature	N/A	This stand was unit 4 of the Lost and Found sale. Originally a part of 33084016-cut treatment.		
	Canopy Species	% Cover	Size Class	DBH Ag	ge	Sub-Car	nopy Species	Density	Avg. Height	Size		
	Quaking Aspen	100	Sapling	1 3	3	Bal	lsam Fir	Low	< 5 feet	Sapling	Picked up from Plum Creek through DRIP purchase.	