

Compartment Review Presentation

Gaylord Forest Management Unit

Compartment 52209 Entry Year 2026 Acreage: 1,660

County: Cheboygan

Management Area: Presque Isle Lake and Till Plains

Stand Examiner: John Scheele

Legal Description:

T35N - R1E Sections 19, 20, and 21

Identified Planning Goals:

To provide for the protection, integrated management and responsible use of a healthy, productive, and undiminished forest resource base for the social, recreational, environmental, and economic benefit of the State of Michigan.

Soil and topography:

Soils in the compartment consist primary of Grayling-Rubican and Cheboygan-Blue Lake Associations. Topography is nearly level to gently rolling.

Ownership Patterns, Development, and Land Use in and Around the Compartment:

Compartment consist of contiguous state land within and surrounding the compartment. A couple isolated private parcels are located in the western part of the compartment.

Unique Natural Features:

Wood Turtle has been observed in compartment. Potential for red-shouldered hawk, eagle, osprey, great blue heron rookery. Potential for wood turtle and lake sturgeon. Potential for massasauga and Blanding's turtle. Central portion of compartment contains Black River NFW PLU.

Archeological, Historical, and Cultural Features:

No Archeological, Historical, or Cultural Features known.

Special Management Designations or Considerations:

Watershed and Fisheries Considerations:

This compartment has excellent fisheries value. A portion of the Upper Black River runs through this compartment. This river receives a spawning run of lake sturgeon, a state threatened species, and an important spawning area is in Section 20. A no-clear cut buffer of a minimum of about 100' from the top of the ridge should be maintained to reduce erosion to the river. A stream/intermittent drainage runs from west to east through the northern part of this compartment. Best management practices should be followed, including a no-clear cut buffer, to reduce erosion and sedimentation to the river

Wildlife Habitat Considerations:

The presence of Wood and Blanding's turtles has been documented in and surrounding this compartment. Treatments in this compartment will maintain age class diversity in aspen and oak while creating early successional habitat benefiting deer, grouse, and woodcock. Clumps of mature oak will be left in these treatments for mast production for deer, wild turkey and grouse.

Mineral Resource and Development Concerns and/or Restrictions

Surface sediments consist of coarse-textured till, lacustrine (lake) sand and gravel and minor ice-contact outwash sand and gravel. The glacial drift thickness varies between 10 and 100 feet. The Devonian Traverse Group subcrops below the glacial drift. The Traverse is used for cement and stone elsewhere in the State. A gravel pit is located in Section 21 and there should be potential. The nearest oil and gas production, the Niagaran Reef Trend, is located 12 miles to the south. This area is leased for potential Collingwood Formation development.

Vehicle Access:

Access is good. Several county roads run through and around compartment.

Survey Needs:

None.

Recreational Facilities and Opportunities:

Numerous recreational trails are within the compartment providing many recreational opportunities. The North Eastern State Trail and the Upper Black River are also located in the compartment. The compartment is also used heavily for hunting opportunities.

Fire Protection:

There is a small wildfire concern along the east side of the Upper Black River due to campfire activity and the Jack Pine component.

Additional Compartment Information:


The Sturgeon For Tomorrow organization locates their temporary headquarters on the east side of the Upper Black River during the spring sturgeon spawning run.


The following reports from the Inventory are attached:


Total Acres by Cover Type and Age Class
Cover Type by Harvest Method
Proposed Treatments – No Limiting Factors
Proposed Treatments – With Limiting Factors
Stand Details (Forested and Nonforested)
Dedicated and Proposed Special Conservation Areas
Site Condition Details

The following information is displayed, where pertinent, on the attached compartment maps:

Base feature information, stand boundaries, cover types, and numbers Proposed treatments
Site condition boundaries
Details on the road access system







Compartment 209 Year of Entry 2026

John Scheele: Examiner

Gaylord Mgt. Unit



Age Class

	No.	A STATE OF THE STA	3 / [\$ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	g g	3 / &	& &	3/8	\$ / R	R. S.	a a	S Ja	70,				9 / £	Jrest Jrest	L'O'S
Aspen	0	113	51	111	0	58	76	0	48	6	0	0	0	0	0	0	0	0	462
Bare/Sparsely Vegetated	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Cedar	0	0	0	0	0	0	0	0	0	0	0	0	12	0	0	0	0	0	12
Exposed Rock	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
Herbaceous Openland	30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	30
Jack Pine	0	0	89	34	0	0	28	0	0	0	0	0	0	0	0	0	0	0	150
Low-Density Trees	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9
Lowland Aspen/Balsam Poplar	0	14	0	38	0	0	0	24	0	0	0	0	0	0	0	0	0	0	76
Lowland Conifers	0	0	0	0	0	0	0	0	0	0	0	56	45	0	0	0	0	0	100
Lowland Deciduous	0	5	0	0	37	0	0	0	0	0	17	7	0	0	0	0	0	0	66
Lowland Shrub	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51
Lowland Spruce/Fir	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	2
Marsh	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
Mixed Upland Deciduous	0	12	0	0	0	0	0	0	24	0	142	14	0	0	0	0	0	0	192
Natural Mixed Pines	0	0	0	0	0	0	0	0	12	0	0	0	0	0	0	0	0	0	12
Northern Hardwood	0	0	0	0	0	0	0	0	0	0	0	10	0	0	0	0	0	0	10
Oak	0	49	46	0	0	0	0	0	0	0	56	0	0	0	0	0	0	0	151
Red Pine	0	0	0	0	0	0	0	61	32	0	0	0	0	0	0	0	0	0	93
Upland Mixed Forest	0	0	202	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	202
Upland Shrub	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Urban	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12
Water	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	18
Total	129	193	388	183	37	58	104	85	116	6	215	89	57	0	0	0	0	0	1657



Report 2 – Treatment Summary


Gaylord Mgt. Unit Year of Entry: 2026

Acres of Harvest


Compartment 209
Total Compartment Acres: 1,660

Commercial Harvest - 323 Harvests with Site Condition - 0 Next Step Harvest - 0 Habitat Cut - 0

Cover Type by Harvest Method



Proposed and Next Step Treatments by Method



Gaylord Mgt. Unit Report 3 -- Treatments Compartment: 209 Year of Entry: 2026 s t а **Treatment** Stand Size Stand BA **Treatment Treatment** Cover Type Acres Age Habitat n Method Objective Name CoverType Density Age Range Type Structure Cut d

Proposed Treatments:

6 52209006-Cut 43.8 4130 - Aspen Sawtimber 58 81-110 Harvest Clearcut with 413 - Aspen Even-Aged No Well Retention

Prescription Harvest stand to regenerate. Put stand retention/buffer along stream and a separate retention to include the drainage in the southwestern

<u>Specs:</u> part of stand. Included grouse habitat creation specification in sale proposal.

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Acceptable Acceptable regeneration includes a moderate to well stocked stand of aspen.

Regen:

Other Comment:

Site Condition:

Proposed Start Date: 10/1 /2025

12 52209012-Cut 24.4 6112 - Lowland Sawtimber 60 81-110 Harvest Clearcut with 6112 - Lowland Even-Aged No Aspen Well Retention Aspen

<u>Prescription</u> Harvest stand to regenerate. Do not cut either cedar or pine species. Recommend cutting in summer or winter with tracked equipment. Specs: Leave retention/buffer along the north boundary to stream. Put retention on the north side of two track road along stream.

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Acceptable Acceptable regeneration includes a moderate to well stocked stand of aspen and deciduous species.

Regen:

Other Comment:

Site Condition:

Proposed Start Date: 10/1 /2025

18 52209018-Cut 17.7 4130 - Aspen Sawtimber 70 81-110 Harvest Clearcut with 4139 - Aspen, Even-Aged No Well Retention Mixed Deciduous

<u>Prescription</u> Harvest stand to regenerate. Possible retention would be in the southwest corner of stand to include some of the large DBH Sugar Maple. <u>Specs:</u> Included grouse habitat creation specification in sale proposal.

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Acceptable Acceptable regeneration includes a moderate to well stocked mix of aspen and deciduous species.

Regen:

Other Comment:

Site Condition:

Comment:
Site Condition:

	Gaylord	d Mgt. Unit	ļ	Repo	rt 3 [·]	Treatments		Compartmer		OF NATURAL OF
S t								Year of Entr	y: 2026	DNR
a n Treatment d Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habita Cut
40 52209040-Cut	10.5	42110 - Planted Red Pine	Sawtimber Well	f 63	141- 170	Harvest	Crown Thinning	4211 - Planted Red Pine	Even-Aged	No
Prescription Thin sta Specs: trail. In	and to 100 clude trail	- 110 BA. Mark la protection spec.	rgest DBH t	rees a	nd poor-q	uality trees to rer	move. Cut in winte	r or dry summer	to protect reci	reation
Next Step Treatments:										
Acceptable Regen:										
Other Comment:										
Site Condition:										
Proposed Start Date	10/1 /20	25								
41 52209041-NF	7.4	3303 - Mixed Low Density Trees	Nonstocke	d	Unspec ified	NonForestMgt	Mowing	3102 - Grass		No
Prescription Maintai Specs:	n grass op	pening. Include rec	reation trail	protec	tion requir	ement.				
Next Step Treatments:										
Acceptable Regen:										
Other Comment:										
Site Condition:										
Proposed Start Date:	<u>:</u> 10/1 /20	25								
46 52209046-NF	8.3	310 - Herbaceous Openland	Nonstocke	d	Unspec ified	NonForestMgt	Mowing	3102 - Grass		No
Prescription Maintai Specs:	n grass op	•	reation trail	protec		rement.				
Next Step Treatments:										
Acceptable Regen:										
Other Comment:										
Site Condition:										
Proposed Start Date:	10/1 /20	25								
49 52209049-NF	8.2	310 - Herbaceous Openland	Nonstocke	d	Unspec ified	NonForestMgt	Mowing	3102 - Grass		No
Prescription Maintai Specs:	n grass op	pening. Include rec	reation trail	protec	tion requir	ement in sale pr	roposal.			
Next Step Treatments:										
Acceptable Regen:										
Other Comment:										
Site Condition:										

S t			Gayloı	rd Mgt. Unit		Repo	rt 3 '	Treatments		Compartmen Year of Entry		DNR DNR
a n d	Treatn Nan		Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
65	522090 Ne	065-18- ew	22.0	4191 - Mixed Upland Deciduous with Conifer	Sawtimbe Well	er 95	111- 140	Harvest	Shelterwood	4191 - Mixed Upland Deciduous with Conifer	Even-Aged	l No
Preso Spec		residual	BA is 10 s, and tu	to regenerate. Marl) - 40 BA. Restrict a rtle breeding season	Il harvest c	peratio	ns from A	pril 15th through	h October 15th due	to Oak Wilt poten	tial, Sturgeo	n Guard
	Step tments:	Monitor	ing, Natu	ral Regen (Re-Inven	tory)							
Acce Rege		Accepta	ible rege	neration includes a r	moderate to	o well st	ocked co	mbination mix o	of any upland decidu	uous and pine spe	cies.	
Other Comi	<u>r</u> ment:											
	Conditio		10/1/0	005								
			10/1 /2		0 " 1		444		Ol	4404 14	-	
65	522090	65-Cut	40.0	4191 - Mixed Upland Deciduous with Conifer	Sawtimbe Well	er 95	111- 140	Harvest	Clearcut with Retention	4191 - Mixed Upland Deciduous with Conifer	Even-Aged	l No
Preso Spec		residual	BA is 10 le breedi	to regenerate. Marl). Restrict all harves ng season. Include	t operation	s from	April 15th	through Octobe	er 15th due to Oak	Wilt potential, Stur	geon Guard	activities,
	Step tments:	Monitor	ing, Natu	ral Regen (Re-Inven	tory)							
Acce Rege		Accepta	ible rege	neration includes a r	moderate to	o well st	ocked co	mbination mix o	of any upland decidu	uous and pine spe	cies.	
Other Com	<u>r</u> ment:											
Site 0	<u>Conditio</u>	<u>n:</u>										

Proposed Start Date: 10/1 /2025

68 52209068-Cut 29.0 4133 - Aspen, Sawtimber 58 81-110 Harvest Clearcut with 4139 - Aspen, Even-Aged No Mixed Pine Well Retention Mixed Deciduous

<u>Prescription</u> Harvest to regenerate stand. Legacy Red Pine and Red Oak trees may occur in stand and follow guidance if they occur. Leave any White <u>Specs:</u> Oak. Do not cut the 30+ DBH White Pine tree in north corner of stand. Included grouse habitat creation specification in sale proposal.

Restrict all operations from April 15th through October 15th due to Oak Wilt potential and turtle breeding season.

<u>Next Step</u> Monitoring, Natural Regen (Re-Inventory) <u>Treatments:</u>

ricatificitis.

Acceptable Acceptable regeneration includes a moderate to well stocked mix of aspen, oak, and pine species.

Regen:

Other Delay treatment of this stand and prescribe with Stand 47 of 52210 in YOE 2027. Only access to this stand is through Stand 47 of 52210,

Comment: which is in southern part of that stand.

Site Condition:

S t					Repoi	rt 3 1	reatments	Compartmen Year of Entry	DNR DNR		
a n Treat d Nai		Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habita Cut
72 52209	072-Cut	30.1	4133 - Aspen, Mixed Pine	Sawtimbe Well	70	81-110	Harvest	Clearcut with Retention	4131 - Aspen, Oak	Even-Aged	l No
Prescription Specs: Next Step Treatments:	residual corner o Monitori	BA target of stand as	egenerate. Leave is 10. Put treatmo retention. Includ al Regen (Re-Inver	ent boundar ed grouse h	y on the	e top of rid	lge along north,	, west, and southw			
Acceptable Regen:	Accepta	ble regen	eration includes a	moderate to	well st	ocked mix	of aspen and o	oak species.			
Other Comment: Site Condition Proposed St		10/1 /202	25								
Comment: Site Condition Proposed Si		27.8	25 42221 - Natural Jack Pine, Mixed Deciduous	Poletimbe Well	r 55	81-110	Harvest	Clearcut with Retention	4122 - Oak, Pine	e Even-Aged	l No
Comment: Site Condition Proposed St 74 522096	074-Cut Harvest residual	27.8 stand to r BA is 10.	42221 - Natural Jack Pine, Mixed	Well north treatnation trail in	nent bo stand r	undary on	top of ridge. L Expanded treat	Retention eave all White Oal ment boundary to	k, White and Red l	Pine. Total ta	arget
Comment: Site Condition Proposed Si 74 522096 Prescription	074-Cut Harvest residual conditio	27.8 stand to r BA is 10. ns to enco	42221 - Natural Jack Pine, Mixed Deciduous egenerate. Keep Include the recrea	Well north treatn ation trail in and regen	nent bo stand r	undary on	top of ridge. L Expanded treat	Retention eave all White Oal ment boundary to	k, White and Red l	Pine. Total ta	arget
Comment: Site Condition Proposed St 74 522090 Prescription Specs: Next Step Treatments:	074-Cut Harvest residual conditio Monitori	27.8 stand to r BA is 10. ns to enco	42221 - Natural Jack Pine, Mixed Deciduous egenerate. Keep Include the recrea	Well north treatn ation trail in and regend ntory)	nent bo stand r eration.	undary on etention. Include tr	top of ridge. L Expanded treat ail protection sp	Retention eave all White Oal ment boundary to bec. Include oak w	k, White and Red l	Pine. Total ta	arget
Comment: Site Condition Proposed St 74 522090 Prescription Specs: Next Step Treatments: Acceptable	074-Cut Harvest residual conditio Monitori	27.8 stand to r BA is 10. ns to enco	42221 - Natural Jack Pine, Mixed Deciduous egenerate. Keep Include the recrea	Well north treatn ation trail in and regend ntory)	nent bo stand r eration.	undary on etention. Include tr	top of ridge. L Expanded treat ail protection sp	Retention eave all White Oal ment boundary to bec. Include oak w	k, White and Red l	Pine. Total ta	arget

75 52209075-Cut 12.2 42260 - Natural Sawtimber 75 81-110 Harvest Clearcut with 4122 - Oak, Pine Even-Aged North Pine, Mixed Well Retention

Deciduous

Prescription Harvest stand to regenerate. Keep treatment south boundary on top of ridge. Leave all White Oak. Also, mark a few individual Red Oak

<u>Specs:</u> Harvest stand to regenerate. Keep treatment south boundary on top of ridge. Leave all White Oak. Also, mark a few individual Red Oak and White Pine along road to leave. Target residual BA is 10. No other stand retention due to small stand size. Cut during snow off conditions to encourage scarification and regeneration. Include oak wilt protection requirement. Include the trail protection requirement.

<u>Next Step</u> Monitoring, Natural Regen (Re-Inventory) <u>Treatments:</u>

<u>Acceptable</u> Acceptable regeneration includes a moderate to well stocked mix of oak and Pine species. <u>Regen:</u>

Other Comment:

Site Condition:

		M/CHIGAN .	
Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
Clearcut with Retention	4191 - Mixed Upland Deciduous with Conifer	Even-Aged	No
		•	
of oak, deciduous, a	and pine species.		
r	Clearcut with Retention individual Red Oak reation trail. Add re	Clearcut with Retention Upland Deciduous with Conifer individual Red Oak to leave as well.	Clearcut with 4191 - Mixed Even-Aged Retention Upland Deciduous with Conifer individual Red Oak to leave as well. Leave any tre reation trail. Add recreation trail protection sale rec

Total Treatment Acreage Proposed: 349.1

Report 4 - Site Conditions

Gaylord Mgt. Unit

John Scheele: Examiner

Compartment: 209 Year of Entry: 2026



Availability for Management Total Acres Acres Avail Acres **Dominant Site Conditions** With Condition Not Available Available 5C 1C 2G 3J 5E Acres Aspen Bare/Sparsely Vegetated Cedar **Exposed Rock** Herbaceous Openland Jack Pine Low-Density Trees Lowland Aspen/Balsam Poplar **Lowland Conifers Lowland Deciduous** Lowland Shrub Lowland Spruce/Fir Marsh Mixed Upland Deciduous **Natural Mixed Pines** Northern Hardwood Oak **Red Pine Upland Mixed Forest Upland Shrub** Urban Water 1,660 1,383 **Total Forested Acres** 83% 11% Relative Percent

*Due to limitations in the current Site Conditions Analysis tool, all nonforested acres are considered available. Future development will enable analysis of nonforested types.

Site No.	Dominant Site Cond Availability	Dominant Site Condition	Acres	Other Site Condition	Other Site Condition	Other Site Condition	Other Site Condition
1	Unavailable	5E: Long-Term Retention	2	Unspecified	Unspecified	Unspecified	Unspecified
C	Comments:						

6%

Report 4 – Site Conditions

Gaylord Mgt. Unit

John Scheele: Examiner



2	Unavailable	3J: Water quality / BMPs (stream, river, or lake)	113	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
3	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	12	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: Leave treatment fo	r next YOE.					
4	Unavailable	3J: Water quality / BMPs (stream, river, or lake)	5	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
5	Unavailable	1C: Other dept or div proc/practices	16	3D: Recreational / Scenic values	3J: Water quality / BMPs (stream, river, or lake)	Unspecified	Unspecified
	Comments: Sturgeon Guard He	eadquarters					
6	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	69	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
7	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	14	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
	N0004 4 00 40 DM D						TONELLO

Report 4 – Site Conditions

Gaylord Mgt. Unit

John Scheele: Examiner



8	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	10	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
9	Available	5C: Delay treatment for age/size class diversity or exceptional site quality	14	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: Delay treatment un	ntil next YOE or until aspen gets	bigger				
10	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	17	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
11	Unavailable	5E: Long-Term Retention	2	Unspecified	Unspecified	Unspecified	Unspecified
	Comments:						
12	Unavailable	5E: Long-Term Retention	3	3J: Water quality / BMPs (stream, river, or lake)	Unspecified	Unspecified	Unspecified
	Comments: This is retention for	r Stand 3.					
13	Unavailable	5E: Long-Term Retention	3	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: Retention for Stand	d 78.					
	/2024 4:22:49 PM Pag						TONELLOM

Report 4 – Site Conditions

Gaylord Mgt. Unit John Scheele: Examiner



14	Unavailable	5E: Long-Term Retention	3	3B: Threatened, 3J: Water quality / BN endangered, and special (stream, river, or lak concern species		Unspecified
	Comments: Stand retention and	turtle breeding protection area.				
24	Unavailable	5E: Long-Term Retention	2	Unspecified Unspecified	Unspecified	Unspecified
	Comments:					

Mgt. Unit

Compartment: #Type! Year of Entry:



Report 5 - PROPOSED SPECIAL CONSERVATION AREA* (SCA) DETAILS

* This is a partial list of SCAs for this compartment. Not included are those areas identified under other Department initiatives (Natural Rivers, Deer Wintering Areas, etc.). Those will be identified in separate, future map and report products.

SCA Name	SCA Category	Detail Type	Recommendation	Acres
Comments				

Gaylord Mgt. Unit Compartment: 209
Year of Entry 2026



Report 6 – EXISTING SPECIAL CONSERVATION AREA DETAILS

* This is a list of SCA's for this compartment along with a 1/4 mile buffer surrounding the compartment. Refer to the Special Conservation Area Map for locations of the below listed Conservation Areas.

Conservation Area	on Type	Description	ERA = Ecological Reference Area HCVA = High Conservation Value Area SCA = Special Conservation Area
SCA	Cold Water Lake	A coldwater lake has temperature and dissolved oxygen condition stocked trout populations and those of other coldwater fish specific conditions for coldwater fishes may occur in Michigan lakes if the groundwater inflows, or are located in colder (northern) areas of Director's action and designated as trout resources by Fisheries	es to persist from year to year. Suitable ey are relatively deep, have substantial the state. Such lakes are established by
SCA	Cold Water Stream	A coldwater stream has temperature and dissolved oxygen cond stocked trout populations and those of other coldwater fish speci to year. Coldwater streams in Michigan typically provide these co of groundwater to their stream flows. Such streams are establish trout resources by Fisheries Order 210.	es (e.g., slimy sculpin) to persist from year onditions due to substantial contributions
SCA	Riparian Area	A transitional area between aquatic and terrestrial ecosystems in influences the aquatic ecosystem and vice-versa. Because of the streams and open water wetlands, riparian areas harbor a high d communities are ecologically and socially significant in their effect as aesthetics, habitat, bank stability, timber production, and their	e unique conditions adjacent to lakes, liversity of plants and wildlife. Riparian cts on water quality and quantity, as well
ERA	Ecological Reference Areas	Ecological Reference Areas (ERAs) are high quality examples of identified as Element Occurrences (EOs) by the Michigan Natura context of their natural community classification system. Element (Excellent) or B (Good) and a Global (G) or State (S) element (ra threatened (2), or rare (3) serve as an initial base of ERAs. They the State. The system is comprised of individual or associations managed for restoration and maintenance of natural ecological p submit recommendations for lands as ERAs using the DNR Constitution.	al Features Inventory (MNFI) within the toccurrences with viability ranks of A urity) ranking of endangered (1), may be located upon any ownership in of natural community types that are processes and values. The public may



Stand	Level 4 Co	ver Type		Size Dei	nsity	Acres	Stand Age	BA Range	Managed S	Site	General Comments
1	4130 -	Aspen		Sapling	Well	43.9	3	Immature	N/A		Stand cut 8/2020. (52-130-16-01 Michigan State Road Aspen)
C	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	
В	sigtooth Aspen	70	Sapling	1	3	Blackbe	rry/Raspberry	Medium	5 - 10 feet	Tall Shrub	
Q	uaking Aspen	20	Sapling	1							
	Red Maple	10	Sapling	1							
2	622 - Low	land Shrub)	Nonsto	cked	7.2	l	Unspecified	No		Couple large beaver dams.
3	6112 - Low	land Aspe	n	Sapling	Well	13.9	3	Immature	N/A		Stand cut 8/2020. (52-130-16-01 Michigan State Road Aspen)
C	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	
	Red Maple	25	Sapling	1		Oa	ak (spp.)	Low	< 5 feet	Sapling	
Black	/Red (Hybrid) Oak	10	Pole	6	-						
Q	uaking Aspen	65	Sapling	1	3						
4	623 - Emerç	gent Wetla	nd	Nonsto	cked	1.3	l	Unspecified	No		Previous inventory.
5	4126 - White, B			Sapling		20.6	2	Immature	N/A		Stand was cut in 10/25/2021 as part of Nest Trail Pine Mix 52-131-16. The aspen is mostly along the east side of Waveland Road.
C	Canopy Species	% Cover	Size Class	DBH	Age						The aspert is mostly along the east side of waveland fload.
Black	/Red (Hybrid) Oak	30	Sapling	1	2						
	Red Oak	7	XLog/Log	18							
Black	/Red (Hybrid) Oak	7	XLog/Log	18							
	Red Oak	15	Sapling	1							
	White Oak	20	Sapling	1							
В	sigtooth Aspen	5	Sapling/Pole	4							
	White Oak	14	XLog/Log	18							
	Red Pine	2	Sapling	2							
6	4130 -	Aspen	;	Sawtimbe	er Well	43.8	58	81-110	N/A		Variable stand of aspen. Small pocket of large aspen trees in southwes corner of stand.
C	Canopy Species	% Cover	Size Class	DBH		Sub-Ca	nopy Species	s Density	Avg. Height	Size	Some large DBH Sugar Maple in center of stand. Some blow down in
В	ligtooth Aspen	50	Log/Pole	10	58	Ma _l	ole (spp.)	Low	10 - 20 feet	Sapling	drainage along the west side of stand.
	Sugar Maple	10	Log	14		Autu	ımn Olive	High	5 - 10 feet	Tall Shrub	
Q	uaking Aspen	35	Pole/Log	9		W	hite Ash	Low	>20 feet	Sapling	
В	Balsam Poplar	5	Pole	8			Beech	Low	10 - 20 feet	Sapling	
7	622 - Low	land Shrub)	Nonsto	cked	11.8	l	Unspecified	No		Previous inventory.



Stand	Level 4 Co	over Type	;	Size De	ensity	Acres Stand Ag	je BA Range	Managed S	Site	General Comments
8	6118 - Lowland De	eciduous wi	ith Cedar S	Sawtimb	er Wel	17.0 90	111-140	N/A		Previous inventory. This is a drainage running north to stream.
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Canopy Spec	cies Density	Avg. Height	Size	
	Black Ash	10	Sapling/Pole	5		Black Ash	Medium	10 - 20 feet	Sapling	
	Balsam Poplar	25	Pole/Log	11	90	Balsam Fir	Low	Variable	Sapling	
No	rthern White Cedar	20	Log	12				1		1
	Basswood	5	Pole/Log	10						
	Quaking Aspen	20	Pole/Log	11						
	Balsam Fir	20	Sapling/Pole	5						
9	622 - Low	land Shrub)	Nonst	ocked	3.7	Unspecified	No		Previous inventory.
10	4130 -	- Aspen		Sapling	g Well	44.6 28	51-80	N/A		Increased the DBH from last inventory to reflect growth. Stand is close to
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Canopy Spec	cies Density	Avg. Height	Size	a pole sized stand.
	Pin Cherry	5	Sapling	3		White Spruce	Low	Variable	Sapling	
	Red Maple	5	Sapling	3		Black/Red (Hybrid)	Oak Medium	5 - 10 feet	Sapling	
Blad	ck/Red (Hybrid) Oak	10	Pole	8		Balsam Fir	Low	Variable	Sapling	
	Bigtooth Aspen	58	Sapling/Pole	4	28	Willow spp.	Low	10 - 20 feet	Tall Shrub	
	White Oak	2	Log	11			l l			
	Quaking Aspen	20	Sapling/Pole	4						
11		land Shrub		Nonsto		6.9	Unspecified	No		Beaver dam.
12	6112 - Lov			Sawtimb			81-110	N/A		Variable stand with higher ground in the north and lower ground in the south. Aspen is over mature with trunk rot in places. Some blowdowns
	Canopy Species		Size Class		l Age	Sub-Canopy Spec		Avg. Height	Size	in north part. Old skid trail in the center of stand and is it full of Autumn
	Balsam Fir	10	Pole/Log	8		Tag Alder	Low	10 - 20 feet	Tall Shrub	Olive. A few drainages within stand flowing to the north. Some beaver activity along the north boundary. Pine trees are mostly along the
	White Spruce	2	Log/Pole	11		White Ash	Medium	Variable	Sapling	northern part of stand.
	Balsam Poplar	10	Pole	7		Balsam Fir	Low	Variable	Sapling	·
	Red Maple	5	Pole/Log	8		Autumn Olive	High	5 - 10 feet	Tall Shrub	
	Quaking Aspen	55	Log/Pole	11	60	White Pine	Medium	Variable	Sapling	
	Bigtooth Aspen	18	Log	12		Aspen (spp.)	Low	5 - 10 feet	Sapling	
						Red Maple	Medium	Variable	Sapling	
14	4130 -	- Aspen	S	Sawtimb	er Wel	32.8 47	81-110	N/A		Healthier aspen on higher ground compared to Stand 63 to the south.
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Canopy Spec	cies Density	Avg. Height	Size	Some scattered, larger DBH aspen. Less Autumn Olive in understory as well. High Autumn Olive in the old skid trail along east boundary line
	Red Maple	10	Pole	7		Beech	Low	5 - 10 feet	Sapling	leading to Stand 6 and in drainages. Blowdown is occurring in drainages
	Quaking Aspen	30	Log/Pole	10		White Ash	Low	10 - 20 feet	Sapling	and lower ground.
	White Ash	2	Log/Pole	11		Autumn Olive	Medium	5 - 10 feet	Tall Shrub	
				1						4
	Bigtooth Aspen	56	Log/Pole	10	47	Maple (spp.)	Low	Variable	Sapling	



Stand	d Level 4 C	over Type		Size De	nsity	Acres	Stand Age B	A Range	Managed S	Site	General Comments
16	6112 - Lov	wland Aspe	n	Sapling	Well	23.7	27	lmmature	N/A		Previous inventory.
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	
	Black Ash	20	Sapling	2		ВІ	ack Ash	Medium	5 - 10 feet	Sapling	
	Red Maple	2	Sapling	2		Wi	llow spp.	Low	10 - 20 feet	Tall Shrub	
	White Oak	2	Sapling/Pole	e 4		Ta	ag Alder	Medium	10 - 20 feet	Tall Shrub	
	Quaking Aspen	61	Sapling	3	27						
	Bigtooth Aspen	10	Sapling	3							
	Balsam Fir	5	Sapling	3							
17	4139 - Aspen,	Mixed Deci	duous	Sapling	Well	50.7	15	Immature	N/A		Adjust DBH to reflect growth from last inventory.
	Canopy Species	% Cover	Size Class	DBH	Age						
	Pin Cherry	20	Sapling	2							
	Red Maple	20	Sapling	2							
Bla	ck/Red (Hybrid) Oak	5	Sapling	2							
	Bigtooth Aspen	55	Sapling	3	15						
18	4130	- Aspen		Sawtimb	er We	II 17.7	70	81-110	N/A		Nice quality aspen on a rolling, east facing slope. Some larger, over
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	mature aspen with trunk rot. Some large, branchy Sugar maple mostly along the west and south boundary line. No Autumn Olive.
	Bigtooth Aspen	60	Log/Pole	12	70	In	onwood	Low	>20 feet	Sapling	and g the reset and seath zeamany mist have reasoned to
	Red Maple	5	Log/Pole	10		W	hite Ash	Low	>20 feet	Sapling	
	Sugar Maple	20	Log	16		Sug	gar Maple	Low	Variable	Sapling	
	Quaking Aspen	10	Log/Pole	11			Beech	Low	10 - 20 feet	Sapling	
	Basswood	5	Log	12							
20	622 - Lov	vland Shrub)	Nonsto	cked	2.9	U	nspecified	No		Previous inventory.
21	42110 - Pla	nted Red P	ine	Sawtimb	er We	II 7.9	63	171-200	N/A		Nice quality Red Pine with some overmature aspen. A couple scattered Sugar Maple and oak trees. This area was not thinned during last entry
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	treatment of the adjacent stand due to the potential presence of a raptor's
	Bigtooth Aspen	16	Log/Pole	12		Re	ed Maple	Medium	10 - 20 feet	Sapling	nest. No evidence of a raptor nest during current inventory. Current BA
	Red Maple	2	Pole/Log	8		Oa	ak (spp.)	Low	Variable	Sapling	= 180.
	Red Pine	82	Log/Pole	11	63	Hawt	horn (spp.)	Low	5 - 10 feet	Tall Shrub	
22	310 - Herbac	eous Open	land	Nonsto	cked	1.8	U	nspecified	No		No activity appears to have taken place in this stand in last inventory cycle.



Stand	Level 4 Co	over Type		Size De	nsity	Acres	Stand Ag	е ВА	Range	Managed	Site	General Comments
23	4310 - Pir	ne, Oak Mi	x	Sapling	y Well	44.9	15	lm	ımature	N/A		Updated diameters from last inventory to reflect increased growth.
	Canopy Species	% Cover	Size Class	DBH	l Age							
	Bigtooth Aspen	2	Sapling	3								
Bla	ck/Red (Hybrid) Oak	31	Sapling	2								
	Pin Cherry	2	Sapling	2								
	Red Oak	13	Sapling	2								
	Jack Pine	50	Sapling	2	15							
	White Oak	2	Sapling	2								
24	4131 - A	spen, Oak	F	Poletimb	er Well	18.6	27	8	31-110	N/A		
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Spec	cies	Density	Avg. Height	Size	
	White Oak	2	Pole/Log	9		Black/Re	ed (Hybrid)	Oak	Low	5 - 10 feet	Sapling	
	Bigtooth Aspen	64	Pole/Sapling	6	27	Ва	alsam Fir		Low	Variable	Sapling	
Bla	ck/Red (Hybrid) Oak	20	Log/Pole	10								-
	Balsam Fir	2	Pole	5								
	Paper Birch	2	Sapling/Pole	4								
	Quaking Aspen	10	Pole/Sapling	5								
25	3303 - Mixed Lo	ow Density	Trees	Nonsto	ocked	2.0		Uns	specified	No		
26	320 - Upl	and Shrub		Nonsto	ocked	1.3		Uns	specified	No		Old landing for previous harvest. Full of Autumn Olive and briar species.
27	122 - Road	/Parking L	ot	Nonsto	ocked	5.1		Uns	specified	No		Waveland Road.
28	790 - Other Bare/S	Sparsely V	egetated	Nonsto	ocked	0.9	0	Uns	specified	No		Landing for previous cutting. No Current regeneration.
29	622 - Low	land Shrub)	Nonsto	ocked	3.7		Uns	specified	No		
30	6119 - Mixed Lowla			Sapling N		4.9	3		ımature	N/A		Stand cut 10/2020 (52-130-16-01 Michigan State Road Aspen). Heavy deer browse.
	Canopy Species		Size Class		l Age		nopy Spec	cies	Density	Avg. Height	Size	deer browse.
	Red Oak	2	Log	12			alsam Fir		Low	5 - 10 feet	Sapling	
Bla	ck/Red (Hybrid) Oak	20	Pole/Log	8		Ca	ittail spp.		Low	Unspecified	Non-Wood	
	Quaking Aspen	20	Sapling	1								
	Red Maple	53	Sapling	1	3							
	White Oak	5	Pole/Log	9								



Stand	d Level 4 Co	over Type		Size De	nsity	Acres	Stand Age I	BA Range	Managed S	Site	General Comments
31	42110 - Plai	nted Red F	Pine	Sawtimb	er Well	10.2	74	141-170	N/A		Nice, tall Red Pine. Nice ground blind along south boundary. Deer runways going north and south. Southeast corner of stand has a much
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	lower Red Pine BA. Thinned in 1996. BA = 146.
	Red Pine	95	Log	15	74	Ва	lsam Fir	Low	Variable	Sapling	
	Red Oak	5	XLog	20		Map	ple (spp.)	Medium	>20 feet	Sapling	
						WI	hite Ash	Low	Variable	Sapling	
							onwood	Low	10 - 20 feet	Sapling	
						Oa	ak (spp.)	High	10 - 20 feet	Sapling	
						Re	ed Pine	Low	< 5 feet	Sapling	
						Che	erry (spp.)	Medium	>20 feet	Sapling	
32	622 - Low	land Shrul	b	Nonsto	ocked	4.6	l	Unspecified	No		Stream
33	4125 - Blac	k, N. Pin C	Dak	Sapling	ı Well	28.2	2	Immature	N/A		Treatment was completed 11/17/2021 as part of Nest Trail Pine Mix 52-
	Canopy Species	% Cover	Size Class	DBH	Age						131-16. Very little aspen regeneration. moderate deer browse.
	White Pine	8	Sapling	2							
	White Oak	5	Sapling	1							
	Red Oak	5	Sapling	1							
	White Oak	10	Log	14							
Bla	ck/Red (Hybrid) Oak	2	Log	12							
Bla	ck/Red (Hybrid) Oak	55	Sapling	1	2						
	Red Maple	2	Sapling	3							
	Red Oak	3	Log	14							
	Bigtooth Aspen	2	Sapling	3							
	Red Pine	8	Sapling	2							
34	310 - Herbac	eous Oper	nland	Nonsto	ocked	11.4	l	Unspecified	No		Powerline which was upgraded in 2023. Mostly upland grasses.
35	42110 - Plai	nted Red P	Pine	Sawtimb	er Well	7.5	63	81-110	N/A		Thinning was completed 11/23/2021 as part of Nest Trail Pine Mix 52-131 16. Pocket of old blowdown in center of stand. BA = 107
	Canopy Species	% Cover	Size Class		l Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	10. I select of old blowdown in center of stand. BA = 107
	Red Oak	5	Log/XLog	16		Re	d Maple	Low	Variable	Sapling	
	White Oak	5	Log/XLog	16			ak (spp.)	High	10 - 20 feet	Sapling	
	Red Pine	90	Log	12	63	Ва	lsam Fir	Low	Variable	Sapling	
						Pin	es (spp.)	Low	5 - 10 feet	Sapling	
36	42110 - Plai			Sawtimb		12.1	74	141-170	N/A		Tall, nice quality trees with a thick understory of oak saplings. Thinned in 2007. BA = 145.
	Canopy Species		Size Class		l Age		nopy Species	Density	Avg. Height	Size	2007. 57.1 170.
	Red Pine	100	Log	14	74		Isam Fir	Low	10 - 20 feet	Sapling	
							ak (spp.)	High	10 - 20 feet	Sapling	
							d Maple	Medium	10 - 20 feet	Sapling	
						Re	ed Pine	Low	5 - 10 feet	Sapling	



Stand	d Level 4 C	over Type		Size De	nsity	Acres St	and Age B	A Range	Managed S	Site	General Comments
37	6115 - Lo	owland Ash		Sapling	y Well	37.3	30	51-80	N/A		Previous inventory. Poor quality ash.
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Cano	py Species	Density	Avg. Height	Size	
	Paper Birch	15	Sapling	4		Balsa	m Fir	Medium	Variable	Sapling	
	Balsam Fir	10	Pole	5		Black	Ash	Low	>20 feet	Sapling	
	Quaking Aspen	10	Pole/Log	10		Tag A	Alder	Medium	5 - 10 feet	Tall Shrub	
No	orthern White Cedar	5	Pole/Log	10							
	Black Ash	60	Sapling	3	30						
38	122 - Road	d/Parking L	ot	Nonsto	ocked	6.8	U	nspecified	No		NEST recreation trail.
39	4130	- Aspen	F	Poletimb	er Well	25.3	27 U	nspecified	N/A		Update DBH for aspen. Some larger DBH trees along the western edge
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Cano	py Species	Density	Avg. Height	Size	of stand on the slope. White Pine is short with weevil damage. Maybe treat next YOE.
	Red Maple	2	Sapling	4		Red	Oak	Medium	5 - 10 feet	Sapling	William Stroke Man Woom damage. Maybo reachione 102.
	Red Oak	10	Log	14		White	Oak	Medium	5 - 10 feet	Sapling	
	White Oak	5	Log	12		White	Pine	Low	Variable	Sapling	
	White Pine	10	Sapling/Pole	7							
	Bigtooth Aspen	71	Pole/Sapling	5	27						
	Red Pine	2	Log	10							
40	42110 - Pla	nted Red P	ine S	Sawtimb		10.5	63	141-170	N/A		Some tall, nice quality trees but also some branchy, defective trees. Stand appears to have never been third row thinned. Variable stand with
	Canopy Species		Size Class		Age		py Species	Density	Avg. Height	Size	pockets of very high to low BA. Overall BA = 153.
	Red Pine	100	Log	13	63	Red	Pine	Medium	5 - 10 feet	Sapling	
						Oak (spp.)	Medium	5 - 10 feet	Sapling	
41	3303 - Mixed L	ow Density	Trees	Nonsto	ocked	7.4	U	nspecified	No		No activity has occurred in opening in last 10 years. Red Pine seedlings are establishing adjacent to Red Pine.
42	6129 - Mixed Conife	erous Lowla	and Forest	Sawtimb	er Well	20.2	110 U	nspecified	N/A		Previous inventory. Stand buffers stream. Springs and seeps in south
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Cano	py Species	Density	Avg. Height	Size	portion of stand.
No	orthern White Cedar	40	Log	12	110	Tag /	Alder	Low	10 - 20 feet	Tall Shrub	
	Red Maple	5	Pole	8		Balsa	m Fir	Medium	Variable	Sapling	
	Quaking Aspen	5	Pole/Log	10							
	White Pine	10	Log	12							
	White Spruce	15	Log	14							
	Balsam Fir	10	Pole	6							
	Hemlock	10	Log	10							
	Paper Birch	5	Pole/Log	10							



Stand	Level 4 Co	over Type		Size De	ensity	Acres	Stand Age	BA Range	Managed	Site	General Comments
43	4130 -	- Aspen		Saplin	g Well	49.7	3	Immature	N/A		Stand cut 9/2020 (52-130-16-01 Michigan State Road Aspen). Some
(Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Specie	s Density	Avg. Height	Size	areas of low regeneration, especially adjacent to Stand 37. Landing area currently has no regeneration.
Е	Bigtooth Aspen	16	Sapling	1		Ca	ttail spp.	Low	Unspecified	Non-Wood	
	Red Maple	10	Sapling	1		Red Os	sier Dogwood	Low	< 5 feet	Tall Shrub	
Nort	hern White Cedar	2	Log/Pole	10							-
	Red Pine	5	Log/Pole	10							
Black	/Red (Hybrid) Oak	2	Pole	8							
C	Quaking Aspen	63	Sapling	1	3						
	White Oak	2	Log	10							
44	42110 - Plan	nted Red Pi	ne	Sawtimb	er Well	9.5	74	81-110	N/A		Thinning was completed 12/7/2021 as part of Nest Trail Pine Mix 52-131-
(Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Specie	s Density	Avg. Height	Size	16. Nice quality trees with a few defective trees. BA = 90.
	Red Pine	98	Log	12	74	Re	ed Maple	Low	Variable	Sapling	
	Jack Pine	2	Pole	8		Oa	ak (spp.)	Medium	Variable	Sapling	
45	4125 - Black	k, N. Pin Oa	ak :	Sapling l	Medium	46.2	15	Immature	N/A		Looks like a failed planting. Appeared to be trenched in the past. Very
(Canopy Species	% Cover	Size Class	DBH	l Age						little Jack Pine seen from the road. Mostly oak spp. and aspen. Updated species and diameters from last inventory.
	Red Oak	13	Sapling	1							oposios and diameters from last inventory.
	White Oak	2	Sapling	1							
Black	k/Red (Hybrid) Oak	51	Sapling	2	15						
	Jack Pine	20	Sapling	2	15						
	Pin Cherry	2	Sapling	1							
Е	Bigtooth Aspen	12	Sapling	3							
46	310 - Herbace	eous Openl	and	Nonst	ocked	8.3		Unspecified	No		No activity has occurred in opening in last 10 years.
47	4139 - Aspen, N	Mixed Decid	duous	Saplin	g Well	19.2	2	Immature	N/A		Treatment was completed 1/18/2022 as part of Nest Trail Pine Mix 52-131-16. Heavy deer browse in places.
(Canopy Species	% Cover	Size Class	DBH	l Age						131-10. Heavy deel blowse in places.
Black	/Red (Hybrid) Oak	5	Sapling	1							
	White Oak	2	Log	14							
Е	Bigtooth Aspen	55	Sapling	1	2						
Black	/Red (Hybrid) Oak	2	Log	14							
	Red Maple	16	Sapling	1							
	Red Oak	6	Log	14							
	Red Pine	2	Log	12							
	White Pine	2	Log	14							



Stand	Level 4 Co	over Type		Size D	ensity	Acres	Stand Age	BA Range	Managed S	ite	General Comments
48	42121 - Planted Deci	Jack Pine, duous	Mixed	Saplin	g Well	73.6	15	Immature	N/A		Updated diameters from last inventory to reflect increased growth.
	Canopy Species	% Cover	Size Class	DBI	l Age						
	Pin Cherry	2	Sapling	2							
	White Oak	2	Sapling	2							
	Jack Pine	60	Sapling	3	15						
Blad	ck/Red (Hybrid) Oak	21	Sapling	2							
	Bigtooth Aspen	2	Sapling	3							
	Red Oak	13	Sapling	2							
49	310 - Herbaco	eous Open	land	Nonst	ocked	8.2		Unspecified	No		No activity has occurred in the opening in the last 10 years.
50	6111 - Lowland	d Balsam P	oplar	Saplin	g Well	14.3	27	51-80	N/A		Previous inventory.
	Canopy Species	% Cover	Size Class	DBI	l Age	Sub-Ca	nopy Specie	s Density	Avg. Height	Size	
	Balsam Poplar	70	Sapling	3	27	Wi	llow spp.	Low	>20 feet	Tall Shrub	
	Quaking Aspen	20	Sapling	3		Ta	ag Alder	High	>20 feet	Tall Shrub	
	Paper Birch	5	Sapling	3							•
	Balsam Fir	5	Sapling/Pole	e 3							
51	6120 - Lov	vland Ceda	ır	Sawtimb	er Well	11.9	110	81-110	N/A		Previous inventory.
	Canopy Species	% Cover	Size Class	DBI	l Age	Sub-Ca	nopy Species	s Density	Avg. Height	Size	
	Quaking Aspen	15	Log	18		BI	ack Ash	Medium	10 - 20 feet	Sapling	
	White Spruce	10	Log	12		Ва	ılsam Fir	Low	Variable	Sapling	
	Balsam Fir	15	Log	12							
No	rthern White Cedar	60	Pole/Log	10	110						
52		duous		Saplin		14.9	15	Immature	N/A		
	Canopy Species		Size Class		l Age						
Blad	ck/Red (Hybrid) Oak	15	Sapling	2							
	Red Pine	2	Sapling	2							
	Jack Pine	63	Sapling	2	15						
	Bigtooth Aspen	15	Sapling	3							
	White Oak	5	Sapling	1							



Stand	Level 4 Co	over Type		Size De	ensity	Acres	Stand Age	BA Range	Managed S	ite	General Comments
53	4119 - Mixed No	rthern Hard	dwoods S	Sawtimb	er Well	10.3	100	81-110	N/A		Previous inventory. Stand is mostly high ground with some pockets of 1 low ground. Heavy EAB in Ash trees. Ash is dying out. BA = 93. No
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	s Density	Avg. Height	Size	management recommended.
	Balsam Fir	15	Pole/Log	10			ılsam Fir	Low	Variable	Sapling	
	White Spruce	2	Log	10		Ta	ag Alder	Medium	10 - 20 feet	Tall Shrub	
Nort	thern White Cedar	2	Log	14		BI	ack Ash	Medium	>20 feet	Sapling	
	White Ash	28	Log	12							
	Black Ash	15	Sapling/Pole	4							
	Basswood	38	Log	12	100						
54	623 - Emerç	gent Wetlar	nd	Nonsto	ocked	1.4	ı	Unspecified	No		
55		- Aspen		Sapling		22.0	27	Immature	N/A		Updated DBH to reflect growth. Lots of deer runways and rubs. Pockets of low-density Red Pine regeneration in rocky areas.
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	s Density	Avg. Height	Size	or low-defisity fed Fine regeneration in rocky areas.
	Pin Cherry	20	Sapling	3		R	ed Pine	Low	5 - 10 feet	Sapling	
(Quaking Aspen	50	Sapling/Pole	4	27						
E	Bigtooth Aspen	20	Sapling/Pole	4							
Black	k/Red (Hybrid) Oak	10	Pole	6							
56	622 - Low	land Shrub)	Nonsto	ocked	10.1	ı	Unspecified	No		Previous inventory.
57	42111 - Planted Deci	Red Pine, duous	Mixed S	Sawtimb	er Well	35.0	63	111-140	N/A		Thinning was completed 1/4/2022 as part of Nest Trail Pine Mix 52-131-16.
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	s Density	Avg. Height	Size	
E	Bigtooth Aspen	15	Log	12		Re	ed Maple	Low	< 5 feet	Sapling	
	Red Maple	5	Pole/Log	8		Asp	en (spp.)	Low	< 5 feet	Sapling	
	Red Pine	80	Log/Pole	11	63	Oa	ak (spp.)	Medium	5 - 10 feet	Sapling	
58	4126 - White, B	Black, N. Pi	n Oak S	Sawtimb	er Well	16.0	90	51-80	N/A		Primarily an oak stand with about 70 BA. Variable DBH for the aspen. ¬ Flat terrain. Area is used as the Sturgeon Guard headquarters every
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	s Density	Avg. Height	Size	spring.
	Red Oak	2	Log	14		Oa	ak (spp.)	High	Variable	Sapling	
Black	k/Red (Hybrid) Oak	51	Log/Pole	12	90	Pin	ies (spp.)	Medium	Variable	Sapling	
	Red Pine	2	Log	12							-
Е	Bigtooth Aspen	10	Log/Pole	12							
	White Oak	27	Log/Pole	11							



Stand	Level 4 C	over Type		Size Density	Acres	Stand Age B	A Range	Managed S	Site	General Comments
59	6117 - Lowland Con	Deciduous iferous	, Mixed	Sawtimber We	ell 7.2	100	81-110	N/A		Previous inventory. Some areas of low ground within stand. White Ash is dying out and stand is converting to basswood/balsam fir. No
	Canopy Species	% Cover	Size Class	DBH Age	Sub-Ca	anopy Species	Density	Avg. Height	Size	management recommended.
	White Ash	23	Pole/Log	12 100	ł I	ag Alder	Low	10 - 20 feet	Tall Shrub	
	Balsam Fir	20	Pole	7	В	alsam Fir	Low	Variable	Sapling	
	White Spruce	2	Log	12						
	Paper Birch	5	Log	12						
	Balsam Poplar	10	Log	10						
	Basswood	20	Log	12						
	Black Ash	20	Sapling/Pol	le 4						
60	6129 - Mixed Conife	erous Lowl	and Forest	Sawtimber We	ell 13.7	100	81-110	N/A		Previous inventory. Stand is a buffer to the Black River.
	Canopy Species	% Cover	Size Class	DBH Age	Sub-Ca	anopy Species	Density	Avg. Height	Size	
	White Spruce	25	Log	10	В	alsam Fir	Medium	Variable	Sapling	
Nor	thern White Cedar	38	Log	12 100	Т	ag Alder	Medium	10 - 20 feet	Tall Shrub	
	Paper Birch	10	Pole	6						
	Red Maple	2	Pole	5						
	Balsam Fir	20	Pole	7						
	Black Ash	5	Pole	5						
61	500 -	- Water		Nonstocked	18.3	U	nspecified	No		Black River
62	4130	- Aspen		Sawtimber We	ell 5.9	80	81-110	N/A		Previous inventory. Most of stand is on a slope down to Black River.
	Canopy Species	% Cover	Size Class	DBH Age	Sub-Ca	anopy Species	Density	Avg. Height	Size	
	Red Oak	5	Log	12	R	ed Maple	Low	5 - 10 feet	Sapling	
	Balsam Fir	10	Pole	5	В	alsam Fir	Low	Variable	Sapling	
	Bigtooth Aspen	30	Log	14	F	Red Oak	Medium	5 - 10 feet	Sapling	
	Quaking Aspen	45	Log	12 80						•
	Red Maple	10	Pole	7						
63	4130	- Aspen		Sawtimber We	ell 16.1	47	81-110	N/A		Some larger DBH aspen that is falling apart. Some aspens with trunk tot. Small amount of White Pine log-sized trees in southwest corner of
	Canopy Species	% Cover	Size Class	DBH Age	Sub-Ca	anopy Species	Density	Avg. Height	Size	stand along the south boundary line as well as few trees along the west
	Black Cherry	2	Pole	6	V	hite Ash	Low	5 - 10 feet	Sapling	boundary.
	Bigtooth Aspen	23	Log/Pole	10 47	W	hite Pine	Low	Variable	Sapling	
	Balsam Poplar	2	Pole	6	Aut	umn Olive	Full	5 - 10 feet	Tall Shrub	
	Paper Birch	10	Pole/Log	8	Ch	erry (spp.)	Low	Variable	Sapling	
		_	Log/Dolo	10	,					•
	White Pine	2	Log/Pole	12						
	White Pine Red Maple	10	Pole	7 11 47						



Stand	Level 4 Co	over Type		Size De	nsity	Acres	Stand Age B	A Range	Managed S	ite	General Comments
64	6128 - Lowland (Deci	Coniferous duous	, Mixed	Poletimb	er Well	8.7	100	51-80	N/A		Stand is a buffer to Black River.
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	
No	rthern White Cedar	20	Log	10	100	Ва	lsam Fir	Medium	Variable	Sapling	
	Quaking Aspen	20	Log	16							•
	Balsam Poplar	5	Pole	7							
	Paper Birch	5	Pole	6							
	Black Ash	10	Pole	6							
	White Spruce	20	Log	12							
	Balsam Fir	20	Pole	5							
65	4191 - Mixed Upla Co	and Decidu nifer	ous with	Sawtimb	er Well	62.1	95	111-140	N/A		Poor quality oak with some dying tops. Aspen is dying out as well. A few large diameter Red Pine and oaks are scattered. White Pine is very
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	branchy, and most Jack Pine is dead or dying. Some of the hybrid oak has trunk conks. BA is 115.
	White Pine	18	Log/Pole	10		R	ed Pine	Low	Variable	Sapling	THE BUILD SOURCE. BY US 110.
	Jack Pine	2	Log/Pole	10		WI	nite Pine	High	5 - 10 feet	Sapling	
	Red Oak	2	Log	10		Oa	ık (spp.)	Medium	< 5 feet	Sapling	
	Bigtooth Aspen	5	Log/Pole	12							
Blad	ck/Red (Hybrid) Oak	46	Log/Pole	10	95						
	Red Pine	15	Log/Pole	10							
	White Oak	10	Log/Pole	11							
66	6122 - Bl	ack Spruce	Э	Poletimb	er Well	2.0	105	81-110	N/A		Previous inventory.
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	
	Black Spruce	95	Pole	6	105	Ва	lsam Fir	Medium	< 5 feet	Sapling	
No	rthern White Cedar	5	Pole/Log	10		Ta	g Alder	High	5 - 10 feet	Tall Shrub	
67	6128 - Lowland (Deci	Coniferous duous	, Mixed	Sawtimb	er Well	33.8	105	81-110	N/A		Previous inventory. Stand is mostly at the bottom of steep ridge. Buffer to the Black River. No management recommended.
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	
	Black Spruce	32	Pole/Log	9	105	Ва	lsam Fir	High	5 - 10 feet	Sapling	
	White Pine	2	Log	14							
No	rthern White Cedar	31	Log	11							
	Red Maple	5	Pole/Log	10							
	Paper Birch	13	Pole	8							
	Quaking Aspen	5	Log	14							
	Balsam Fir	10	Pole/Log	10							
	White Spruce	2	Log								



Stand	Level 4 Co	over Type	;	Size Do	ensity	Acres	Stand Age E	BA Range	Managed S	ite	General Comments
68	4133 - Aspe			Sawtimb	oer Wel		58	81-110	N/A		Variable stand with pockets of aspen and Red Pine from sapling to log sized DBH. Some log sized aspens along the southwest part of stand
	anopy Species		Size Class		H Age		anopy Species		Avg. Height	Size	with smaller DBH, lower quality aspen in center of stand. Some beaver
	White Oak	2	Log	12			Red Pine	Medium	Variable	Sapling	activity along the northeast boundary. Lots of deer tracks and runways in
Bi	igtooth Aspen	41	Pole/Log/Sap		58	0	ak (spp.)	Medium	Variable	Sapling	stand. Access to stand would be from the south through adjacent compartment.
	White Pine	10	Log/Pole	12		W	hite Pine	Medium	Variable	Sapling	compartment.
	Red Pine	25	Log/Pole	11							
	Red Oak	10	Log	16							
	Red Maple	5	Pole/Log	8							
Black/	Red (Hybrid) Oak	5	Log	12							
	Jack Pine	2	Log/Pole	10							
71	42221 - Natural Deci	Jack Pine, duous	Mixed S		Mediun			Immature	N/A		Previous inventory. Increased DBH to reflect growth from last inventory.
С	anopy Species	% Cover	Size Class	DBI	H Age		anopy Species		Avg. Height	Size	
Bi	igtooth Aspen	5	Sapling	3			ed (Hybrid) Oak	Medium	< 5 feet	Sapling	
	Jack Pine	66	Sapling	3	28	Ja	ack Pine	Medium	< 5 feet	Sapling	
Black/	Red (Hybrid) Oak	23	Sapling	3							
	Red Pine	2	Sapling	3							
	Pin Cherry	2	Sapling	3							
	White Oak	2	Sapling	2							
72	4133 - Aspe	n, Mixed P	ine S		oer Wel	II 30.1	70	81-110	N/A		Some larger diameter aspens along the edges of stand are dying out.
	4133 - Aspe		ine S		oer Wel		70 anopy Species		N/A Avg. Height	Size	Some larger diameter aspens along the edges of stand are dying out.
С					H Age	Sub-Ca				Size Sapling	Some larger diameter aspens along the edges of stand are dying out.
C Black/	anopy Species	% Cover	Size Class	DBI	H Age	Sub-Ca	anopy Species	Density	Avg. Height		Some larger diameter aspens along the edges of stand are dying out.
C Black/	Canopy Species (Red (Hybrid) Oak	% Cover	Size Class Log/Pole	DBI	H Age	Sub-Ca	anopy Species thite Pine	Density Low	Avg. Height Variable	Sapling	Some larger diameter aspens along the edges of stand are dying out.
C Black/	Canopy Species (Red (Hybrid) Oak igtooth Aspen	% Cover 5 60	Size Class Log/Pole Log/Pole	10 12	H Age	Sub-Ca	anopy Species Thite Pine Red Pine	Density Low Low	Avg. Height Variable Variable	Sapling Sapling	Some larger diameter aspens along the edges of stand are dying out.
C Black/	Canopy Species (Red (Hybrid) Oak igtooth Aspen Red Pine	% Cover 5 60 10	Size Class Log/Pole Log/Pole Log	10 12 12	H Age	Sub-Ca	anopy Species Thite Pine Red Pine	Density Low Low	Avg. Height Variable Variable	Sapling Sapling	Some larger diameter aspens along the edges of stand are dying out.
C Black/	Canopy Species (Red (Hybrid) Oak igtooth Aspen Red Pine Jack Pine	% Cover 5 60 10 10	Size Class Log/Pole Log/Pole Log Pole/Log	10 12 12 12 8	70	Sub-Ca	anopy Species Thite Pine Red Pine	Density Low Low	Avg. Height Variable Variable	Sapling Sapling	Some larger diameter aspens along the edges of stand are dying out.
Black/ Bi	Ranopy Species (Red (Hybrid) Oak igtooth Aspen Red Pine Jack Pine Red Oak White Oak	% Cover 5 60 10 10 5	Size Class Log/Pole Log/Pole Log Pole/Log Log Log Log/Pole	10 12 12 8 14 16	70 g Well	Sub-Ca	anopy Species hite Pine Red Pine ak (spp.)	Density Low Low	Avg. Height Variable Variable	Sapling Sapling	Some larger diameter aspens along the edges of stand are dying out. Updated diameters from last inventory to reflect increased growth.
Black/ Bi	Ranopy Species (Red (Hybrid) Oak igtooth Aspen Red Pine Jack Pine Red Oak White Oak	% Cover	Size Class Log/Pole Log/Pole Log Pole/Log Log Log Log/Pole	10 12 12 8 14 16	70	Sub-Ca W R	anopy Species hite Pine Red Pine ak (spp.)	Density Low Low High	Avg. Height Variable Variable 5 - 10 feet	Sapling Sapling	
Black/ Bi	Ranopy Species (Red (Hybrid) Oak igtooth Aspen Red Pine Jack Pine Red Oak White Oak	% Cover	Size Class Log/Pole Log/Pole Log Pole/Log Log Log Log/Pole	10 12 12 8 14 16 Sapline	70 g Well	Sub-Ca W R	anopy Species hite Pine Red Pine ak (spp.)	Density Low Low High	Avg. Height Variable Variable 5 - 10 feet	Sapling Sapling	
Black/Bi	Red (Hybrid) Oak Igtooth Aspen Red Pine Jack Pine Red Oak White Oak 4310 - Pin	% Cover	Size Class Log/Pole Log/Pole Log Pole/Log Log Log/Pole	10 12 12 12 8 14 16 Sapline	70 g Well	Sub-Ca W R	anopy Species hite Pine Red Pine ak (spp.)	Density Low Low High	Avg. Height Variable Variable 5 - 10 feet	Sapling Sapling	
Black/Bi	Red (Hybrid) Oak igtooth Aspen Red Pine Jack Pine Red Oak White Oak 4310 - Pin Canopy Species White Oak	% Cover	Size Class Log/Pole Log/Pole Log Pole/Log Log Log/Pole Cog/Pole Size Class Sapling	10 12 12 8 14 16 Sapline	70 g Well	Sub-Ca W R	anopy Species hite Pine Red Pine ak (spp.)	Density Low Low High	Avg. Height Variable Variable 5 - 10 feet	Sapling Sapling	
73 C Black/	Red (Hybrid) Oak Igtooth Aspen Red Pine Jack Pine Red Oak White Oak 4310 - Pin Canopy Species White Oak White Oak Ked (Hybrid) Oak	% Cover 5 60 10 10 5 10 me, Oak Mix 6 Cover 2 31	Size Class Log/Pole Log/Pole Log Pole/Log Log Log/Pole Cog/Pole Size Class Sapling Sapling	DBI 10 12 12 8 14 16 Sapling DBI 1 2	70 g Well	Sub-Ca W R	anopy Species hite Pine Red Pine ak (spp.)	Density Low Low High	Avg. Height Variable Variable 5 - 10 feet	Sapling Sapling	
73 C Black/	Red (Hybrid) Oak igtooth Aspen Red Pine Jack Pine Red Oak White Oak Canopy Species White Oak Very Canopy Species White Oak Jack Pine	% Cover 5 60 10 10 5 10 me, Oak Mix	Size Class Log/Pole Log Pole/Log Log Log/Pole Cog Size Class Sapling Sapling Sapling	DBI 10 12 12 8 14 16 Sapline DBI 1 2 2	70 g Well	Sub-Ca W R	anopy Species hite Pine Red Pine ak (spp.)	Density Low Low High	Avg. Height Variable Variable 5 - 10 feet	Sapling Sapling	



	Level 4 Co	ver Type	S	Size De	ensity	Acres	Stand Age B	A Range	Managed S	ite	General Comments
74	42221 - Natural Decid	Jack Pine, duous	Mixed Po	oletimb	er Well	27.8	55	81-110	N/A		Poor quality aspen, Jack Pine and oak with some Jack Pine dying out. Short, branchy Jack Pine.
(Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Can	opy Species	Density	Avg. Height	Size	
Black	/Red (Hybrid) Oak	13	Log/Pole	10		Whi	te Pine	Low	Variable	Sapling	
	Red Pine	1	Log/Pole	10		Re	d Pine	Low	Variable	Sapling	
	Jack Pine	60	Pole/Sapling	7	55	Oal	(spp.)	High	< 5 feet	Sapling	
	Red Oak	2	Log	16							
	White Pine	1	Pole/Log	8							
В	Bigtooth Aspen	15	Pole/Sap/Log	8							
	White Oak	8	Log	12							
75	42260 - Natural Pin	ie, Mixed [Deciduous Sa	awtimb	er Well	12.2	75	81-110	N/A		
(Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Can	opy Species	Density	Avg. Height	Size	
	Red Oak	5	Log/Pole	12		Oal	(spp.)	High	Variable	Sapling	
В	Bigtooth Aspen	10	Log/Pole	11		Whi	te Pine	Low	Variable	Sapling	
	White Oak	2	Log	14	<u> </u>						
Black	/Red (Hybrid) Oak	15	Log/Pole	10							
	White Pine	20	Log/Pole	10							
	Red Pine	10	Log/Pole	11							
	Jack Pine	36	Log/Pole	10	75						
	Balsam Fir	2	Pole/Log	8							
		_	F 01e/L0g	0							
76		nd Decidu nifer	ous with Sa	awtimb	per Well	13.5	105	51-80	N/A	Siza	Recreation trail runs through middle of stand. Some larger DBH oaks. Lots of deer runways. Stand was cut in 1976 except for the oak species.
C	Cor Canopy Species	nd Decidu nifer % Cover	ous with Sa	awtimb DBH	l Age	Sub-Can	opy Species	Density	Avg. Height	Size	Lots of deer runways.
C	Con Canopy Species Bigtooth Aspen	nd Decidu nifer % Cover 30	ous with Sa	awtimb		Sub-Can	opy Species	Density Low	Avg. Height < 5 feet	Sapling	Lots of deer runways.
C	Canopy Species Bigtooth Aspen White Pine	nd Decidu nifer % Cover 30	ous with Sasse Class Pole/Sapling Pole/Log	DBH 6 9	47	Sub-Can	opy Species	Density	Avg. Height		Lots of deer runways.
C	Con Canopy Species Bigtooth Aspen White Pine Red Oak	nd Decidu nifer % Cover 30 15 30	ous with Sasser Class Pole/Sapling Pole/Log Log	DBH 6 9 14	l Age	Sub-Can	opy Species	Density Low	Avg. Height < 5 feet	Sapling	Lots of deer runways.
C	Con Canopy Species Sigtooth Aspen White Pine Red Oak White Oak	nd Decidu nifer % Cover 30 15 30 10	ous with Sa Size Class Pole/Sapling Pole/Log Log Log	DBH 6 9 14 16	47	Sub-Can	opy Species	Density Low	Avg. Height < 5 feet	Sapling	Lots of deer runways.
C	Con Canopy Species Bigtooth Aspen White Pine Red Oak	nd Decidu nifer % Cover 30 15 30	ous with Sasser Class Pole/Sapling Pole/Log Log	DBH 6 9 14	47	Sub-Can	opy Species	Density Low	Avg. Height < 5 feet	Sapling	Lots of deer runways.
В	Con Canopy Species Sigtooth Aspen White Pine Red Oak White Oak Red Maple	nd Decidu nifer % Cover 30 15 30 10 5 10	ous with Sa Size Class Pole/Sapling Pole/Log Log Log Pole/Sapling Log	DBH 6 9 14 16 5 12	47	Sub-Can	opy Species	Density Low	Avg. Height < 5 feet	Sapling	Lots of deer runways. Stand was cut in 1976 except for the oak species. Mixed stand of variable DBH from aspen saplings to X-log sized oak
77	Con Canopy Species Sigtooth Aspen White Pine Red Oak White Oak Red Maple Red Pine	nd Decidunifer % Cover 30 15 30 10 5 10	ous with Sa Size Class Pole/Sapling Pole/Log Log Log Pole/Sapling Log	DBH 6 9 14 16 5 12 awtimb	47 105	Sub-Can Oal Bals	opy Species ((spp.) sam Fir	Density Low Medium	Avg. Height < 5 feet Variable	Sapling	Lots of deer runways. Stand was cut in 1976 except for the oak species. Mixed stand of variable DBH from aspen saplings to X-log sized oak species. Some scattered legacy pine and oak trees. Stand appears to
77 C	Concerning	nd Decidunifer % Cover 30 15 30 10 5 10	ous with Sa Size Class Pole/Sapling Pole/Log Log Log Pole/Sapling Log Pole/Sapling Log	DBH 6 9 14 16 5 12 awtimb	A Age 47 105 105 over Well	Sub-Can Oal Bals 68.7 Sub-Can	opy Species ((spp.) sam Fir	Density Low Medium 81-110	Avg. Height < 5 feet Variable	Sapling Sapling	Lots of deer runways. Stand was cut in 1976 except for the oak species. Mixed stand of variable DBH from aspen saplings to X-log sized oak
77 C	Canopy Species sigtooth Aspen White Pine Red Oak White Oak Red Maple Red Pine 4199 - Other Mixed Canopy Species	nd Decidu nifer % Cover 30 15 30 10 5 10 5 4 Upland D % Cover 28	ous with Sa Size Class Pole/Sapling Pole/Log Log Log Pole/Sapling Log Seciduous Size Class	DBH 6 9 14 16 5 12 awtimb	1 Age 47 105 er Well 47 47	Sub-Can Oal Bals 68.7 Sub-Can Pine	opy Species ((spp.) sam Fir 90 opy Species	Density Low Medium 81-110 Density Low	Avg. Height < 5 feet Variable N/A Avg. Height Variable	Sapling Sapling Size	Lots of deer runways. Stand was cut in 1976 except for the oak species. Mixed stand of variable DBH from aspen saplings to X-log sized oak species. Some scattered legacy pine and oak trees. Stand appears to have been cut 47 years ago except the oak species. Small area of
77 C	Con Canopy Species Sigtooth Aspen White Pine Red Oak White Oak Red Maple Red Pine 4199 - Other Mixed Canopy Species Sigtooth Aspen	nd Decidu nifer % Cover 30 15 30 10 5 10 5 4 Upland D % Cover 28	ous with Sa Size Class Pole/Sapling Pole/Log Log Log Pole/Sapling Log Pole/Sapling Size Class Pole/Sap/Log	DBH 6 9 14 16 5 12 awtimb	1 Age 47 105 er Well 47 47	Sub-Can Oal Bals 68.7 Sub-Can Pine	opy Species ((spp.) sam Fir 90 opy Species s (spp.)	Density Low Medium 81-110 Density Low	Avg. Height < 5 feet Variable N/A Avg. Height Variable	Sapling Sapling Size Sapling	Lots of deer runways. Stand was cut in 1976 except for the oak species. Mixed stand of variable DBH from aspen saplings to X-log sized oak species. Some scattered legacy pine and oak trees. Stand appears to have been cut 47 years ago except the oak species. Small area of
77 C	Con Canopy Species Sigtooth Aspen White Pine Red Oak White Oak Red Maple Red Pine 4199 - Other Mixed Canopy Species Sigtooth Aspen White Pine	nd Decidu nifer	ous with Sa Size Class Pole/Sapling Pole/Log Log Log Pole/Sapling Log Deciduous Size Class Pole/Sap/Log Log/Pole	DBH 16 5 12 DBH 7 10	1 Age 47 105 er Well 47 47	Sub-Can Oal Bals 68.7 Sub-Can Pine	opy Species ((spp.) sam Fir 90 opy Species s (spp.)	Density Low Medium 81-110 Density Low	Avg. Height < 5 feet Variable N/A Avg. Height Variable	Sapling Sapling Size Sapling	Lots of deer runways. Stand was cut in 1976 except for the oak species. Mixed stand of variable DBH from aspen saplings to X-log sized oak species. Some scattered legacy pine and oak trees. Stand appears to have been cut 47 years ago except the oak species. Small area of
77 C	Concept Species Bigtooth Aspen White Pine Red Oak White Oak Red Maple Red Pine 4199 - Other Mixed Canopy Species Bigtooth Aspen White Pine Red Pine	nd Decidunifer % Cover 30 15 30 10 5 10 6 Upland D % Cover 28 5 5	ous with Sa Size Class Pole/Sapling Pole/Log Log Log Pole/Sapling Log Peciduous Size Class Pole/Sap/Log Log/Pole Log/Pole	DBH 6 9 14 16 5 12 awtimb 7 10 11	1 Age 47 105 er Well 47 47	Sub-Can Oal Bals 68.7 Sub-Can Pine	opy Species ((spp.) sam Fir 90 opy Species s (spp.)	Density Low Medium 81-110 Density Low	Avg. Height < 5 feet Variable N/A Avg. Height Variable	Sapling Sapling Size Sapling	Lots of deer runways. Stand was cut in 1976 except for the oak species. Mixed stand of variable DBH from aspen saplings to X-log sized oak species. Some scattered legacy pine and oak trees. Stand appears to have been cut 47 years ago except the oak species. Small area of
77 C	Concernia Concer	nd Decidunifer % Cover 30 15 30 10 5 10 6 Upland D % Cover 28 5 5 2	ous with Samuel Salve Class Pole/Sapling Pole/Log Log Log Pole/Sapling Log Pole/Sapling Log Peciduous Salve Class Pole/Sap/Log Log/Pole Sapling/Pole	DBH 6 9 14 16 5 12 awtimb 7 10 11 4	1 Age 47 105 er Well 47 47	Sub-Can Oal Bals 68.7 Sub-Can Pine	opy Species ((spp.) sam Fir 90 opy Species s (spp.)	Density Low Medium 81-110 Density Low	Avg. Height < 5 feet Variable N/A Avg. Height Variable	Sapling Sapling Size Sapling	Lots of deer runways. Stand was cut in 1976 except for the oak species. Mixed stand of variable DBH from aspen saplings to X-log sized oak species. Some scattered legacy pine and oak trees. Stand appears to have been cut 47 years ago except the oak species. Small area of
77 C	Concernia Concer	nd Decidunifer % Cover 30 15 30 10 5 10 5 10 4 Upland D % Cover 28 5 5 2 10	ous with Sa Size Class Pole/Sapling Pole/Log Log Log Pole/Sapling Log Pole/Sapling Log Peciduous Sa Size Class Pole/Sap/Log Log/Pole Log/Pole Sapling/Pole Pole/Sapling	DBH 6 9 14 16 5 12 awtimb 7 10 11 4 7	1 Age 105 over Well 1 Age 47	Sub-Can Oal Bals 68.7 Sub-Can Pine	opy Species ((spp.) sam Fir 90 opy Species s (spp.)	Density Low Medium 81-110 Density Low	Avg. Height < 5 feet Variable N/A Avg. Height Variable	Sapling Sapling Size Sapling	Lots of deer runways. Stand was cut in 1976 except for the oak species. Mixed stand of variable DBH from aspen saplings to X-log sized oak species. Some scattered legacy pine and oak trees. Stand appears to have been cut 47 years ago except the oak species. Small area of



Stand	Level 4 Co	over Type		Size De	nsity	Acres	Stand Age E	BA Range	Managed S	Site	General Comments
78		Red Oak		Sawtimb		40.1	90	111-140	N/A		Stand is of average oak quality and on rolling terrain. Younger aspen trees along west boundary line with stand 77. Scattered larger DBH
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	trees.
	Red Maple	5	Pole	5			hite Pine	Medium	Variable	Sapling	
	Red Oak	51	Log	14	90	0	ak (spp.)	Medium	Variable	Sapling	
	White Oak	2	Log/XLog	16		Haw	thorn (spp.)	Low	5 - 10 feet	Tall Shrub	
	White Pine	20	Log/Pole	12							
	Red Pine	2	Log/Pole	11							
3lac	k/Red (Hybrid) Oak	10	Pole/Log	8							
l	Bigtooth Aspen	10	Log/Pole	10							
80	6128 - Lowland (Deci	Coniferous, duous	, Mixed S	Sawtimb	er Well	10.3	110	81-110	N/A		Aspen and cedar dying out and blowing over.
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	
	White Pine	20	Log	11		Ва	alsam Fir	High	5 - 10 feet	Sapling	
	White Spruce	5	Pole/Log	10		Wh	ite Spruce	Low	Variable	Sapling	
	Red Pine	10	Log	11		Qua	king Aspen	Low	Variable	Sapling	
Nor	thern White Cedar	35	Pole	8	110						
(Quaking Aspen	30	Log	13							
32	4199 - Other Mixed			Sapling		12.3	3	Immature	N/A		Stand was cut 10/2020. (52-130-16-01 Michigan State Road Aspen)
	Canopy Species		Size Class		Age						
	Red Maple	2	Sapling	1							
	Red Oak	8	Sapling	1							
	Red Oak	2	Log	12							
	Bigtooth Aspen	28	Sapling	1							
-	Red Pine	10	Log	16							
Siac	k/Red (Hybrid) Oak	30	Sapling	1	3						
	White Oak White Oak	2	Log	12							
	White Pine	16	Sapling Log/Pole	10							
3	4199 - Other Mixed			Sawtimb	er Well	11.6	95	81-110	N/A		Some larger DBH oaks. Some log-sized aspen. Lots of multi-stemmed
	Canopy Species				Age		nopy Species			Size	Red Maple. Very little understory. BA = 90.
	Bigtooth Aspen	25	Pole/Sap/Log		47		onwood	Low	10 - 20 feet	Sapling	
	Balsam Fir	2	Pole/Sapling	5			Beech	Low	>20 feet	Sapling	
	White Pine	5	Log/Pole	10						9	
	Red Oak	40	Log/Pole	12	95						
	White Oak	10	Pole/Log	10							
	Red Maple	18	Sapling/Pole								
	. tod Mapie	10	Supinig/1 ole	0							



Stand	Level 4 Co	ver Type	Si	ize De	ensity	Acres	Stand Age B	A Range	Managed S	ite	General Comments
85	4191 - Mixed Upla Co	ous with Sa	Sawtimber Well		24.1	70	81-110	N/A		Some larger DBH pines and oak trees were left uncut from last treatment. White Pine is straight but fairly branchy. Pockets of aspen.	
	Canopy Species	% Cover	Size Class	DBH	I Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	Heavily used deer trail along the south edge of Stand 86. Approximate BA is 100.
	Red Maple	10	Pole/Sapling	7		Ва	lsam Fir	Medium	Variable	Sapling	57.16 100.
	Bigtooth Aspen	25	Pole/Sapling	7	47						
	Balsam Fir	5	Pole/Sapling	7							
	Red Pine	5	Log/Pole	14							
	White Pine	30	Log/Pole	12	70						
86	6128 - Lowland O Decid Canopy Species	duous			er Well	14.0	110	81-110	N/A		Larger Quaking Aspen falling over and creating some slash.
		% COVER	Size Class	DRH	I Δαe I	Sub-Car	nony Species	Density	Ava Heiaht	Size	
			Size Class		I Age		nopy Species	Density Medium	Avg. Height Variable	Size Sapling	
No	White Spruce	2 43	Log	12 8	110		nopy Species Isam Fir	Density Medium	Avg. Height Variable	Size Sapling	
No	White Spruce	2		12							
No	White Spruce	2 43	Log Pole/Log	12 8							
No	White Spruce orthern White Cedar Red Pine	2 43 5	Log Pole/Log Log	12 8 12							
87	White Spruce orthern White Cedar Red Pine Quaking Aspen White Pine	2 43 5 20	Log Pole/Log Log Log Log Log	12 8 12 16 14			Isam Fir				
	White Spruce orthern White Cedar Red Pine Quaking Aspen White Pine	2 43 5 20 30	Log Pole/Log Log Log Log Po	12 8 12 16 14	110	9.5	Isam Fir	Medium	Variable		
	White Spruce orthern White Cedar Red Pine Quaking Aspen White Pine 4131 - As	2 43 5 20 30 spen, Oak	Log Pole/Log Log Log Log Po	12 8 12 16 14	110 er Well	9.5 Sub-Ca	Isam Fir	Medium 81-110	Variable N/A	Sapling	
	White Spruce orthern White Cedar Red Pine Quaking Aspen White Pine 4131 - As Canopy Species	2 43 5 20 30 spen, Oak % Cover	Log Pole/Log Log Log Log Size Class	12 8 12 16 14 letimb	110 er Well	9.5 Sub-Car	47 nopy Species	Medium 81-110 Density	Variable N/A Avg. Height	Sapling	
	White Spruce orthern White Cedar Red Pine Quaking Aspen White Pine 4131 - As Canopy Species Red Oak	2 43 5 20 30 spen, Oak % Cover 20	Log Pole/Log Log Log Log Size Class Log/Pole	12 8 12 16 14 letimb	110 er Well	9.5 Sub-Car	47 nopy Species Isam Fir	81-110 Density Low	Variable N/A Avg. Height Variable	Sapling Size Sapling	