

### **Compartment Review Presentation**

**Gwinn Forest Management Unit** 

Compartment 32253 Entry Year: 2026 Acreage: 1,269

**County: Marquette** 

Management Area: Suomi Till and Outwash Plain

Stand Examiner: Jacob Siler

**Legal Description:** 

T46N-R27W, Sections 18, 19, 29 & 30.

### **Identified Planning Goals:**

Continue to maintain age class diversity through harvesting and planting when needed.

### Soil and topography:

Soils consist of glacial outwash plains consisting primarily of well drained sands. Soils are dominated by Rubicon sands supporting pine type tree species. This compartment's topography is mostly level with some areas of moderate slopes.

### Ownership Patterns, Development, and Land Use in and Around the Compartment:

This compartment is in an area of larger blocks of State ownership, however, it's permitter is almost entirely adjacent to small non-industrial private ownership. Land use is primarily for forest product production and recreation.

### **Unique Natural Features:**

The middle branch of the Escanaba river flows across the northern portion of this compartment.

### Archeological, Historical, and Cultural Features:

No Archeological, Historical, or Cultural Features known.

### **Special Management Designations or Considerations:**

ERA: Voelker Plains Poor Conifer Swamp Reviewable SCA

### **Watershed and Fisheries Considerations:**

This northern region of this compartment contains the Middle Branch Escanaba River. The Middle Branch Escanaba River is a designated Type 1 trout stream less than 50-ft wide and has a predicated mean July temperature of 66.4 °F (cool stream). A 300-foot buffer is recommended for the Middle Branch Escanaba River in riparian areas susceptible to Aspen regeneration. For areas not susceptible to Aspen regeneration, a minimum 100-foot, plus 5 feet per 1% increase in slope, buffer is recommended to protect these areas in accordance with Best Management Practices.

### Wildlife Habitat Considerations:

This compartment is found within the Soumi Till and Outwash Management Area, on a Disintegration Moraine in Southwestern Marquette County. The dominant Natural Communities are dry mesic northern forests, poor conifer swamps, and mesic northern forests. This management area offers opportunities to increase diversity and perhaps long-term oak sustainability through under planting white and red pine. Another priority is to maintain or increase wildlife corridors especially along riparian corridors. Wildlife management issues in the management area are mast (hard and soft); habitat fragmentation; mature forest conditions; mesic conifer; course woody debris; and retention or development of large living and dead standing trees (for cavities). This management area represents approximately ¼ of the oak resource on WUP state forest.

The following have been identified as featured species for the Soumi Till and Outwash Management Area: Blackburnian Warbler, Golden-winged Warbler, Kirtland's Warbler, Red Crossbill, Black-backed Woodpecker, Ruffed Grouse, American Marten, White-tailed Deer, Black Bear.

#### Mineral Resource and Development Concerns and/or Restrictions

Surface sediments consist of glacial outwash sand and gravel and postglacial alluvium. The glacial drift thickness varies between 50 and 100 feet. The Precambrian Archean Granite/Gneiss subcrop below the glacial drift. This rock could be used as a building or dimension stone. Gravel pits are not located in the area, but there could be some potential. The Tilden iron mine is located five miles to the northeast. Section 34 was previously leased for metallic exploration. There is no economic oil and gas production in the UP.

#### **Vehicle Access:**

The Hemmings Lake Road runs Northwest/Southeast through the majority of this compartment. Smaller county roads and two tracks provide access to other areas of the compartment as well.

### **Survey Needs:**

No survey needs for this year of entry.

### **Recreational Facilities and Opportunities:**

No developed recreation exists within this compartment. Hunting, trapping, berry picking and bike riding make up the majority of the recreation within this compartment.

#### Fire Protection:

This compartment is included within the "581 Zone Dispatch" area which provides for a pre-planned dispatch of specified fire equipment from within the Gwinn and adjacent Management Units. This dispatch is dependent on the severity of forecast burning conditions for the specified day. Areas of jack pine and red pine cover types with the encroachment of recreational seasonal dwellings have warranted this pre-planning. Mutual aide agreements with local township volunteer fire departments also provide critical fire suppression response, especially in the area of structure fire and/or protection, and evacuations.


### **Additional Compartment Information:**


The following reports from the Inventory are attached:


Total Acres by Cover Type and Age Class
Cover Type by Harvest Method
Proposed Treatments – No Limiting Factors
Proposed Treatments – With Limiting Factors
Stand Details (Forested and Nonforested)
Dedicated and Proposed Special Conservation Areas
Site Condition Details


The following information is displayed, where pertinent, on the attached compartment maps:


Base feature information, stand boundaries, cover types, and numbers Proposed treatments
Site condition boundaries
Details on the road access system

















# Report 1 – Total Acres by Cover Type and Age Class

Gwinn Mgt. Unit

Jacob Siler: Examiner

Compartment 253 Year of Entry 2026



### Age Class

	Į de		\$ / <u>[</u>	\$ \ \partial \text{\$\delta}	g g	3/8	S &	3/8	8/8	\$ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	\$ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		B ZZ	\$ /s	\$ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	2 / §			N. S.	
Aspen	0	132	22	39	0	98	0	0	0	0	0	0	0	0	0	0	0	0	291	l
Jack Pine	0	170	181	284	174	0	0	0	0	0	16	0	0	0	0	0	0	0	824	l
Low-Density Trees	25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	25	l
Lowland Shrub	27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	27	l
Lowland Spruce/Fir	0	0	0	0	0	0	0	0	0	0	97	0	0	0	0	0	0	0	96	l
Water	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	İ
Total	56	302	203	323	174	98	0	0	0	0	113	0	0	0	0	0	0	0	1267	




### **Report 2 – Treatment Summary**

# Gwinn Mgt. Unit


Compartment 253 Year of Entry: 2026 **Acres of Harvest Total Compartment Acres: 1,269** 

> Commercial Harvest - 98 Harvests with Site Condition - 0 Next Step Harvest - 0 Habitat Cut - 0

### **Cover Type by Harvest Method**



### **Proposed and Next Step Treatments by Method**



Gwinn Mgt. Unit Report 3 -- Treatments Compartment: 253

**Treatment** 

Type

**Treatment** 

Method

Year of Entry: 2026 **Cover Type** 

Objective

Age

Structure

Habitat

Cut

**Proposed Treatments:** 

**Treatment** 

Name

S

t а

n

d

49 32253049-Cut Clearcut with 98.3 4133 - Aspen, Poletimber 111-Harvest 413 - Aspen Even-Aged No Mixed Pine Well 140 Retention

BA

Range

Prescription Cut all trees 2 inches and greater at DBH. Do not cut red pine and white pine 29 inches or greater at a stump height of 4 inches. Green tree 20 log sized red or white pine under 29 inches at a stump height of 4 inches. Do not cut oak. Retention should include big tooth and white

pine, if available. 11 to 12 drumming logs, at least 8 feet long, from trees 9-15 inches in size are to be created.

Stand

Age

Next Step Monitoring, Natural Regen (Intermediate)

Acres

Stand

CoverType

Size

**Density** 

Treatments:

Specs:

Regen:

Acceptable aspen, maple, birch, pine

Other Comment: Site Condition:

Proposed Start Date: 10/1 /2025

**Approved Treatments:** 

32253011-21.7 330 - Low-Density 4212 - Planted 11 Nonstocked Unspec **Planting** Initial Plant Even-Aged No **Plant** Trees ified Jack Pine

**Prescription** Specs:

Next Step Monitoring, Artificial Regen(1yr); ; Planting, Replant; Monitoring, Artificial Regen(3yr)

Treatments:

Acceptable Pine, oak, aspen, spruce, balsam and birch.

Regen:

Other Percent to Treat = 100%

Comment:

Site Condition:

Proposed Start Date: 10/1 /2025

**Total Treatment** Acreage Proposed:

### **Report 4 – Site Conditions**

Gwinn Mgt. Unit

Jacob Siler: Examiner

Compartment: 253
Year of Entry: 2026



Availa	ability for	Managemen	nt					
Total	Acres	Acres Avail	Acres		omina	nt Site	e Con	ditions
Acres	Available	With Condition	Not Available		2H	ЗА	3J	5E
292	288	0	4	Aspen				4
825	808	0	16	Jack Pine	5	9	3	0
25	25	0	0	Low-Density Trees				0
27	27	0	0	Lowland Shrub		0		
97	0	0	96	Lowland Spruce/Fir	0	86	11	
4	4	0	0	Water				
1,269	1,153		117	Total Forested Acres	5	95	13	4
	91%		9%	Relative Percent				

\*Due to limitations in the current Site Conditions Analysis tool, all nonforested acres are considered available. Future development will enable analysis of nonforested types.

Site No.	Dominant Site Cond Availability	Dominant Site Condition	Acres	Other Site Condition	Other Site Condition	Other Site Condition	Other Site Condition
1	Unavailable	3A: Conservation Values incompatible with harvest at this time	3	Unspecified	Unspecified	Unspecified	Unspecified
(	Comments:						
A	Area in Stand 15 tha	at doesn't meet ERA criteria. T	his sho	uld just be left as a buffer to	the ERA.		
2	Unavailable	2H: Blocked by physical obstacle (e.g. upland stand in a lowland area)	5	3A: Conservation Values incompatible with harvest at this time	Unspecified	Unspecified	Unspecified
	Comments: Reviewable SCA: S	oring, Wetlands, or Riparian A	reas				
3	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: Red lined out a pock	ket of aspen for retention per t	reatmer	at instructions.			

# Report 4 – Site Conditions

### Gwinn Mgt. Unit

Jacob Siler: Examiner



4	Unavailable	5E: Long-Term Retention	2	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: Red lined out a pate	ch of mature aspen for retention	per tre	atment instructions.			
5	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: Red lined out a pate	ch of mature red pine for retenti	on per t	reatment instructions.			
6	Unavailable	3A: Conservation Values incompatible with harvest at this time	47	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: Reviewable SCA: S	Spring, Wetlands, or Riparian Ar	eas				
7	Unavailable	3A: Conservation Values incompatible with harvest at this time	9	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: An old road runs in Riparian Areas	to this stand. However, once you	u put a	BMP buffer on its only 7 a	cres. Additionally, its coded	d as Reviewable SCA: Spri	ng, Wetlands, or
9	Unavailable	3A: Conservation Values incompatible with harvest at this time	36	Unspecified	Unspecified	Unspecified	Unspecified
		ns Poor Conifer Swamp Spring, Wetlands, or Riparian Ar	eas				
10	Unavailable	5E: Long-Term Retention	0	Unspecified	Unspecified	Unspecified	Unspecified
	Comments: Red line out a patcl	h of mature red pine for sale 109	9-16 for	long term retention.			

# Report 4 – Site Conditions

Gwinn Mgt. Unit

Jacob Siler: Examiner



11	Unavailable	5E: Long-Term Retention	0	Unspecified	Unspecified	Unspecified	Unspecified					
	Comments:  Red line out a patch of mature red pine for t-sale 109-16 for retention purposes.											
12	Unavailable	5E: Long-Term Retention	0	Unspecified	Unspecified	Unspecified	Unspecified					
	Comments: TS# 109-16. Left a patch of mature red pine out of the timber sale to meet retention guidelines.											
13	Unavailable	5E: Long-Term Retention	0	Unspecified	Unspecified	Unspecified	Unspecified					
7	Comments: TS# 109-16. Left a patch of mature red pine out of the timber sale to meet retention guidelines.											
14	Unavailable	3J: Water quality / BMPs (stream, river, or lake)	11	Unspecified	Unspecified	Unspecified	Unspecified					
(	Comments:											
15	Unavailable	3J: Water quality / BMPs (stream, river, or lake)	3	Unspecified	Unspecified	Unspecified	Unspecified					
	Comments: Reviewable SCA's:	Spring, Wetlands, or Riparian A	reas									

Mgt. Unit

Compartment: #Type! Year of Entry:

# DNR DURCE

### Report 5 - PROPOSED SPECIAL CONSERVATION AREA\* (SCA) DETAILS

\* This is a partial list of SCAs for this compartment. Not included are those areas identified under other Department initiatives (Natural Rivers, Deer Wintering Areas, etc.). Those will be identified in separate, future map and report products.

SCA Name	SCA Category	Detail Type	Recommendation	Acres
Comments				

Gwinn Mgt. Unit Compartment: 253
Year of Entry 2026



### Report 6 – EXISTING SPECIAL CONSERVATION AREA DETAILS

\* This is a list of SCA's for this compartment along with a 1/4 mile buffer surrounding the compartment. Refer to the Special Conservation Area Map for locations of the below listed Conservation Areas.

Conservati Area	on Type	Description	ERA = Ecological Reference Area HCVA = High Conservation Value Area SCA = Special Conservation Area						
SCA	Cold Water Lake	A coldwater lake has temperature and dissolved oxygen condition stocked trout populations and those of other coldwater fish specific conditions for coldwater fishes may occur in Michigan lakes if the groundwater inflows, or are located in colder (northern) areas of Director's action and designated as trout resources by Fisheries	es to persist from year to year. Suitable ey are relatively deep, have substantial the state. Such lakes are established by						
SCA	Cold Water Stream	The state of the s							
ERA	Ecological Reference Areas	Ecological Reference Areas (ERAs) are high quality examples of identified as Element Occurrences (EOs) by the Michigan Natura context of their natural community classification system. Element (Excellent) or B (Good) and a Global (G) or State (S) element (ra threatened (2), or rare (3) serve as an initial base of ERAs. They the State. The system is comprised of individual or associations managed for restoration and maintenance of natural ecological psubmit recommendations for lands as ERAs using the DNR Constitution.	al Features Inventory (MNFI) within the toccurrences with viability ranks of A urity) ranking of endangered (1), may be located upon any ownership in of natural community types that are processes and values. The public may						

Report 7 - Stands



		Level 4 Cover Type						BA Range Managed Site			General Comments	MICHIGA
1	6122 - BI	ack Spruce	P P	oletimbei	Medium	46.8	93	51-80	N/A			
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Cano	py Species	Density	Avg. Height	Size		
	Black Spruce	53	Pole	8	93	Tam	arack	Low	10 - 20 feet	Sapling		
	Balsam Poplar	2	Pole	7		Black	Spruce	Low	10 - 20 feet	Sapling		
	Jack Pine	2	Pole	8			Cherry	Low	5 - 10 feet	Tall Shrub		
	Tamarack	43	Pole	8		Tag	Alder	Medium	5 - 10 feet	Tall Shrub		
2	6220 - A	lder/willow		Nonsto	cked	1.8			No			
						Sub-Cano	py Species	Density	Avg. Height	Size		
						Black	Spruce	Low		Sapling		
						Tag	Alder	High		Tall Shrub		
3	42220 - Nat	ural Jack F	ine	Sawtimb	er Well	4.9	95	81-110	N/A		SCA = Part of MNFI designated rich conifer swamp.	
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Cano	py Species	Density	Avg. Height	Size		
	Jack Pine	86	Log/Pole	11	95	Black	Spruce	Medium	5 - 10 feet	Sapling		
	Tamarack	2	Pole/Log	8		Choke	Cherry	Low	5 - 10 feet	Tall Shrub		
	Black Spruce	10	Pole	7						,		
	White Spruce	2	Log/Pole	10								
4	6220 - A	lder/willow		Nonsto	cked	2.1			No			
						Sub-Cano	py Species	Density	Avg. Height	Size		
						Tag	Alder	High		Tall Shrub		
						Black	Spruce	Low		Sapling		
5	6220 - A	lder/willow		Nonsto	cked	10.7			No			
						Sub-Cano	py Species	Density	Avg. Height	Size		
						Black	Spruce	Low		Sapling		
						Tag	Alder	High		Tall Shrub		
6	42220 - Nat	ural Jack F	ine	Sawtimb	er Well	8.6	95	81-110	N/A		SCA = Part of a rich conifer swamp complex.	
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Cano	py Species	Density	Avg. Height	Size		
	Tamarack	1	Pole	8			Cherry	Low	5 - 10 feet	Tall Shrub		
	Jack Pine	60	Log/Pole	11	95		arack	Low	>20 feet	Sapling		
	Black Spruce	36	Pole	7		Black	Spruce	Medium	10 - 20 feet	Sapling		
	White Pine	2	Log/Pole	12								
	White Spruce	1	XLog/Log	18								



Stand	I Level 4 Co	ver Type		Size Der	nsity	Acres	Stand Age	BA Range	Managed S	Site	General Comments
8	42220 - Natu	ıral Jack P	ine :	Sawtimbe	er Well	2.7	95	81-110	N/A		SCA = Part of a rich conifer swamp comples.
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Car	opy Species	Density	Avg. Height	Size	
	Jack Pine	94	Log/Pole	11	95	Chok	ce Cherry	Low	5 - 10 feet	Tall Shrub	
	Black Spruce	5	Pole	7		Blac	k Spruce	Low	5 - 10 feet	Sapling	
	White Pine	1	Log	14							
9	6220 - Al	der/willow	,	Nonstoo	cked	9.6			No		
						Sub-Car	nopy Species	Density	Avg. Height	Size	
						Ta	g Alder	High		Tall Shrub	
						Blac	k Spruce	Low		Sapling	
10	6220 - Al	der/willow		Nonstoo	cked	0.9	0		No		SCA = MNFI designated rich conifer swamp. Meets type 2 old growth criteria. Very wet with seeps and drains that feed the Escanaba River. Trace amounts of jack pine. Variable basal area
11	330 - Low-D	ensity Tre	es	Nonstoo	cked	11.6	0 1	Unspecified	4212 - Planted	Jack Pine	Cut under Couch Potato Mix. Saw Whet ELF in the fall of 2018 by Sanville logging inc.
14	330 - Low-D	ensity Tre	es	Nonstoo	cked	3.4	0 (	Unspecified	42120 - Planted	I Jack Pine	Cut under Couch Potato Mix. Saw Whet ELF in the fall of 2018 by Sanville logging inc.
15	6122 - Bla	ack Spruce	e Po	oletimber	Mediun	n 39.4	93	81-110	N/A		SCA = MNFI designated rich conifer swamp. Meets type 2 old growth
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Car	nopy Species	Density	Avg. Height	Size	criteria. Very wet with seeps and drains that feed the Escanaba River.
	Black Spruce	70	Pole	7	93	Tai	marack	Trace	Variable	Sapling	Trace amounts of jack pine. Variable basal area. This was said to meet
	Tamarack	30	Log/Pole	10		Ta	g Alder	Low	5 - 10 feet	Tall Shrub	Type 2 old growth criteria. However, several ages between inventory and ERA survey challenge that. (2024)
						Bal	sam Fir	Trace	Variable	Sapling	LNA survey challenge that. (2024)
						Blac	k Spruce	Low	Variable	Sapling	
16	42120 - Plan	ted Jack F	oine f	Poletimbe	er Well	27.2	34	81-110	N/A		Harvested in 1988: TS# 15-86. Planted in 1990.Trace amount of
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Car	nopy Species	Density	Avg. Height	Size	balsam fir, red pine, and black spruce in canopy. Aspen on hillside.
	Quaking Aspen	5	Pole/Sapling	g 6		Re	ed Pine	Trace	Variable	Sapling	
	White Pine	1	Log/Pole	12		Chok	ce Cherry	Low	5 - 10 feet	Tall Shrub	
	Jack Pine	94	Pole/Sapling	g 6	34						
17	6220 - Al	der/willow		Nonstoo	cked	1.9			No		
							nopy Species	Density	Avg. Height	Size	
						Blac	k Spruce	Trace		Sapling	
						Ta	g Alder	High		Tall Shrub	
19	42120 - Plan	ted Jack F	Pine	Sapling	Well	88.6	26	Immature	N/A		Harvested in 1998: TS# 9-96. Trenched and direct seeded in 1998. This
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Car	nopy Species	Density	Avg. Height	Size	stand has some long hills running NW to SE; hills are short and steep with aspen trees as main canopy.
	Jack Pine	95	Sapling	4	26	Chei	rry (spp.)	Trace	Variable	Sapling	•
							7 (-11 /			- 1 3	

Compartment: 253	TOF NATURAL
Year of Entry: 2026 comments	DNR MICHIGAN

Stand	Level 4 C	over Type		Size Densit	у	Acres :	Stand Age E	BA Range	Managed S	Site	General Comments
20	6122 - Bl	ack Spruce	e I	Poletimber W	/ell	10.5	95	51-80	N/A		Variable basal area. Canopy closure around 75%. Stream within stand is tributary to the Escanaba River.
	Canopy Species	% Cover	Size Class	DBH Ag	е	Sub-Can	opy Species	Density	Avg. Height	Size	thibutary to the Escanaba Niver.
	Tamarack	35	Pole	8		Tan	narack	Low	5 - 10 feet	Sapling	
	Jack Pine	5	Log	11		Black	Spruce	Low	5 - 10 feet	Sapling	
	Black Spruce	60	Pole	7 95	5	Tag	Alder	Medium	5 - 10 feet	Tall Shrub	
21	42220 - Nat	ural Jack P	ine S	Sapling Medi	um	2.9	30	51-80	N/A		This looks to have a few different ages. Good amount of open area.  Some large 12-inch jack pine are present but most looks to be 2-5 inches
	Canopy Species	% Cover	Size Class	DBH Ag	е	Sub-Can	opy Species	Density	Avg. Height	Size	at dbh.
	Quaking Aspen	5	Sapling	4		Cheri	ry (spp.)	Medium	5 - 10 feet	Sapling	
	Jack Pine	95	Sapling	3 30	)						•
22	42120 - Plar	nted Jack P	Pine	Sapling We		10.0	16	Immature	N/A		Harvested in 2007: TS# 111-06-01. Trenched and direct seeded in 2008.  Trace amounts of spruce and fir.
	Canopy Species	% Cover	Size Class	DBH Ag	е	Sub-Can	opy Species	Density	Avg. Height	Size	Trace amounts of sprace and in.
	Jack Pine	100	Sapling	2 16	6	Choke	e Cherry	Trace	5 - 10 feet	Tall Shrub	
23	42120 - Plar	nted Jack P	Pine	Sapling We		11.0	21	Immature	N/A		Harvested in 2002: TS# 130-02-01. Trenched and direct seeded in 2003.
	Canopy Species	% Cover	Size Class	DBH Ag	е	Sub-Can	opy Species	Density	Avg. Height	Size	
	Jack Pine	100	Sapling	3 21		Choke	e Cherry	Low	5 - 10 feet	Tall Shrub	
24	42120 - Plar			Sapling We	_	115.3	8	Immature	N/A		Stand harvested Cut in the fall of 2016 under Long Line Jack Pine TS#122-15. Under FTP 32-869 for jack pine regen. Trenched by DNR
	Canopy Species		Size Class	DBH Ag	е						resources in summer of 2017 for cost info see FTP C32-869. Stand was
	White Pine	1 -	Pole	6							planted in the spring of 2018. the fall of 2018 regen count had mixed results the eastern side passed its regen check the west side failed and
	Quaking Aspen	5	Sapling	1							will be replanted. Stand was replanted in the spring of 2019. Stand
	Choke Cherry	1	Sapling	1							passed a regen check in the fall of 2019. 3rd year regen check passed.
	Jack Pine	93	Sapling	1 8							Trace amounts of spruce and fir. Small low area in NW corner less than 2 acres This stand has short steep hills running NW to SE.
25	42120 - Plar	nted Jack P	Pine	Sapling We	ll	10.8	17	Immature	N/A		Harvested in 2007: TS# 111-06-01. Trenched and direct seeded in 2007.
	Canopy Species	% Cover	Size Class	DBH Ag	е	Sub-Can	opy Species	Density	Avg. Height	Size	
	Jack Pine	100	Sapling	3 17	7	Choke	e Cherry	Trace	Variable	Sapling	
26	42120 - Plar	nted Jack P	Pine	Sapling We	II	18.5	17	Immature	N/A		Harvested in 2007: TS# 111-06-01. Trenched and direct seeded in
	Canopy Species	% Cover	Size Class	DBH Ag	е						2007.Trace amount of pole sized red pine and white pine.
	Jack Pine	100	Sapling	3 17	,						
27	42120 - Plar	nted Jack P	Pine	Sapling We	:	55.5	25		N/A		Harvested in 1998: TS# 7-96. Trenched and direct seeded in 1999.
	Canopy Species	% Cover	Size Class	DBH Ag	е	Sub-Can	opy Species	Density	Avg. Height	Size	
	Red Pine	1	Log/Pole	11		Choke	e Cherry	Low	5 - 10 feet	Tall Shrub	
	Jack Pine	99	Sapling/Pole	9 4 25	5	Red	d Pine	Trace	Variable	Sapling	
			. 0								



									Site	
28	42120 - Plan	ted Jack P	ine	Sapling Well	6.9	21	Immature	N/A		Harvested in 2002: TS# 130-02-01. Trenched and direct seeded in 2002.
	Canopy Species	% Cover	Size Class	DBH Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	
	Jack Pine	100	Sapling	4 21	Cho	ke Cherry	Low	5 - 10 feet	Tall Shrub	
29	42121 - Planted Deci	Jack Pine, duous	Mixed	Sapling Well	26.8	16	Immature	N/A		Harvested in 2007: TS# 111-06-01. Trenched and direct seeded in 2008.
	Canopy Species	% Cover	Size Class	DBH Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	
(	Quaking Aspen	40	Sapling	2	Cho	ke Cherry	Medium	5 - 10 feet	Tall Shrub	
	Jack Pine	60	Sapling	3 16						
30	42120 - Plan	ted Jack P	ine	Sapling Well	9.9	8	Immature	N/A		Clear cut followed by disk trenching and direct seeding-no retention. Tree
	Canopy Species	% Cover	Size Class	DBH Age						ages range. Tree Mortality is moderate to high. Cut by Carey Logging in the fall of 2016 under Long Line Jack Pine 321221501. Under FTP 32-
	Jack Pine	100	Sapling	1 8						869 for jack pine regen. Trenched in Summer of 2017. See FTP C32-896
										for cost info. Site planted in the spring of 2018. Regen check failed in the fall of 2018 replant ASAP. Trace amount of red pine.
31	42120 - Plan	ted Jack P	ine	Sapling Well	14.3	8	Immature	N/A		Clear cut followed by trenching and direct seeding-no retention. Tree ages range up too 75 years. Stand suffered light to moderate wind throw
	Canopy Species		Size Class	DBH Age						in July 2005. Site trenched in the summer of 2017 for cost info see FTP
	Jack Pine	100	Sapling	1 8						C32-869. Site planted in the spring of 2018. Regen check failed in the fall
										of 2018 replant ASAP. Stand was replanted in the spring of 2019. Stand passed a regen check in the fall of 2019. Scheduled for a 3rd year check. Trace amount of choke cherry on site.
32	42120 - Plan			Poletimber Well	49.4	34	81-110	N/A		Harvested in 1989: TS# 16-86. Trenched and planted in 1990.
	Canopy Species		Size Class	DBH Age						
	Jack Pine	100	Pole	6 34						
33	42120 - Plan	ted Jack P	rine	Sapling Well	14.2	8	Immature	N/A		Clear cut followed by disk trenching followed by direct seeding-no
	Canopy Species	% Cover	Size Class	DBH Age						retention. Tree ages range for the most part from 49 to 75 years. Cut by Carey Logging in the fall of 2016 under Long Line Jack Pine 321221501.
	Jack Pine	100	Sapling	1 8						Under FTP 32-869 for jack pine regen. Trenched in Summer of 2017. See FTP C32-896 for cost info. Site planted in the spring of 2018. Regen check failed in the fall of 2018 replant ASAP. Stand was replanted in the spring of 2019. Stand passed a regen walk though in fall of 2019. 3rd
										year check is scheduled.
34	42220 - Natu	ıral Jack P	ine	Poletimber Well	5.2	25	81-110	N/A		This artificial openimg naturally regenerated to jack pine.Trace amount
	Canopy Species	% Cover	Size Class	DBH Age						of white pine.
	Jack Pine	100	Pole/Sapling	g 5 25						
35	42120 - Plan	ted Jack P	ine	Sapling Well	16.3	8	Immature	N/A		Clear cut followed by disk trenching and direct seeding-no retention. Light to moderate windthrow from the storm of July, 2005. Tree ages
	Canopy Species	% Cover	Size Class	DBH Age						range up to 75+ years.Trenched in Summer of 2017. See FTP C32-869
	Jack Pine	99	Sapling	1 8						for cost info. Site planted in the spring of 2018. Regen check failed in the
	Choke Cherry	1	Sapling	1						fall of 2018 replant ASAP. Stand was replanted in the spring of 2019. Count per regen manual. Stand passed a regen check in the fall of 2019. Scheduled for a 3rd year check.

7 – Stands



Stand	Level 4 Cover Type			Size Density		cres	Stand Age I	BA Range	ange Managed S		General Comments	
36	42120 - Planted Jack Pine			Poletimber Well		76.6	29	111-140	N/A		Harvested in 1994: TS# 6-94. Trenched and planted in 1995.	
	Canopy Species	% Cover	Size Class	DBH A	ge							
	Jack Pine	100	Pole/Sapling	5 2	9							
37	42120 - Plai	nted Jack P	Pine P	oletimber V	Well 4	40.6	27	Immature	N/A		Harvested in 1998: TS# 6-96. Trenched and direct seeded in 1997.	
	Canopy Species	% Cover	Size Class	DBH A	ge Sı	ub-Ca	nopy Species	Density	Avg. Height	Size		
	Jack Pine	98	Pole/Sapling	5 2	7	Cho	ke Cherry	Low	Variable	Sapling		
	Red Pine	2	Log	11		R	ed Pine	Trace	Variable	Sapling		
						Ja	ack Pine	Low	< 5 feet	Sapling		
38	42120 - Planted Jack Pine			Sapling W	ell 4	46.8	17	Immature	N/A		Harvested in 2006: TS# 112-06-01. Trenched and direct seeded in 2007	
	Canopy Species	% Cover	Size Class	DBH A	ge Si	ub-Ca	nopy Species	Density	Avg. Height	Size		
	Red Pine	5	Log/Pole	11		Cho	ke Cherry	Medium	5 - 10 feet	Tall Shrub		
	Jack Pine	93	Sapling	3 1	7							
	Quaking Aspen	2	Sapling	3								
39	42120 - Plai	nted Jack P	Pine P	oletimber V	Well 9	90.4	35	81-110	N/A		Harvested in 1989: TS# 112-06-01. Trenched and direct seeded in 1989	
	Canopy Species	% Cover	Size Class	DBH A	ge Si	ub-Ca	nopy Species	Density	Avg. Height	Size		
	Quaking Aspen	15	Pole/Sapling	6		Cho	ke Cherry	Medium	5 - 10 feet	Tall Shrub		
	Jack Pine	75	Pole/Sapling	5 3	5	R	ed Pine	Low	Variable	Sapling		
	Red Pine	10	Log/Pole	12		Wi	llow spp.	Low	< 5 feet	Tall Shrub		
40	42220 - Nat	ural Jack P	rine Pol	letimber Me	edium	3.6	31	Immature	N/A		This opening was created by Wildlife and regenerated to jack pine naturally.	
	Canopy Species	% Cover	Size Class	DBH A	ge Si	ub-Ca	nopy Species	Density	Avg. Height	Size	naturany.	
	Jack Pine	100	Pole/Sapling	6 3	1	Ja	ack Pine	Low	< 5 feet	Sapling		
						Cho	ke Cherry	Low	5 - 10 feet	Sapling		
41	3302 - Low Der	r Trees	Nonstocked		3.1			Managed Ope		Open area with scattered trees. Filling in with cherry and jack pine.		
					Sı	ub-Ca	nopy Species	Density	Avg. Height	Size		
						Cho	ke Cherry	Low		Tall Shrub		
							ack Pine	Low		Sapling		



Stand	tand Level 4 Cover Type		!	Size Dei	nsity	Acres Stand Age BA Range			Managed Site		General Comments  Cut under Couch Potato Mix. Saw Whet ELF in the fall of 2018 by		
42	4133 - Aspen, Mixed Pine			Sapling Well		132.0	5	Immature					
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Specie	s Density	Avg. Height	Size	Sanville logging.Small pocket of residule larger pine present. Stand is primarily 1 inch aspen marbbled with larger 3 inch aspen saplings		
	Black Cherry	1	Sapling	1		Chol	ke Cherry	Low	Variable	Sapling	throughout. One pocket of larger pole sized aspen and log/pole sized red		
	Red Oak	1	Log	12							pine present. Trace amount of oak and red pine saplings.		
	White Pine	5	Sapling/Pole	3									
	Red Maple	5	Sapling	1									
	Bigtooth Aspen	10	Sapling	1									
	Paper Birch	1	Pole/Sapling	6									
	Jack Pine	10	Sapling	1									
	Red Pine	2	Log/Pole	10									
	White Pine	5	Log/Pole	10									
(	Quaking Aspen	3	Pole	9									
(	Quaking Aspen	56	Sapling	1	5								
	Balsam Fir	1	Sapling/Pole	2									
<b>43</b> 4130 - Aspen				Sapling Well		22.1 16 Immatu		Immature	N/A		Harvested in 2008: TS# 113-06-01. Trace amount of of pole/log white		
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Specie	s Density	Avg. Height	Size	pine in canopy.		
	Red Maple	3	Sapling	2		Ja	ck Pine	Medium	Variable	Sapling			
(	Quaking Aspen	77	Sapling	3	16	Cho	ke Cherry	Low	5 - 10 feet	Tall Shrub			
	Red Pine	2	Log/Pole	10				'	1		-		
	Black Cherry	3	Pole/Sapling	6									
	Jack Pine	15	Sapling	3									
44	330 - Low-l	Density Tre	es	Nonsto	cked	4.2	0	Unspecified	4212 - Planted	Jack Pine	Cut under Couch Potato Mix. Saw Whet ELF in the fall of 2018 by Sanville logging inc.		
45	42120 - Planted Jack Pine		Sapling Well		55.9	16	Immature	N/A		Harvested in 2008: TS# 113-06-01. Trenched and direct seeded in 2008			
	Canopy Species	% Cover	Size Class	DBH	Age	Sub-Ca	nopy Specie	s Density	Avg. Height	Size			
	White Pine	2	Pole/Log	9		Re	ed Pine	Trace	< 5 feet	Sapling			
	Red Pine	6	Log/Pole	12		Chol	ke Cherry	Low	5 - 10 feet	Tall Shrub			
	Jack Pine	85	Sapling	2	16						-		
-	Quaking Aspen	5	Sapling	2									
,				5									



Stand	Level 4 Cover Type		s	Size De	nsity	Acres Stand Age BA Range			Managed Site		General Comments
47	4130 - Aspen			Sapling	y Well	39.1	25 I	mmature	N/A		Harvested in 1999: TS# 13-96-01.
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	
	Quaking Aspen	88	Sapling/Pole	4	25	Cho	ke Cherry	Medium	5 - 10 feet	Tall Shrub	
	Red Maple	1	Pole/Sapling	6		WI	hite Pine	Low	5 - 10 feet	Sapling	
	White Pine	5	Pole	8		Re	ed Maple	Low	10 - 20 feet	Sapling	
	Jack Pine	5	Sapling/Pole	4		Ja	ack Pine	Low	5 - 10 feet	Sapling	
	Black Cherry	1	Pole	6							
48	42120 - Pla	nted Jack F	Pine	Sapling	g Well	11.9	16 I	mmature	N/A		Harvested in 2008: TS# 113-06-01. Trenched and direct seeded in 2006. Trace amount of red pine and oak in canopy.
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	2006. Trace amount of red pine and oak in canopy.
	Jack Pine	93	Sapling	2	16	Cho	ke Cherry	Low	5 - 10 feet	Tall Shrub	
	White Spruce	2	Pole/Log	9							
	Quaking Aspen	2	Sapling	2							
	White Pine	3	Pole/Sapling	7							
49	4133 - Aspe	en, Mixed P	ine Po	oletimb	er Well	98.3	46	111-140	N/A		Harvested in 1978: TS# 7/74. Red and white pine retained.
	Canopy Species	% Cover	Size Class	DBH	l Age	Sub-Ca	nopy Species	Density	Avg. Height	Size	
	White Spruce	4	Log/Pole	10		Hazelr	nut (Beaked)	Low	5 - 10 feet	Tall Shrub	
	White Pine	10	XLog/Log	20		Ва	ılsam Fir	Medium	Variable	Sapling	
	Paper Birch	2	Pole	8		Whi	te Spruce	Low	Variable	Sapling	
	Red Oak	2	Pole/Log	9		WI	hite Pine	Low	Variable	Sapling	
	Quaking Aspen	36	Pole/Log	8	46	Re	ed Maple	Medium	Variable	Sapling	
	Red Maple	18	Pole	6				,		,	
	Red Pine	13	XLog/Log	20							
	Bigtooth Aspen	5	Pole/Log	8							
	Balsam Fir	10	Pole/Sapling	7							