



CONSTRUCTION NOTES

1. EXISTING MASONRY OPENINGS INTO TOILETS ARE 24" WIDE. SINCE THE HANDICAP CODE REQUIRES 30" FOR WHEELCHAIR CLEARANCE, NEW H.M. DOORS & FRAMES @ THIS ENTRY WOULD NOT BE FEASIBLE. THEREFORE A NEW ENTRY LAYOUT IS NECESSARY.
2. WOMEN'S TOILET RM.
 - a. REMOVE (2) EXISTING WATER CLOSETS
 - b. ADD (1) LAVATORY
 - c. REPLACE CRACKED WATER CLOSETS
 - d. NEW TOILET PARTITIONS
3. MEN'S TOILET RM.
 - a. REMOVE (1) EXISTING WATER CLOSET
 - b. ADD (1) WATER CLOSET
 - c. REPLACE CRACKED WATER CLOSETS
 - d. ADD (2) URINALS
 - e. NEW TOILET PARTITIONS
 - f. BLOCK-IN OPENINGS
4. REPLACE ALL SUPPLY VALVES & CLOSET CARRIERS.
5. ADD FORCED VENTILATION AND FINISH ELEC. AS REQ'D.

PARTIAL FLOOR PLAN - SOUTH END OF BATHHOUSE
1/4" = ONE FOOT

SURVEYED BY	DRAWN BY <i>Op</i>	JULY 1988	NO.	DATE	BY	REVISIONS	NO.	DATE	BY	REVISIONS	MICHIGAN DEPARTMENT OF NATURAL RESOURCES	PRELIMINARY PLAN	MUSKEGON STATE PARK	PROJECT NO. 24-2590
DESIGNED BY	CHECKED BY		1.				3.					SHEET TITLE	BATHHOUSE TOILET REMODELING	SHEET 1 OF 1
DATE	DATE	DATE	2.				4.						PROJECT	PLAN NO. A-118A