



- CONSTRUCTION NOTES**
- EXISTING MASONRY OPENINGS INTO TOILETS ARE 24" WIDE. SINCE THE HANDICAP CODE REQUIRES 30" FOR WHEELCHAIR CLEARANCE, NEW H.M. DOORS & FRAMES @ THIS ENTRY WOULD NOT BE FEASIBLE. THEREFORE A NEW ENTRY LAYOUT IS NECESSARY.
 - WOMEN'S TOILET RM.
 - DELETE (2) EXISTING WATER CLOSETS
 - ADD (1) LAVATORY
 - REPLACE CRACKED WATER CLOSETS
 - NEW TOILET PARTITIONS
 - MEN'S TOILET RM.
 - DELETE (1) EXISTING WATER CLOSET
 - ADD (1) WATER CLOSET
 - REPLACE CRACKED WATER CLOSETS
 - ADD (2) URINALS
 - NEW TOILET PARTITIONS
 - BLOCK-IN OPENINGS
 - REPLACE ALL SWORN VALVES & CLOSET CARRIERS.
 - ADD FORCED VENTILATION AND REVISE ELEC. AS REQ'D.

PARTIAL FLOOR PLAN - SOUTH END OF BATHHOUSE.
1/4" = 0'10" FOOT

SURVEYED BY		DRAWN BY <i>up</i>		NO. DATE BY		REVISIONS		NO. DATE BY		REVISIONS		MICHIGAN DEPARTMENT OF NATURAL RESOURCES		PRELIMINARY PLAN		MUSKEGON STATE PARK		PROJECT NO. 2A-2590			
DESIGNED BY		CHECKED BY		1. DATE				3. DATE				DEPARTMENT OF NATURAL RESOURCES		SHEET TITLE		BATHHOUSE TOILET REMODELING		SHEET 1 OF 1		PLAN NO. A-118A	
DATE		DATE		2. DATE				4. DATE													