




DESIGNED BY	W.H.E.
DRAWN BY	D.M.C.
CHECKED BY	
DATE	June 62
REVIEWED	ARCHITECTURAL
DATE	Sept. 62
REVIEWED	ENGINEERING
DATE	10-1-62
REVIEWED	LANDSCAPE
APPROVED	
DATE	
NO.	1
DATE	10-1-62
NO.	2
DATE	
NO.	3
NO.	4
NO.	5
NO.	6



PLAN OF NORTH CURB
(South curb same only opposite hand)



PLAN OF SLAB



ELEVATION

LOCATION	Cu. Yd.
West Span	138.5
East Span	163.5
Total	302.0

ITEM	UNIT	AMT.
Copper	lbs.	21
1/2" Joint Filler	Sq. Ft.	48
1" Joint Filler	Sq. Ft.	36
Joint Waterproofing	Sq. Ft.	108
Aluminum Bridge Railing (3 Tubes) - Fabrication and Erection	Lin. Ft.	304.5
Drain Castings	Ea.	6

NOTES:
Work this sheet with sheets 8 & 9.
C.W.S. denotes Copper Water Stop.
E.S. denotes each side.
Pour sidewalk with slab. Groove with
approved tool.
For Aluminum Railing, Drain Casting,
Bar Chairs, etc., see Std. Sheets, R11C, & R10N.