


PLAN OF STRUCTURE
1/8" = 1'-0"

VIEW G-G (TYPICAL FOUR PIERS)
1/2" = 1'-0"



DOWN STREAM ELEVATION
1/8" = 1'-0"

TABULATION OF QUANTITIES

1. REPLACED AGGREGATE CONCRETE ABOVE WATER	382.50 LF
2. REPLACED AGGREGATE CONCRETE BELOW WATER	258.50 LF
3. WALL RECAPPING	80.00 LF
4. PRESSURE GRAUTED CRACKS	19.00 LF
5. MEMBRANE WATER PROOFING	658.50 LF
6. PIER RECAPPING ABOVE WATER	14.00 LF
7. PIER RECAPPING BELOW WATER	10.00 LF
8. SLOPE DECK SLAB REPLACEMENT	28.50 LF

BUILDING COMMITTEE APPROVAL	
BY: _____	DATE: _____
RECOMMENDED FOR APPROVAL: _____ ENGINEERING OR ARCHITECTURAL SUPERVISOR DATE: _____	
RECOMMENDED FOR APPROVAL: _____ PROGRAM AND PLAN COORDINATOR DATE: _____	
DIVISION/REGION APPROVAL	
BY: _____	DATE: _____
DIVISION CHIEF/REGIONAL MANAGER ENGINEERING DIVISION	
APPROVED: _____	DATE: _____
CHIEF ENGINEER	
PROJECT NO. 1053	
SHEET 2 OF 3	PLAN NO. E-129

SURVEYED BY	DRAWN BY	DATE	NO.	DATE	BY	REVISIONS	NO.	DATE	BY	REVISIONS
DESIGNED BY R. HAEUBLEE	J. LEMMON	10-69	1.				3.			
	CHECKED BY	DATE	2.				4.			

MICHIGAN DEPARTMENT OF NATURAL RESOURCES	PLAN & ELEVATION	AREA OR PARK LUDINGTON STATE PARK
	SHEET TITLE	PROJECT REPAIR TO HAMLIN LAKE DAM PHASE II
Work This Sheet With Sheet No. 3		