



TYPICAL CROSS SECTION
 ENTRANCE DRIVE - PEAT EXCAVATION AREA
 NO SCALE

EMBANKMENT MATERIAL OUTSIDE OF A 1 ON 1 LINE FROM THE TOE OF THE AGGREGATE BASE MAY BE TOPSOIL AND OTHER EXCAVATED MATERIAL WHICH IS UNSUITABLE FOR USE FOR EMBANKMENT CONSTRUCTION UNDER THE PROPOSED DRIVE. TYPICAL OF BOTH SIDES OF DRIVE.

GEORGRID SHALL BE PLACED 1'-0" BELOW FINISHED SURFACE. SEE NORTH CAMPGROUND DRIVE FOR LIMITS OF GEORGRID PLACEMENT. JOINTS IN GEORGRID SHALL MEET MANUFACTURER'S REQUIREMENTS.

APPROXIMATE LIMITS OF PEAT EXCAVATION. PEAT SHALL BE EXCAVATED FROM GRADING LIMITS TO GRADING LIMITS. PEAT EXCAVATION SHALL CONFORM TO MDOT SECTION 2.08.05 "PEAT EXCAVATION". BACKFILL SHALL CONFORM TO MDOT SECTION 2.08.05 "SWAMP BACKFILL" AND SHALL MEET MDOT GRANULAR MATERIAL CLASS III REQUIREMENTS.

FILE NO.: 1165P101
 PLOT DATE: 10-28-93
 UPDATED BY: LJS

| | | | | | |
|---------|--------------|-----------------|--------------|---------|------------------|
| DRN BY: | DESIGNED BY: | PROJECT - ALOHA | ISSUED FOR | DATE | BULLETIN NO. 101 |
| LJS | GJF | STATE ACCOUNT | PRELIMINARY | 7-06-92 | |
| GDA | | 607-75-2450-400 | CONSTRUCTION | 7-14-93 | |
| | | | FINAL RECORD | | |



STATE OF MICHIGAN
 DEPARTMENT OF MANAGEMENT AND BUDGET
 Office of Facilities

QUALITY OF LIFE RECREATION BOND
 MICHIGAN DEPARTMENT OF NATURAL RESOURCES
 PARKS DIVISION - STATE ACCT. NO. 607-75-2450-400

PEAT EXCAVATION DETAIL

SCALE: NO SCALE
 PROJ. NO.: 91165
 SHEET 1 OF 10

Contains Peat Excavation Detail - Bulletin 110.1

L-118A