LAND CORNER RECORDATION CERTIFICATE Filling Requirement of Act 74, Mich. P.A. 1970 as Amended

For corners in	r comen	s in	í
----------------	---------	------	---

Baraga	Located In:	Corner Code #		,	
(County)	- v				
1. Public Land Survey	TR		2		
2. Property Controlling in Section	S 36 T 48N R 34W S 36 T 48N R 34W S T R	9			
3. Miscellaneous Property in Sec.	S T R S T R				
4. Lot No. Rec	corded Plat		Register of Deed	ds Stamp & File Nu	ımber
5. Private Claims			1 D C D E	FGRI	JKLM
above were in conformance with instructions of the United States a Court of Law and /or that the court of Law and /or the cour	74, Michigan P.A. of 1970, the corne regulations and rules therefore as required pepartment of the Interior, Bureau of corner points mentioned in lines 3, 4 and of Land Surveyors or by a Decree	uired in the current manual of survey Land Management or by a decree of nd 5 above were in conformance with	,5 f 61917	-16 -15	11 12
NOTE: Not more than 2 corn on this certificate.	ners, all in the same town and rang	ge, may be recorded	10 30 29 11 12 31 32	33 34	26—25— 35—3 6
A. Description of original m	onument and accessories and/o	r subsequent restoration:	13		<u>-</u>

(9-Sec. 36) East 1/16 corner, Section 36. Not established in the original survey.

(12-Sec. 36) South 1/16 corner of Section 36. Not established in the original survey.

B. Description of corner evidence found and/or method applied in restoring or reestablishing corner:

(12-Sec. 36) Established the corner midway and on a straight line between Quarter corner 1314.87 South and Center of Section 36 1314.87' North.

(9-Sec. 36) Established the corner midway and on a straight line between Quarter corner 1318.97' East and Center of Section 36 1318.97' West.

C. Description of monument for corner and accessories established to perpetuate locating the position of the corner:

(12) Set 1"IDx32" I.pipe with 4" alum. MDNR cap. Set measuring nail with MDNR tag in the side of: 12" Hemlock NO6W 18.4' 5" Sugar S51E 15.05' 14" Maple S15E 16.55' 6" Sugar N89W 6.15' Set sq'd cedar post adjacent. Bearings are magnetic.

(9) Set 1"IDx32" I.pipe with 4" alum. MDNR cap. Set measuring nail with MDNR tag in the side of: 11" Maple S79E 5.1' mrkd "1/16S BT"

11" Maple S10E 15.85'

do

18" W.Pine N70W 4.25'

do

11" Maple N44W 8.5'

do

STEPHAN J

SZYSZKOSK

LAND SURVEYOR

Set sq'd Cedar post adjacent.

Bearings are magnetic.

Signed by

Surveyor's Michigan License No.

33986

06/29/2011

For the Michigan Department of Natural Resources, Forest Management Division

FORM APPROVED BY MICHIGAN STATE BOARD CAND

ed Jan., 1983 Rervised Oct., 1995

14, 1975

16636 16638