LAND CORNER RECORDATION CERTIFICATE Filing Requirement of Act 74, Mich. P.A. 1970 as Amended

For corners in

Dickinson	Located In:	Corner Code #							
(County) Norway Township	_								
1. Public Land Survey	T 41N R 29W	D03							
2. Property Controlling in Section	T R S T R S T R								
3. Miscellaneous Property in Sec.	S T R S T R								
4. Lot No. , Red 5. Private Claims	corded Plat		Register	of Deeds	s Stamp		Numbe		24
above were in conformance with instructions of the United States	74, Michigan P.A. of 1970, the corner regulations and rules therefore as require Department of the Interior, Bureau of Lacorner points mentioned in lines 3, 4 and	points mentioned in lines 1 and 2 ed in the current manual of survey and Management or by a decree of	6 -18	17	- 9	-10 -15	-13-	13	
	d of Land Surveyors or by a Decree		1 180	-20		22	-23-	-24	
NOTE: Not more than 2 corn on this certificate.	ners, all in the same town and range,	, may be recorded	10 30 11 12 31	32	33	-27	26-	25	<u> </u>
A Description of original m	onument and accessories and/or	subsequent restoration:							

(D3) Quarter corner common to Sections 5 and 8, T41N-R29W. 1849: John Burt, DS, Marked 8" Cedar for corner. No BTs are noted. 1951: Michigan DNR (Dean DeLaMater PS#5778) perpetuated Original Corner with a "1 inch pipe with 4" Brass cap. Witnessed by 10" Cedar S84E 35 Links, 8" Cedar S40W 20 Links. Noted Squared tree, original, for corner, still in place, in good condition". 1993: Michigan DNR (Stephan Szyszkoski PS#33986) Found and accepted a scribed wood post at record bearing and distance from DeLaMater's 2 Cedar bearing trees. Iron pipe monument was not recovered. Remonumented the corner with MDNR monument and witnessed: 8" Cedar SO2E 5.6', 5" Cedar N56 14.6', EX 8" Cedar S40W 13.2', EX 12" Cedar S84E 22.5'.

B. Description of corner evidence found and/or method applied in restoring or reestablishing corner:

(DO3) Accepted found MDNR Monument and Four existing Witnesses (all living). Left MDNR monument in place and rewitnessed (adding nails & BT signs). Position is accepted as a careful and faithful PERPETUATION of the position of the original corner.

C. Description of monument for corner and accessories established to perpetuate locating the position of the corner:

(DO3) DNR monument

DNR monument EX. 14" Cedar S85E 23.09' (1/4S,NBT) EX. 11" Cedar 6.22' (1/4S,NBT) S01E 13.30' (1/4S,NBT) EX. 11" Cedar \$57W N57W 14.72' (1/4S,NBT) EX. 8" Cedar All trees are blazed, scribed, painted, and signed. Measurements are to nail in side of tree, bearings are magnetic. A carsonite rail was set North 1.5 feet.



Signed by Surveyor's Michigan License No.

50447

July 18, 2012