## LAND CORNER RECORDATION CERTIFICATE Filing Requirement of Act 74, Mich. PA 1970

For Corners In: Kalkaska (County)	Located In	Corner Code #	
1. Public Land Survey	T <u>27N</u> R <u>8W</u> T R	C8	
Property Controlling in Section	S T R S		
Miscellaneous     Property in Section	S T R R		Register of Deeds Stamp & File Number
4. Lot No:	Recorded Plat:		; ABCDEFGHIJKLM
5. Private Claims:			2 - 6 - 5 - 4 - 3 - 2 - 1
requirements of PA 74, Mic and 2 above were in confor the current manual of sun Interior, Bureau of Land Mal corner points mentioned in to of the Michigan Board of established, re-established,	eld survey on June 27, 2002 do here chigan PA of 1970, the corner points in mance with regulations and rules there were instructions of the United States nagement or by a decree of a Court of lines 3, 4 and 5 above were in conform Land Surveyors or by a Decree of monumented, recovered, found as expect corners, all in the same town a rtificate.	nentioned in lines 1 efore as required in Department of the Law and/or that the hance with the rules of a Court of Law; bressed below:	3 4
			12 31 32 33 34 35 36 36 37
A. Description of original	monument and accessories and/o	r subsequent restoration	:
between section con Could not locate a p Checks S. edge of I of N-S Firelane, 7" W. Pine N36°W 6 7" W. Pine S20°W 1	N22°E 40 L. S40°W 14 L. Ran random line corner 1967 – K.J. Ostling n. by proportionate measurement rners during a survey of Sec. 20. previous corner after extensive sea Darby Lake very well. Falls on W. S.7' 11.8'	edge	
B. Description of corner evidence found and/or method applies in restoring or re-establishing corner:			
C8 – ¼ corner common to Sec. 19 & 20 – Fd. 4" DOC (DNR) Alum. cap on 1" Galv. Iron pipe per Ostling. CL of N-S firelane is 21' E. Measured N. 298'± 5' (298'-GLO) to apparent high water mark of Darby Lake. Water line is now 60'± N of high water line. DOC mon. accepted as a careful & faithful re-establishment of the position of the original corner.			
C8 – 4" DOC (DNR) Alum N 1' to set blue cars N38°W 6.96' to set I S83°W 10.88' to set S19°E 7.12' to set N	ent for corner and accessories estan. cap on 1" Galv. iron pipe. onite post. N&T in SW side 17" W. Pine (KJO) N&T in N side 8" R. Maple & T in W side 13" R. Oak N & T in NW side 3" W. Pine		CRAIG W.  MCVEAN PROFESSIONAL SURVEYOR No. 39088
Signed by: 21	icense No.: 39088	Date:	12/9/2003

FORM APPROVED BY MICHIGAN STATE BOARD OF PROFESSIONAL SURVEYORS JAN. 28, 1971 Revised May 14, 1975 Revised Jan. 1983 Revised Oct. 1995